

# CDO Reference Card

Climate Data Operators  
Version 1.3.0  
January 2009

Uwe Schulzweida  
Max-Planck-Institute for Meteorology

<http://www.mpimet.mpg.de/cdo>

## Syntax

|  |
|--|
| <b>cdo</b> [ <b>Options</b> ] <b>Operator1</b> [ <b>-Operator2</b> [ <b>-OperatorN</b> ] ] |
|--|

## Options

|                              |  |
|------------------------------|--|
| <b>-a</b>                    | Convert from a relative to an absolute time axis   |
| <b>-b</b> < <i>nbits</i> >   | Set the number of bits for output precision (32/64 for nc,nc2,nc4,srv,ext,ieg; 1 - 32 for grb) |
| <b>-f</b> < <i>format</i> >  | Output file format (grb,nc,nc2,nc4,srv,ext,ieg)  |
| <b>-g</b> < <i>grid</i> >    | Grid name or file<br>Available grids: t<RES>grid, r<NX>x<NY>                                   |
| <b>-h</b>                    | Help information for the operators   |
| <b>-m</b> < <i>missval</i> > | Set the default missing value (default: -9e+33)  |
| <b>-R</b>                    | Convert GRIB data from reduced to regular grid   |
| <b>-r</b>                    | Convert from an absolute to a relative time axis   |
| <b>-s</b>                    | Silent mode  |
| <b>-t</b> < <i>table</i> >   | Set the parameter table name or file<br>Predefined tables: echan4 echan5 mpiom1                |
| <b>-V</b>                    | Print the version number   |
| <b>-v</b>                    | Print extra details for some operators   |
| <b>-z</b> <i>szip</i>        | Compress GRIB records with szip  |

## Operators

### Information

|                    |   |
|--------------------|---|
| <b>info</b>        | Dataset information listed by code number         |
| <b>infov</b>       | Dataset information listed by variable name       |
| <b>map</b>         | Dataset information and simple map                |
| Syntax             | < <i>operator</i> > <i>ifiles</i>                 |
| <b>sinfo</b>       | Short dataset information listed by code number   |
| <b>sinfov</b>      | Short dataset information listed by variable name |
| Syntax             | < <i>operator</i> > <i>ifiles</i>                 |
| <b>diff</b>        | Compare two datasets listed by code number        |
| <b>diffv</b>       | Compare two datasets listed by variable name      |
| Syntax             | < <i>operator</i> > <i>ifile1 ifile2</i>          |
| <b>npar</b>        | Number of parameters                              |
| <b>nlevel</b>      | Number of levels                                  |
| <b>nyear</b>       | Number of years                                   |
| <b>nmon</b>        | Number of months                                  |
| <b>ndate</b>       | Number of dates                                   |
| <b>ntime</b>       | Number of time steps                              |
| Syntax             | < <i>operator</i> > <i>ifile</i>                  |
| <b>showformat</b>  | Show file format                                  |
| <b>showcode</b>    | Show code numbers                                 |
| <b>showname</b>    | Show variable names                               |
| <b>showstdname</b> | Show standard names                               |
| <b>showlevel</b>   | Show levels                                       |
| <b>showtype</b>    | Show GRIB level types                             |
| <b>showyear</b>    | Show years  |
| <b>showmon</b>     | Show months                                       |
| <b>showdate</b>    | Show dates  |
| <b>showtime</b>    | Show time steps                                   |
| Syntax             | < <i>operator</i> > <i>ifile</i>                  |

|                 |                                  |
|-----------------|----------------------------------|
| <b>pardes</b>   | Parameter description            |
| <b>griddes</b>  | Grid description                 |
| <b>zaxisdes</b> | Z-axis description               |
| <b>vct</b>      | Vertical coordinate table        |
| Syntax          | < <i>operator</i> > <i>ifile</i> |

## File operations

|                   |  |
|-------------------|--|
| <b>copy</b>       | Copy datasets  |
| <b>cat</b>        | Concatenate datasets   |
| Syntax            | < <i>operator</i> > <i>ifiles ofile</i>  |
| <b>replace</b>    | Replace variables  |
| Syntax            | <b>replace</b> <i>ifile1 ifile2 ofile</i>  |
| <b>merge</b>      | Merge datasets with different fields   |
| <b>mergetime</b>  | Merge datasets sorted by date and time   |
| Syntax            | < <i>operator</i> > <i>ifiles ofile</i>  |
| <b>splitcode</b>  | Split code numbers   |
| <b>splitname</b>  | Split variable names   |
| <b>splitlevel</b> | Split levels   |
| <b>splitgrid</b>  | Split grids  |
| <b>splitzaxis</b> | Split z-axes   |
| Syntax            | < <i>operator</i> > <i>ifile oprefix</i>   |
| <b>splithour</b>  | Split hours  |
| <b>splitday</b>   | Split days   |
| <b>splitmon</b>   | Split months   |
| <b>splitseas</b>  | Split seasons  |
| <b>splityear</b>  | Split years  |
| Syntax            | < <i>operator</i> > <i>ifile oprefix</i>   |
| <b>splitsel</b>   | Split time selection   |
| Syntax            | <b>splitsel</b> , <i>nsets</i> [, <i>noffset</i> [, <i>nskip</i> ]] <i>ifile oprefix</i> |

## Selection

|                     |   |
|---------------------|---|
| <b>selcode</b>      | Select variables by code number                     |
| <b>delcode</b>      | Delete variables by code number                     |
| Syntax              | < <i>operator</i> >, <i>codes ifile ofile</i>       |
| <b>selname</b>      | Select variables by name                            |
| <b>delname</b>      | Delete variables by name                            |
| Syntax              | < <i>operator</i> >, <i>varnames ifile ofile</i>    |
| <b>selstdname</b>   | Select variables by standard name                   |
| Syntax              | <b>selstdname</b> , <i>stdnames ifile ofile</i>     |
| <b>sellevel</b>     | Select levels                                       |
| Syntax              | <b>sellevel</b> , <i>levels ifile ofile</i>         |
| <b>sellevidx</b>    | Select levels by index                              |
| Syntax              | <b>sellevidx</b> , <i>levidx ifile ofile</i>        |
| <b>selgrid</b>      | Select grids  |
| Syntax              | <b>selgrid</b> , <i>grids ifile ofile</i>           |
| <b>selgridname</b>  | Select grids by name                                |
| Syntax              | <b>selgridname</b> , <i>gridnames ifile ofile</i>   |
| <b>selzaxis</b>     | Select z-axes                                       |
| Syntax              | <b>selzaxis</b> , <i>zaxes ifile ofile</i>          |
| <b>selzaxisname</b> | Select z-axes by name                               |
| Syntax              | <b>selzaxisname</b> , <i>zaxisnames ifile ofile</i> |
| <b>selltype</b>     | Select GRIB level types                             |
| Syntax              | <b>selltype</b> , <i>ltypes ifile ofile</i>         |
| <b>seltabnum</b>    | Select parameter table numbers                      |
| Syntax              | <b>seltabnum</b> , <i>tabnums ifile ofile</i>       |

|                     |  |
|---------------------|--|
| <b>selimestep</b>   | Select time steps  |
| Syntax              | <b>selimestep</b> , <i>timesteps ifile ofile</i>                                 |
| <b>seltime</b>      | Select times   |
| Syntax              | <b>seltime</b> , <i>times ifile ofile</i>  |
| <b>selhour</b>      | Select hours   |
| Syntax              | <b>selhour</b> , <i>hours ifile ofile</i>  |
| <b>selday</b>       | Select days  |
| Syntax              | <b>selday</b> , <i>days ifile ofile</i>  |
| <b>selmon</b>       | Select months  |
| Syntax              | <b>selmon</b> , <i>months ifile ofile</i>  |
| <b>selyear</b>      | Select years   |
| Syntax              | <b>selyear</b> , <i>years ifile ofile</i>  |
| <b>selseas</b>      | Select seasons   |
| Syntax              | <b>selseas</b> , <i>seasons ifile ofile</i>                                      |
| <b>seldate</b>      | Select dates   |
| Syntax              | <b>seldate</b> , <i>date1</i> [, <i>date2</i> ] <i>ifile ofile</i>               |
| <b>selmon</b>       | Select single month  |
| Syntax              | <b>selmon</b> , <i>month</i> [, <i>nts1</i> ],[ <i>nts2</i> ] <i>ifile ofile</i> |
| <b>sellonlatbox</b> | Select a longitude/latitude box  |
| Syntax              | <b>sellonlatbox</b> , <i>lon1,lon2,lat1,lat2 ifile ofile</i>                     |
| <b>selindexbox</b>  | Select an index box  |
| Syntax              | <b>selindexbox</b> , <i>idx1,idx2,idy1,idy2 ifile ofile</i>                      |

## Conditional selection

|                   |   |
|-------------------|---|
| <b>ifthen</b>     | If then   |
| <b>ifnotthen</b>  | If not then   |
| Syntax            | < <i>operator</i> > <i>ifile1 ifile2 ofile</i>      |
| <b>ifthenelse</b> | If then else  |
| Syntax            | <b>ifthenelse</b> <i>ifile1 ifile2 ifile3 ofile</i> |
| <b>ifthenc</b>    | If then constant                                    |
| <b>ifnotthenc</b> | If not then constant                                |
| Syntax            | < <i>operator</i> >, <i>c ifile ofile</i>           |

## Comparison

|            |  |
|------------|--|
| <b>eq</b>  | Equal  |
| <b>ne</b>  | Not equal                                      |
| <b>le</b>  | Less equal                                     |
| <b>lt</b>  | Less than                                      |
| <b>ge</b>  | Greater equal                                  |
| <b>gt</b>  | Greater than                                   |
| Syntax     | < <i>operator</i> > <i>ifile1 ifile2 ofile</i> |
| <b>eqc</b> | Equal constant                                 |
| <b>nec</b> | Not equal constant                             |
| <b>lec</b> | Less equal constant                            |
| <b>ltc</b> | Less than constant                             |
| <b>gec</b> | Greater equal constant                         |
| <b>gtc</b> | Greater than constant                          |
| Syntax     | < <i>operator</i> >, <i>c ifile ofile</i>      |

## Modification

|                  |   |
|------------------|---|
| <b>setpartab</b> | Set parameter table                         |
| Syntax           | <b>setpartab</b> , <i>table ifile ofile</i> |
| <b>setcode</b>   | Set code number                             |
| Syntax           | <b>setcode</b> , <i>code ifile ofile</i>    |
| <b>setname</b>   | Set variable name                           |
| Syntax           | <b>setname</b> , <i>name ifile ofile</i>    |
| <b>setlevel</b>  | Set level                                   |
| Syntax           | <b>setlevel</b> , <i>level ifile ofile</i>  |
| <b>setltype</b>  | Set GRIB level type                         |
| Syntax           | <b>setltype</b> , <i>ltype ifile ofile</i>  |

|                      |   |
|----------------------|---|
| <b>setdate</b>       | Set date  |
| Syntax               | <b>setdate</b> , <i>date ifile ofile</i>                              |
| <b>settime</b>       | Set time of the day   |
| Syntax               | <b>settime</b> , <i>time ifile ofile</i>                              |
| <b>setday</b>        | Set day   |
| Syntax               | <b>setday</b> , <i>day ifile ofile</i>                                |
| <b>setmon</b>        | Set month   |
| Syntax               | <b>setmon</b> , <i>month ifile ofile</i>                              |
| <b>setyear</b>       | Set year  |
| Syntax               | <b>setyear</b> , <i>year ifile ofile</i>                              |
| <b>setunits</b>      | Set time units  |
| Syntax               | <b>setunits</b> , <i>units ifile ofile</i>                            |
| <b>settaxis</b>      | Set time axis   |
| Syntax               | <b>settaxis</b> , <i>date,time</i> [, <i>inc</i> ] <i>ifile ofile</i> |
| <b>setreftime</b>    | Set reference time  |
| Syntax               | <b>setreftime</b> , <i>date,time ifile ofile</i>                      |
| <b>setcalendar</b>   | Set calendar  |
| Syntax               | <b>setcalendar</b> , <i>calendar ifile ofile</i>                      |
| <b>shifttime</b>     | Shift time steps  |
| Syntax               | <b>shifttime</b> , <i>sval ifile ofile</i>                            |
| <b>chcode</b>        | Change code number  |
| Syntax               | <b>chcode</b> , <i>oldcode,newcode</i> [,...] <i>ifile ofile</i>      |
| <b>chname</b>        | Change variable name  |
| Syntax               | <b>chname</b> , <i>oldname,newname</i> ,... <i>ifile ofile</i>        |
| <b>chlevel</b>       | Change level  |
| Syntax               | <b>chlevel</b> , <i>oldlev,newlev</i> ,... <i>ifile ofile</i>         |
| <b>chlevelc</b>      | Change level of one code  |
| Syntax               | <b>chlevelc</b> , <i>code,oldlev,newlev ifile ofile</i>               |
| <b>chlevelv</b>      | Change level of one variable  |
| Syntax               | <b>chlevelv</b> , <i>name,oldlev,newlev ifile ofile</i>               |
| <b>setgrid</b>       | Set grid  |
| Syntax               | <b>setgrid</b> , <i>grid ifile ofile</i>                              |
| <b>setgridtype</b>   | Set grid type   |
| Syntax               | <b>setgridtype</b> , <i>gridtype ifile ofile</i>                      |
| <b>setzaxis</b>      | Set z-axis  |
| Syntax               | <b>setzaxis</b> , <i>zaxis ifile ofile</i>                            |
| <b>setgatt</b>       | Set global attribute  |
| Syntax               | <b>setgatt</b> , <i>attname,attstring ifile ofile</i>                 |
| <b>setgatts</b>      | Set global attributes   |
| Syntax               | <b>setgatts</b> , <i>attfile ifile ofile</i>                          |
| <b>invertlat</b>     | Invert latitudes  |
| Syntax               | <b>invertlat</b> <i>ifile ofile</i>                                   |
| <b>invertlev</b>     | Invert levels   |
| Syntax               | <b>invertlev</b> <i>ifile ofile</i>                                   |
| <b>maskregion</b>    | Mask regions  |
| Syntax               | <b>maskregion</b> , <i>regions ifile ofile</i>                        |
| <b>masklonlatbox</b> | Mask a longitude/latitude box   |
| Syntax               | <b>masklonlatbox</b> , <i>lon1,lon2,lat1,lat2 ifile ofile</i>         |
| <b>maskindexbox</b>  | Mask an index box   |
| Syntax               | <b>maskindexbox</b> , <i>idx1,idx2,idy1,idy2 ifile ofile</i>          |
| <b>setclonlatbox</b> | Set a longitude/latitude box to constant                              |
| Syntax               | <b>setclonlatbox</b> , <i>c,lon1,lon2,lat1,lat2 ifile ofile</i>       |
| <b>setcindexbox</b>  | Set an index box to constant  |
| Syntax               | <b>setcindexbox</b> , <i>c,idx1,idx2,idy1,idy2 ifile ofile</i>        |
| <b>enlarge</b>       | Enlarge fields  |
| Syntax               | <b>enlarge</b> , <i>grid ifile ofile</i>                              |
| <b>setmissval</b>    | Set a new missing value   |
| Syntax               | <b>setmissval</b> , <i>newmiss ifile ofile</i>                        |
| <b>setctomiss</b>    | Set constant to missing value   |
| <b>setmisstoc</b>    | Set missing value to constant   |
| Syntax               | < <i>operator</i> >, <i>c ifile ofile</i>                             |
| <b>setrtomiss</b>    | Set range to missing value  |
| Syntax               | <b>setrtomiss</b> , <i>rmin,rmax ifile ofile</i>                      |

## Arithmetic

|                 |  |
|-----------------|--|
| <b>expr</b>     | Evaluate expressions                       |
| Syntax          | <b>expr</b> , <i>instr</i> ifile ofile     |
| <b>exprf</b>    | Evaluate expressions from script file      |
| Syntax          | <b>exprf</b> , <i>filename</i> ifile ofile |
| <b>abs</b>      | Absolute value                             |
| <b>int</b>      | Integer value                              |
| <b>nint</b>     | Nearest integer value                      |
| <b>pow</b>      | Power                                      |
| <b>sqr</b>      | Square                                     |
| <b>sqrt</b>     | Square root                                |
| <b>exp</b>      | Exponential                                |
| <b>ln</b>       | Natural logarithm                          |
| <b>log10</b>    | Base 10 logarithm                          |
| <b>sin</b>      | Sine                                       |
| <b>cos</b>      | Cosine                                     |
| <b>tan</b>      | Tangent                                    |
| <b>asin</b>     | Arc sine                                   |
| <b>acos</b>     | Arc cosine                                 |
| <b>reci</b>     | Reciprocal value                           |
| Syntax          | <operator> ifile ofile                     |
| <b>addc</b>     | Add a constant                             |
| <b>subc</b>     | Subtract a constant                        |
| <b>mulc</b>     | Multiply with a constant                   |
| <b>divc</b>     | Divide by a constant                       |
| Syntax          | <operator>. <i>c</i> ifile ofile           |
| <b>add</b>      | Add two fields                             |
| <b>sub</b>      | Subtract two fields                        |
| <b>mul</b>      | Multiply two fields                        |
| <b>div</b>      | Divide two fields                          |
| <b>min</b>      | Minimum of two fields                      |
| <b>max</b>      | Maximum of two fields                      |
| <b>atan2</b>    | Arc tangent of two fields                  |
| Syntax          | <operator> ifile1 ifile2 ofile             |
| <b>monadd</b>   | Add monthly time series                    |
| <b>monsub</b>   | Subtract monthly time series               |
| <b>monmul</b>   | Multiply monthly time series               |
| <b>monddiv</b>  | Divide monthly time series                 |
| Syntax          | <operator> ifile1 ifile2 ofile             |
| <b>ymonadd</b>  | Add multi-year monthly time series         |
| <b>ymonsub</b>  | Subtract multi-year monthly time series    |
| <b>ymonmul</b>  | Multiply multi-year monthly time series    |
| <b>ymonddiv</b> | Divide multi-year monthly time series      |
| Syntax          | <operator> ifile1 ifile2 ofile             |
| <b>muldpm</b>   | Multiply with days per month               |
| <b>divdpm</b>   | Divide by days per month                   |
| <b>muldpy</b>   | Multiply with days per year                |
| <b>divdpy</b>   | Divide by days per year                    |
| Syntax          | <operator> ifile ofile                     |

## Statistical values

|                   | Available statistical functions        | <STAT>      |
|-------------------|--|-------------|
|                   | minimum                                | <b>min</b>  |
|                   | maximum                                | <b>max</b>  |
|                   | sum                                    | <b>sum</b>  |
|                   | mean                                   | <b>mean</b> |
|                   | average                                | <b>avg</b>  |
|                   | variance                               | <b>var</b>  |
|                   | standard deviation                     | <b>std</b>  |
| <b>ens</b> <STAT> | Statistical values over an ensemble    |             |
| Syntax            | <operator> ifiles ofile                |             |
| <b>enspctl</b>    | Ensemble percentiles                   |             |
| Syntax            | <b>enspctl</b> , <i>p</i> ifiles ofile |             |
| <b>fld</b> <STAT> | Statistical values over a field        |             |
| Syntax            | <operator> ifile ofile                 |             |
| <b>fldpctl</b>    | Field percentiles                      |             |
| Syntax            | <b>fldpctl</b> , <i>p</i> ifile ofile  |             |

|                      |   |
|----------------------|---|
| <b>zon</b> <STAT>    | Zonal statistical values  |
| Syntax               | <operator> ifile ofile  |
| <b>zonpctl</b>       | Zonal percentiles   |
| Syntax               | <b>zonpctl</b> , <i>p</i> ifile ofile   |
| <b>mer</b> <STAT>    | Meridional statistical values   |
| Syntax               | <operator> ifile ofile  |
| <b>merpctl</b>       | Meridional percentiles  |
| Syntax               | <b>merpctl</b> , <i>p</i> ifile ofile   |
| <b>vert</b> <STAT>   | Vertical statistical values   |
| Syntax               | <operator> ifile ofile  |
| <b>timsel</b> <STAT> | Time range statistical values   |
| Syntax               | <operator>, <i>nsets</i> [, <i>noffset</i> ][, <i>nskip</i> ] ifile ofile                                   |
| <b>timselpctl</b>    | Time range percentiles  |
| Syntax               | <b>timselpctl</b> , <i>p</i> , <i>nsets</i> [, <i>noffset</i> ][, <i>nskip</i> ] ifile1 ifile2 ifile3 ofile |
| <b>run</b> <STAT>    | Running statistical values  |
| Syntax               | <operator>, <i>nts</i> ifile ofile  |
| <b>runpctl</b>       | Running percentiles   |
| Syntax               | <b>runpctl</b> , <i>p</i> , <i>nts</i> ifile1 ofile   |
| <b>tim</b> <STAT>    | Statistical values over all time steps  |
| Syntax               | <operator> ifile ofile  |
| <b>timpctl</b>       | Time percentiles  |
| Syntax               | <b>timpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile  |
| <b>hour</b> <STAT>   | Hourly statistical values   |
| Syntax               | <operator> ifile ofile  |
| <b>hourpctl</b>      | Hourly percentiles  |
| Syntax               | <b>hourpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile   |
| <b>day</b> <STAT>    | Daily statistical values  |
| Syntax               | <operator> ifile ofile  |
| <b>daypctl</b>       | Daily percentiles   |
| Syntax               | <b>daypctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile  |
| <b>mon</b> <STAT>    | Monthly statistical values  |
| Syntax               | <operator> ifile ofile  |
| <b>monpctl</b>       | Monthly percentiles   |
| Syntax               | <b>monpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile  |
| <b>year</b> <STAT>   | Yearly statistical values   |
| Syntax               | <operator> ifile ofile  |
| <b>yearpctl</b>      | Yearly percentiles  |
| Syntax               | <b>yearpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile   |
| <b>seas</b> <STAT>   | Seasonal statistical values   |
| Syntax               | <operator> ifile ofile  |
| <b>seaspctl</b>      | Seasonal percentiles  |
| Syntax               | <b>seaspctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile   |
| <b>yhour</b> <STAT>  | Multi-year hourly statistical values  |
| Syntax               | <operator> ifile ofile  |
| <b>yday</b> <STAT>   | Multi-year daily statistical values   |
| Syntax               | <operator> ifile ofile  |
| <b>ydaypctl</b>      | Multi-year daily percentiles  |
| Syntax               | <b>ydaypctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile   |
| <b>ymon</b> <STAT>   | Multi-year monthly statistical values   |
| Syntax               | <operator> ifile ofile  |
| <b>ymonpctl</b>      | Multi-year monthly percentiles  |
| Syntax               | <b>ymonpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile   |
| <b>yseas</b> <STAT>  | Multi-year seasonal statistical values  |
| Syntax               | <operator> ifile ofile  |
| <b>yseaspctl</b>     | Multi-year seasonal percentiles   |
| Syntax               | <b>yseaspctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile  |
| <b>ydrun</b> <STAT>  | Multi-year daily running statistical values   |
| Syntax               | <operator>, <i>nts</i> ifile ofile  |
| <b>ydrunpctl</b>     | Multi-year daily running percentiles  |
| Syntax               | <b>ydrunpctl</b> , <i>p</i> , <i>nts</i> ifile1 ifile2 ifile3 ofile   |

## Regression

|                 |  |
|-----------------|--|
| <b>regres</b>   | Regression                                 |
| Syntax          | <b>regres</b> ifile ofile                  |
| <b>detrend</b>  | Detrend                                    |
| Syntax          | <b>detrend</b> ifile ofile                 |
| <b>trend</b>    | Trend                                      |
| Syntax          | <b>trend</b> ifile ofile1 ofile2           |
| <b>subtrend</b> | Subtract trend                             |
| Syntax          | <b>subtrend</b> ifile1 ifile2 ifile3 ofile |

## Interpolation

|                    |  |
|--------------------|--|
| <b>remapbil</b>    | Bilinear interpolation   |
| <b>remapbic</b>    | Bicubic interpolation  |
| <b>remapdis</b>    | Distance-weighted average remapping                                    |
| <b>remapnn</b>     | Nearest neighbor remapping   |
| <b>remapcon</b>    | First order conservative remapping                                     |
| <b>remapcon2</b>   | Second order conservative remapping                                    |
| <b>remaplaf</b>    | Largest area fraction remapping  |
| Syntax             | <operator>, <i>grid</i> ifile ofile                                    |
| <b>genbil</b>      | Generate bilinear interpolation weights                                |
| <b>genbic</b>      | Generate bicubic interpolation weights                                 |
| <b>gendis</b>      | Generate distance-weighted average remap weights                       |
| <b>gennn</b>       | Generate nearest neighbor remap weights                                |
| <b>gencon</b>      | Generate 1st order conservative remap weights                          |
| <b>gencon2</b>     | Generate 2nd order conservative remap weights                          |
| <b>genlaf</b>      | Generate largest area fraction remap weights                           |
| Syntax             | <operator>, <i>grid</i> ifile ofile                                    |
| <b>remap</b>       | SCRIP grid remapping   |
| Syntax             | <b>remap</b> , <i>grid</i> , <i>weights</i> ifile ofile                |
| <b>interpolate</b> | PINGO grid interpolation   |
| Syntax             | <b>interpolate</b> , <i>grid</i> ifile ofile                           |
| <b>remapeta</b>    | Remap vertical hybrid level  |
| Syntax             | <b>remapeta</b> , <i>vct</i> [, <i>oro</i> ] ifile ofile               |
| <b>ml2pl</b>       | Model to pressure level interpolation                                  |
| Syntax             | <b>ml2pl</b> , <i>plevels</i> ifile ofile                              |
| <b>ml2hl</b>       | Model to height level interpolation                                    |
| Syntax             | <b>ml2hl</b> , <i>hlevels</i> ifile ofile                              |
| <b>intlevel</b>    | Linear level interpolation   |
| Syntax             | <b>intlevel</b> , <i>levels</i> ifile ofile                            |
| <b>inttime</b>     | Interpolation between time steps                                       |
| Syntax             | <b>inttime</b> , <i>date</i> , <i>time</i> [, <i>inc</i> ] ifile ofile |
| <b>intntime</b>    | Interpolation between time steps                                       |
| Syntax             | <b>intntime</b> , <i>n</i> ifile ofile                                 |
| <b>intyear</b>     | Interpolation between two years  |
| Syntax             | <b>intyear</b> , <i>years</i> ifile1 ifile2 <i>oprefix</i>             |

## Transformation

|               |   |
|---------------|---|
| <b>sp2gp</b>  | Spectral to gridpoint                             |
| <b>sp2gpl</b> | Spectral to gridpoint (linear)                    |
| <b>gp2sp</b>  | Gridpoint to spectral                             |
| <b>gp2spl</b> | Gridpoint to spectral (linear)                    |
| Syntax        | <operator> ifile ofile                            |
| <b>sp2sp</b>  | Spectral to spectral                              |
| Syntax        | <b>sp2sp</b> , <i>trunc</i> ifile ofile           |
| <b>spcut</b>  | Cut spectral wave number                          |
| Syntax        | <b>spcut</b> , <i>wnums</i> ifile ofile           |
| <b>dv2uv</b>  | Divergence and vorticity to U and V wind          |
| <b>dv2uvl</b> | Divergence and vorticity to U and V wind (linear) |
| <b>uv2dv</b>  | U and V wind to divergence and vorticity          |
| <b>uv2dvl</b> | U and V wind to divergence and vorticity (linear) |
| Syntax        | <operator> ifile ofile                            |

## Formatted I/O

|                  |  |
|------------------|--|
| <b>input</b>     | ASCII input  |
| Syntax           | <b>input</b> , <i>grid</i> ofile                     |
| <b>inputsrv</b>  | SERVICE ASCII input                                  |
| <b>inputext</b>  | EXTRA ASCII input                                    |
| Syntax           | <operator> ifile                                     |
| <b>output</b>    | ASCII output   |
| Syntax           | <b>output</b> ifiles                                 |
| <b>outputf</b>   | Formatted output                                     |
| Syntax           | <b>outputf</b> , <i>format</i> , <i>nelem</i> ifiles |
| <b>outputint</b> | Integer output                                       |
| <b>outputsrv</b> | SERVICE ASCII output                                 |
| <b>outputext</b> | EXTRA ASCII output                                   |
| Syntax           | <operator> ifiles                                    |

## Miscellaneous

|                     |  |
|---------------------|--|
| <b>gridarea</b>     | Grid cell area   |
| <b>gridweights</b>  | Grid cell weights  |
| Syntax              | <operator> ifile ofile   |
| <b>gradsdes1</b>    | GrADS data descriptor file (version 1 GRIB map)                                |
| <b>gradsdes2</b>    | GrADS data descriptor file (version 2 GRIB map)                                |
| Syntax              | <operator> ifile   |
| <b>smooth9</b>      | 9 point smoothing  |
| Syntax              | <b>smooth9</b> ifile ofile   |
| <b>setrtoc</b>      | Set range to constant  |
| Syntax              | <b>setrtoc</b> , <i>rmin</i> , <i>rmax</i> , <i>c</i> ifile ofile              |
| <b>setrtoc2</b>     | Set range to constant others to constant2                                      |
| Syntax              | <b>setrtoc2</b> , <i>rmin</i> , <i>rmax</i> , <i>c</i> , <i>c2</i> ifile ofile |
| <b>timsort</b>      | Sort over the time   |
| Syntax              | <b>timsort</b> ifile ofile   |
| <b>const</b>        | Create a constant field  |
| Syntax              | <b>const</b> , <i>const</i> , <i>grid</i> ofile                                |
| <b>random</b>       | Create a field with random values  |
| Syntax              | <b>random</b> , <i>grid</i> ofile  |
| <b>rotuvb</b>       | Backward rotation  |
| Syntax              | <b>rotuvb</b> , <i>u</i> , <i>v</i> ,... ifile ofile                           |
| <b>mastrfu</b>      | Mass stream function   |
| Syntax              | <b>mastrfu</b> ifile ofile   |
| <b>histcount</b>    | Histogram count  |
| <b>histsum</b>      | Histogram sum  |
| <b>histmean</b>     | Histogram mean   |
| <b>histfreq</b>     | Histogram frequency  |
| Syntax              | <operator>, <i>bounds</i> ifile ofile  |
| <b>wct</b>          | Windchill temperature  |
| Syntax              | <b>wct</b> ifile1 ifile2 ofile   |
| <b>fdns</b>         | Frost days where no snow index per time period                                 |
| Syntax              | <b>fdns</b> ifile1 ifile2 ofile  |
| <b>strwin</b>       | Strong wind days index per time period   |
| Syntax              | <b>strwin</b> [, <i>v</i> ] ifile ofile  |
| <b>strbre</b>       | Strong breeze days index per time period                                       |
| Syntax              | <b>strbre</b> ifile ofile  |
| <b>strgal</b>       | Strong gale days index per time period   |
| Syntax              | <b>strgal</b> ifile ofile  |
| <b>hurr</b>         | Hurricane days index per time period   |
| Syntax              | <b>hurr</b> ifile ofile  |
| <b>import_amsr</b>  | Import AMSR binary files   |
| Syntax              | <b>import_amsr</b> ifile ofile   |
| <b>import_cmsaf</b> | Import CM-SAF HDF5 files   |
| Syntax              | <b>import_cmsaf</b> ifile ofile  |

## Climate indices

|                              |  |
|------------------------------|--|
| <b>eca_tg90p</b><br>Syntax   | Warm days percent wrt 90th percentile of reference period<br><b>eca_tg90p</b> <i>ifile1 ifile2 ofile</i>                         |
| <b>eca_cdd</b><br>Syntax     | Consecutive dry days index per time period<br><b>eca_cdd</b> <i>ifile ofile</i>  |
| <b>eca_cfd</b><br>Syntax     | Consecutive frost days index per time period<br><b>eca_cfd</b> <i>ifile ofile</i>  |
| <b>eca_csu</b><br>Syntax     | Consecutive summer days index per time period<br><b>eca_csu</b> [ <i>T</i> ] <i>ifile ofile</i>                                  |
| <b>eca_cwd</b><br>Syntax     | Consecutive wet days index per time period<br><b>eca_cwd</b> <i>ifile ofile</i>  |
| <b>eca_cwdi</b><br>Syntax    | Cold wave duration index wrt mean of reference period<br><b>eca_cwdi</b> [ <i>,nday</i> ][ <i>T</i> ] <i>ifile1 ifile2 ofile</i> |
| <b>eca_cwfi</b><br>Syntax    | Cold-spell days index wrt 10th percentile of reference period<br><b>eca_cwfi</b> [ <i>,nday</i> ] <i>ifile1 ifile2 ofile</i>     |
| <b>eca_etr</b><br>Syntax     | Intra-period extreme temperature range<br><b>eca_etr</b> <i>ifile1 ifile2 ofile</i>  |
| <b>eca_fd</b><br>Syntax      | Frost days index per time period<br><b>eca_fd</b> <i>ifile ofile</i>   |
| <b>eca_gsl</b><br>Syntax     | Growing season length index<br><b>eca_gsl</b> [ <i>,nday</i> ][ <i>T</i> ][ <i>,fland</i> ] <i>ifile1 ifile2 ofile</i>           |
| <b>eca_hd</b><br>Syntax      | Heating degree days per time period<br><b>eca_hd</b> [ <i>,T1</i> ][ <i>,T2</i> ] <i>ifile ofile</i>                             |
| <b>eca_hwdi</b><br>Syntax    | Heat wave duration index wrt mean of reference period<br><b>eca_hwdi</b> [ <i>,nday</i> ][ <i>T</i> ] <i>ifile1 ifile2 ofile</i> |
| <b>eca_hwfi</b><br>Syntax    | Warm spell days index wrt 90th percentile of reference period<br><b>eca_hwfi</b> [ <i>,nday</i> ] <i>ifile1 ifile2 ofile</i>     |
| <b>eca_id</b><br>Syntax      | Ice days index per time period<br><b>eca_id</b> <i>ifile ofile</i>   |
| <b>eca_r10mm</b><br>Syntax   | Heavy precipitation days index per time period<br><b>eca_r10mm</b> <i>ifile ofile</i>  |
| <b>eca_r20mm</b><br>Syntax   | Very heavy precipitation days index per time period<br><b>eca_r20mm</b> <i>ifile ofile</i>                                       |
| <b>eca_r75p</b><br>Syntax    | Moderate wet days wrt 75th percentile of reference period<br><b>eca_r75p</b> <i>ifile1 ifile2 ofile</i>                          |
| <b>eca_r75ptot</b><br>Syntax | Precipitation percent due to R75p days<br><b>eca_r75ptot</b> <i>ifile1 ifile2 ofile</i>  |
| <b>eca_r90p</b><br>Syntax    | Wet days wrt 90th percentile of reference period<br><b>eca_r90p</b> <i>ifile1 ifile2 ofile</i>                                   |
| <b>eca_r90ptot</b><br>Syntax | Precipitation percent due to R90p days<br><b>eca_r90ptot</b> <i>ifile1 ifile2 ofile</i>  |
| <b>eca_r95p</b><br>Syntax    | Very wet days wrt 95th percentile of reference period<br><b>eca_r95p</b> <i>ifile1 ifile2 ofile</i>                              |
| <b>eca_r95ptot</b><br>Syntax | Precipitation percent due to R95p days<br><b>eca_r95ptot</b> <i>ifile1 ifile2 ofile</i>  |
| <b>eca_r99p</b><br>Syntax    | Extremely wet days wrt 99th percentile of reference period<br><b>eca_r99p</b> <i>ifile1 ifile2 ofile</i>                         |
| <b>eca_r99ptot</b><br>Syntax | Precipitation percent due to R99p days<br><b>eca_r99ptot</b> <i>ifile1 ifile2 ofile</i>  |
| <b>eca_rr1</b><br>Syntax     | Wet days index per time period<br><b>eca_rr1</b> <i>ifile ofile</i>  |
| <b>eca_rx1day</b><br>Syntax  | Highest one day precipitation amount per time period<br><b>eca_rx1day</b> [ <i>,mode</i> ] <i>ifile ofile</i>                    |
| <b>eca_rx5day</b><br>Syntax  | Highest five-day precipitation amount per time period<br><b>eca_rx5day</b> [ <i>,x</i> ] <i>ifile ofile</i>                      |
| <b>eca_sdi</b><br>Syntax     | Simple daily intensity index per time period<br><b>eca_sdi</b> <i>ifile ofile</i>  |
| <b>eca_su</b><br>Syntax      | Summer days index per time period<br><b>eca_su</b> [ <i>,T</i> ] <i>ifile ofile</i>  |
| <b>eca_tg10p</b><br>Syntax   | Cold days percent wrt 10th percentile of reference period<br><b>eca_tg10p</b> <i>ifile1 ifile2 ofile</i>                         |