

CDO Reference Card

Climate Data Operators
Version 1.5.4
January 2012

Uwe Schulzweida
Max-Planck-Institute for Meteorology

<http://code.zmaw.de/projects/cdo>

Syntax

cdo [Options] Operator1 [-Operator2 [-OperatorN]]

Options

| | |
|--------------|---|
| -a | Generate an absolute time axis |
| -b <nbits> | Set the number of bits for the output precision (I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c; F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2) |
| -f <format> | Add L or B for Little or Big endian byteorder |
| -g <grid> | Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg |
| -h | Grid or file name |
| -M | Grid names: r<NX>x<NY>, n<N>, gme<NI> |
| -m <missval> | Help information for the operators |
| -o | Indicate that the I/O streams have missing values |
| -O | Set the default missing value (default: -9e+33) |
| -R | Override existing output file, if checked |
| -r | Convert GRIB1 data from reduced to regular grid |
| -s | Generate a relative time axis |
| -t <table> | Silent mode |
| -v | Set the parameter table name or file |
| -V | Predefined tables: echam4 echam5 mpiom1 |
| -v | Print the version number |
| -z szip | Print extra details for some operators |
| -z szip | SZIP compression of GRIB1 records |

Operators

Information

| | |
|--------------------------|--|
| info | Dataset information listed by parameter identifier |
| infon | Dataset information listed by parameter name |
| map | Dataset information and simple map |
| <operator> ifiles | |
| sinfo | Short information listed by parameter identifier |
| sinfon | Short information listed by parameter name |
| <operator> ifiles | |
| diff | Compare two datasets listed by parameter id |
| diffn | Compare two datasets listed by parameter name |
| <operator> ifile1 ifile2 | |
| npar | Number of parameters |
| nlevel | Number of levels |
| nyear | Number of years |
| nmon | Number of months |
| ndate | Number of dates |
| ntime | Number of timesteps |
| <operator> ifile | |
| showformat | Show file format |
| showcode | Show code numbers |
| showname | Show variable names |
| showstdname | Show standard names |
| showlevel | Show levels |
| showtype | Show GRIB level types |
| showyear | Show years |
| showmon | Show months |
| showdate | Show date information |
| showtime | Show time information |
| showtimestamp | Show timestamp |
| <operator> ifile | |

| | |
|------------------|---------------------------|
| pardes | Parameter description |
| griddes | Grid description |
| zaxisdes | Z-axis description |
| vct | Vertical coordinate table |
| <operator> ifile | |

File operations

| | |
|--|--|
| copy | Copy datasets |
| cat | Concatenate datasets |
| <operator> ifiles ofile | |
| replace | Replace variables |
| replace ifile1 ifile2 ofile | |
| merge | Merge datasets with different fields |
| mergetime | Merge datasets sorted by date and time |
| <operator> ifiles ofile | |
| splitcode | Split code numbers |
| splitparam | Split parameter identifiers |
| splitname | Split variable names |
| splitlevel | Split levels |
| splitgrid | Split grids |
| splitzaxis | Split z-axes |
| splittabnum | Split parameter table numbers |
| <operator> ifile obase | |
| splithour | Split hours |
| splitday | Split days |
| splitmon | Split months |
| splitseas | Split seasons |
| splityear | Split years |
| <operator> ifile obase | |
| splitsel | Split time selection |
| splitsel,nscts[,noffset[,nskip]] ifile obase | |

Selection

| | |
|----------------------------------|------------------------------------|
| selparam | Select parameters by identifier |
| delparam | Delete parameters by identifier |
| <operator>,params ifile ofile | |
| selcode | Select parameters by code number |
| delcode | Delete parameters by code number |
| <operator>,codes ifile ofile | |
| selname | Select parameters by name |
| delname | Delete parameters by name |
| <operator>,names ifile ofile | |
| selstdname | Select parameters by standard name |
| selstdname, stdnames ifile ofile | |
| sellevel | Select levels |
| sellevel,levels ifile ofile | |
| sellevidx | Select levels by index |
| sellevidx,levidx ifile ofile | |
| selgrid | Select grids |
| selgrid,grids ifile ofile | |
| selzaxis | Select z-axes |
| selzaxis,zaxes ifile ofile | |
| selltype | Select GRIB level types |
| selltype,ltypes ifile ofile | |
| seltabnum | Select parameter table numbers |
| seltabnum,tabnums ifile ofile | |

| | |
|--|---------------------------------|
| sel timestep | Select timesteps |
| sel timestep,timesteps ifile ofile | |
| sel time | Select times |
| sel time,times ifile ofile | |
| sel hour | Select hours |
| sel hour,hours ifile ofile | |
| sel day | Select days |
| sel day,days ifile ofile | |
| sel month | Select months |
| sel month,months ifile ofile | |
| sel year | Select years |
| sel year,years ifile ofile | |
| sel seas | Select seasons |
| sel seas,seasons ifile ofile | |
| sel date | Select dates |
| sel date,date1[,date2] ifile ofile | |
| sel mon | Select single month |
| sel mon,month[,,nts1[,nts2]] ifile ofile | |
| sellonlatbox | Select a longitude/latitude box |
| sellonlatbox,lon1,lon2,lat1,lat2 ifile ofile | |
| selindexbox | Select an index box |
| selindexbox,idx1, idx2, idy1, idy2 ifile ofile | |

| | |
|--|--|
| setdate | Set date |
| setdate,date ifile ofile | |
| settime | Set time of the day |
| settime,time ifile ofile | |
| setday | Set day |
| setday,day ifile ofile | |
| setmon | Set month |
| setmon,month ifile ofile | |
| setyear | Set year |
| setyear,year ifile ofile | |
| settunits | Set time units |
| settunits,units ifile ofile | |
| settaxis | Set time axis |
| settaxis,date,time[,inc] ifile ofile | |
| setreftime | Set reference time |
| setreftime,date,time[,units] ifile ofile | |
| setcalendar | Set calendar |
| setcalendar,calendar ifile ofile | |
| shifttime | Shift timesteps |
| shifttime,sval ifile ofile | |
| chcode | Change code number |
| chcode,oldcode,newcode[,...] ifile ofile | |
| chparam | Change parameter identifier |
| chparam,oldparam,newparam,... ifile ofile | |
| chname | Change variable name |
| chname,oldname,newname,... ifile ofile | |
| chlevel | Change level |
| chlevel,oldlev,newlev,... ifile ofile | |
| chlevcl | Change level of one code |
| chlevcl,code,oldlev,newlev ifile ofile | |
| chlevl | Change level of one variable |
| chlevl,name,oldlev,newlev ifile ofile | |
| setgrid | Set grid |
| setgrid,grid ifile ofile | |
| setgridtype | Set grid type |
| setgridarea | Set grid cell area |
| setgridarea,gridarea ifile ofile | |
| setzaxis | Set z-axis |
| setzaxis,zaxis ifile ofile | |
| setgatt | Set global attribute |
| setgatt,attname,attstring ifile ofile | |
| setgatts | Set global attributes |
| setgatts,attfile ifile ofile | |
| invertlat | Invert latitudes |
| invertlat ifile ofile | |
| invertlev | Invert levels |
| invertlev ifile ofile | |
| maskregion | Mask regions |
| maskregion,regions ifile ofile | |
| masklonlatbox | Mask a longitude/latitude box |
| masklonlatbox,lon1,lon2,lat1,lat2 ifile ofile | |
| maskindexbox | Mask an index box |
| maskindexbox,idx1, idx2, idy1, idy2 ifile ofile | |
| setclonlatbox | Set a longitude/latitude box to constant |
| setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile | |
| setcindexbox | Set an index box to constant |
| setcindexbox,c, idx1, idx2, idy1, idy2 ifile ofile | |
| enlarge | Enlarge fields |
| enlarge,grid ifile ofile | |
| setmissval | Set a new missing value |
| setmissval,newmiss ifile ofile | |
| setcomiss | Set constant to missing value |
| setmissoc | Set missing value to constant |
| <operator>,c ifile ofile | |
| setrtomiss | Set range to missing value |
| setvrange | Set valid range |
| <operator>,rmin,rmax ifile ofile | |

| | |
|--------------------------------|------------------------|
| eq | Equal |
| ne | Not equal |
| le | Less equal |
| lt | Less than |
| ge | Greater equal |
| gt | Greater than |
| <operator> ifile1 ifile2 ofile | |
| eqc | Equal constant |
| neq | Not equal constant |
| lec | Less equal constant |
| ltc | Less than constant |
| gec | Greater equal constant |
| gtc | Greater than constant |
| <operator>,c ifile ofile | |

| | |
|-----------------------------|--------------------------|
| setpartab | Set parameter table |
| setpartab,table ifile ofile | |
| setcode | Set code number |
| setcode,code ifile ofile | |
| setparam | Set parameter identifier |
| setparam,param ifile ofile | |
| setname | Set variable name |
| setname,name ifile ofile | |
| setlevel | Set level |
| setlevel,level ifile ofile | |
| settype | Set GRIB level type |
| settype,ltype ifile ofile | |

Arithmetic

| | |
|--|---|
| expr | Evaluate expressions |
| expr,instr ifile ofile | |
| exprf | Evaluate expressions from script file |
| exprf,filename ifile ofile | |
| abs | Absolute value |
| int | Integer value |
| nint | Nearest integer value |
| pow | Power |
| sqr | Square |
| sqrt | Square root |
| exp | Exponential |
| ln | Natural logarithm |
| log10 | Base 10 logarithm |
| sin | Sine |
| cos | Cosine |
| tan | Tangent |
| asin | Arc sine |
| acos | Arc cosine |
| reci | Reciprocal value |
| <operator> ifile ofile | |
| addc | Add a constant |
| subc | Subtract a constant |
| mulc | Multiply with a constant |
| divc | Divide by a constant |
| <operator>,c ifile ofile | |
| add | Add two fields |
| sub | Subtract two fields |
| mul | Multiply two fields |
| div | Divide two fields |
| min | Minimum of two fields |
| max | Maximum of two fields |
| atan2 | Arc tangent of two fields |
| <operator> ifile1 ifile2 ofile | |
| monadd | Add monthly time series |
| mons sub | Subtract monthly time series |
| monmul | Multiply monthly time series |
| mondiv | Divide monthly time series |
| <operator> ifile1 ifile2 ofile | |
| ymonadd | Add multi-year monthly time series |
| ymons sub | Subtract multi-year monthly time series |
| ymonmul | Multiply multi-year monthly time series |
| ymondiv | Divide multi-year monthly time series |
| <operator> ifile1 ifile2 ofile | |
| ydayadd | Add multi-year daily time series |
| ydaysub | Subtract multi-year daily time series |
| ydaymul | Multiply multi-year daily time series |
| ydaydiv | Divide multi-year daily time series |
| <operator> ifile1 ifile2 ofile | |
| muldpm | Multiply with days per month |
| divdpm | Divide by days per month |
| muldp y | Multiply with days per year |
| divdp y | Divide by days per year |
| <operator> ifile ofile | |
| Statistical values | |
| Available statistical functions <stat> | |
| minimum | min |
| maximum | max |
| sum | sum |
| mean | mean |
| average | avg |
| variance | var |
| standard deviation | std |
| consecsts | Consecutive Timesteps |
| <operator> ifile ofile | |

| | |
|---|---|
| ens<stat> | Statistical values over an ensemble |
| <operator> ifiles ofile | |
| ensptl | Ensemble percentiles |
| ensptl,p ifiles ofile | |
| ensrkhistspace | Ranked Histogram averaged over time |
| ensrkhisttime | Ranked Histogram averaged over space |
| ensroc | Ensemble Receiver Operating characteristics |
| <operator> obsfile ensfiles ofile | |
| enscrps | Ensemble CRPS and decomposition |
| enscrps rfiles ofilebase | |
| ensbri | Ensemble Brier score |
| ensbri,x rfiles ofilebase | |
| fld<stat> | Statistical values over a field |
| <operator> ifile ofile | |
| fldpctl | Field percentiles |
| fldpctl,p ifile ofile | |
| zon<stat> | Zonal statistical values |
| <operator> ifile ofile | |
| zonpctl | Zonal percentiles |
| zonpctl,p ifile ofile | |
| mer<stat> | Meridional statistical values |
| <operator> ifile ofile | |
| merpctl | Meridional percentiles |
| merpctl,p ifile ofile | |
| gridbox<stat> | Statistical values over grid boxes |
| <operator>,nx,ny ifile ofile | |
| vert<stat> | Vertical statistical values |
| <operator> ifile ofile | |
| timsel<stat> | Time range statistical values |
| <operator>,nsets[,noffset[,nskip]] ifile ofile | |
| timselpctl | Time range percentiles |
| timselpctl,p,nsets[,noffset[,nskip]] ifile1 ifile2 ifile3 ofile | |
| run<stat> | Running statistical values |
| <operator>,nts ifile ofile | |
| runpctl | Running percentiles |
| runpctl,p,nts ifile1 ofile | |
| tim<stat> | Statistical values over all timesteps |
| <operator> ifile ofile | |
| timpctl | Time percentiles |
| timpctl,p ifile1 ifile2 ifile3 ofile | |
| hour<stat> | Hourly statistical values |
| <operator> ifile ofile | |
| hourpctl | Hourly percentiles |
| hourpctl,p ifile1 ifile2 ifile3 ofile | |
| day<stat> | Daily statistical values |
| <operator> ifile ofile | |
| daypctl | Daily percentiles |
| daypctl,p ifile1 ifile2 ifile3 ofile | |
| mon<stat> | Monthly statistical values |
| <operator> ifile ofile | |
| monpctl | Monthly percentiles |
| monpctl,p ifile1 ifile2 ifile3 ofile | |
| year<stat> | Yearly statistical values |
| <operator> ifile ofile | |
| yearpctl | Yearly percentiles |
| yearpctl,p ifile1 ifile2 ifile3 ofile | |
| seas<stat> | Seasonal statistical values |
| <operator> ifile ofile | |
| seaspctl | Seasonal percentiles |
| seaspctl,p ifile1 ifile2 ifile3 ofile | |
| yhour<stat> | Multi-year hourly statistical values |
| <operator> ifile ofile | |

| | |
|--|---|
| yday<stat> | Multi-year daily statistical values |
| <operator> ifile ofile | |
| ydaypctl | Multi-year daily percentiles |
| ydaypctl,p ifile1 ifile2 ifile3 ofile | |
| ymon<stat> | Multi-year monthly statistical values |
| <operator> ifile ofile | |
| ymonpctl | Multi-year monthly percentiles |
| ymonpctl,p ifile1 ifile2 ifile3 ofile | |
| yeas<stat> | Multi-year seasonal statistical values |
| <operator> ifile ofile | |
| yeaspctl | Multi-year seasonal percentiles |
| yeaspctl,p ifile1 ifile2 ifile3 ofile | |
| ydrun<stat> | Multi-year daily running statistical values |
| <operator>,nts ifile ofile | |
| ydrunpctl | Multi-year daily running percentiles |
| ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile | |
| fldcor | Correlation in grid space |
| fldcor ifile1 ifile2 ofile | |
| timcor | Correlation over time |
| timcor ifile1 ifile2 ofile | |
| fldcovar | Covariance in grid space |
| fldcovar ifile1 ifile2 ofile | |
| timcovar | Covariance over time |
| timcovar ifile1 ifile2 ofile | |

| | |
|---|--|
| genbil | Generate bilinear interpolation weights |
| genbic | Generate bicubic interpolation weights |
| gendis | Generate distance-weighted average remap weights |
| genmn | Generate nearest neighbor remap weights |
| gencon | Generate 1st order conservative remap weights |
| gencon2 | Generate 2nd order conservative remap weights |
| genlaf | Generate largest area fraction remap weights |
| <operator>,grid ifile ofile | |
| remap | SCRIP grid remapping |
| remap,grid,weights ifile ofile | |
| remapeta | Remap vertical hybrid level |
| remapeta,vct[,oro] ifile ofile | |
| ml2pl | Model to pressure level interpolation |
| ml2pl,plevels ifile ofile | |
| ml2hl | Model to height level interpolation |
| ml2hl,hlevels ifile ofile | |
| intlevel | Linear level interpolation |
| intlevel,levels ifile ofile | |
| intlevel3d | Linear level interpolation onto a 3d vertical coordinate |
| intlevelx3d | like intlevel3d but with extrapolation |
| <operator>,icordinate ifile1 ifile2 ofile | |
| inttime | Interpolation between timesteps |
| inttime,date,time[,inc] ifile ofile | |
| inttime | Interpolation between timesteps |
| inttime,n ifile ofile | |
| intyear | Interpolation between two years |
| intyear,years ifile1 ifile2 obase | |
| Correlation and co. | |
| fldcor | Correlation in grid space |
| fldcor ifile1 ifile2 ofile | |
| timcor | Correlation over time |
| timcor ifile1 ifile2 ofile | |
| fldcovar | Covariance in grid space |
| fldcovar ifile1 ifile2 ofile | |
| timcovar | Covariance over time |
| timcovar ifile1 ifile2 ofile | |
| Transformation | |
| sp2gp | Spectral to gridpoint |
| sp2gpl | Spectral to gridpoint (linear) |
| gp2sp | Gridpoint to spectral |
| gp2spl | Gridpoint to spectral (linear) |
| <operator> ifile ofile | |
| sp2sp | Spectral to spectral |
| sp2sp,trunc ifile ofile | |
| dv2uv | Divergence and vorticity to U and V wind |
| dv2uvl | Divergence and vorticity to U and V wind (linear) |
| uv2dv | U and V wind to divergence and vorticity |
| uv2dvl | U and V wind to divergence and vorticity (linear) |
| dv2ps | D and V to velocity potential and stream function |
| <operator> ifile ofile | |
| Regression | |
| regres | Regression |
| regres ifile ofile | |
| detrend | Detrend |
| detrend ifile ofile | |
| trend | Trend |
| trend ifile ofile1 ofile2 | |
| subtrend | Subtract trend |
| subtrend ifile1 ifile2 ifile3 ofile | |
| EOFs | |
| eof | Calculate EOFs in spatial or time space |
| eoftime | Calculate EOFs in time space |
| eofspatial | Calculate EOFs in spatial space |
| eof3d | Calculate 3-Dimensional EOFs in time space |
| <operator>,neof ifile ofile1 ofile2 | |
| eofcoeff | Calculate principal coefficients of EOFs |
| eofcoeff ifile1 ifile2 obase | |
| Import/Export | |
| import_binary | Import binary data sets |
| import_binary ifile ofile | |
| import_cmsaf | Import CM-SAF HDF5 files |
| import_cmsaf ifile ofile | |
| import_amsr | Import AMSR binary files |
| import_amsr ifile ofile | |
| input | ASCII input |
| input,grid ofile | |
| inputsrv | SERVICE ASCII input |
| inputtext | EXTRA ASCII input |
| <operator> ofile | |
| output | ASCII output |
| output,ifiles | |
| outputf | Formatted output |
| outputf,format,nelem ifiles | |
| outputint | Integer output |
| outputsrv | SERVICE ASCII output |
| outputtext | EXTRA ASCII output |
| <operator> ifiles | |
| Interpolation | |
| remapbil | Bilinear interpolation |
| remapbic | Bicubic interpolation |
| remapdis | Distance-weighted average remapping |
| remapn | Nearest neighbor remapping |
| remapcon | First order conservative remapping |
| remapcon2 | Second order conservative remapping |
| remaplaf | Largest area fraction remapping |
| <operator>,grid ifile ofile | |

Miscellaneous

| | |
|---------------------------------------|--|
| gradsdes1 | GrADS data descriptor file (version 1 GRIB map) |
| gradsdes2 | GrADS data descriptor file (version 2 GRIB map) |
| <operator> ifile | |
| bandpass | Bandpass filtering |
| bandpass,fmin,fmax ifile ofile | |
| lowpass | Lowpass filtering |
| lowpass,fmax ifile ofile | |
| highpass | Highpass filtering |
| highpass,fmin ifile ofile | |
| gridarea | Grid cell area |
| gridweights | Grid cell weights |
| <operator> ifile ofile | |
| smooth9 | 9 point smoothing |
| smooth9 ifile ofile | |
| setvals | Set list of old values to new values |
| setvals,oldval,newval,... ifile ofile | |
| setrtoc | Set range to constant |
| setrtoc,rmin,rmax,c ifile ofile | |
| setrtoc2 | Set range to constant others to constant2 |
| setrtoc2,rmin,rmax,c,c2 ifile ofile | |
| timsort | Sort over the time |
| timsort ifile ofile | |
| const | Create a constant field |
| const,const,grid ifile | |
| random | Create a field with random numbers |
| random,grid,[seed] ifile | |
| stdatm | Create values for pressure and temperature for hydrostatic |
| stdatm,levels ofile | |
| rotuvb | Backward rotation |
| rotuvb,u,v,... ifile ofile | |
| mastrfu | Mass stream function |
| mastrfu ifile ofile | |
| histcount | Histogram count |
| histsum | Histogram sum |
| histmean | Histogram mean |
| histfreq | Histogram frequency |
| <operator>,bounds ifile ofile | |
| sethalo | Set the left and right bounds of a field |
| sethalo,lhalo,rhalo ifile ofile | |
| wct | Windchill temperature |
| wct ifile1 ifile2 ofile | |
| fdns | Frost days where no snow index per time period |
| fdns ifile1 ifile2 ofile | |
| strwin | Strong wind days index per time period |
| strwin,[v] ifile ofile | |
| strbre | Strong breeze days index per time period |
| strbre ifile ofile | |
| strgal | Strong gale days index per time period |
| strgal ifile ofile | |
| hurr | Hurricane days index per time period |
| hurr ifile ofile | |

Climate indices

| | |
|---|---|
| eca_cdd | Consecutive dry days index per time period |
| eca_cdd,[R] ifile ofile | |
| eca_cfd | Consecutive frost days index per time period |
| eca_cfd ifile ofile | |
| eca_csu | Consecutive summer days index per time period |
| eca_csu,[T] ifile ofile | |
| eca_cwd | Consecutive wet days index per time period |
| eca_cwd,[R] ifile ofile | |
| eca_cwdi | Cold wave duration index wrt mean of reference per |
| eca_cwdi[,nday,T] ifile1 ifile2 ofile | |
| eca_cwfi | Cold-spell days index wrt 10th percentile of reference |
| eca_cwfi[,nday] ifile1 ifile2 ofile | |
| eca_etr | Intra-period extreme temperature range |
| eca_etr ifile1 ifile2 ofile | |
| eca_fd | Frost days index per time period |
| eca_fd ifile ofile | |
| eca_gsl | Growing season length index |
| eca_gsl[,nday,T,fland]] ifile1 ifile2 ofile | |
| eca_hd | Heating degree days per time period |
| eca_hd,[T1,T2]] ifile ofile | |
| eca_hwdi | Heat wave duration index wrt mean of reference per |
| eca_hwdi[,nday,T] ifile1 ifile2 ofile | |
| eca_hwfi | Warm spell days index wrt 90th percentile of reference |
| eca_hwfi[,nday] ifile1 ifile2 ofile | |
| eca_id | Ice days index per time period |
| eca_id ifile ofile | |
| eca_pd | Precipitation days index per time period |
| eca_pd,x ifile ofile | |
| eca_r10mm | Heavy precipitation days index per time period |
| eca_r20mm | Very heavy precipitation days index per time period |
| <operator> ifile ofile | |
| eca_r75p | Moderate wet days wrt 75th percentile of reference |
| eca_r75p ifile1 ifile2 ofile | |
| eca_r75ptot | Precipitation percent due to R75p days |
| eca_r75ptot ifile1 ifile2 ofile | |
| eca_r90p | Wet days wrt 90th percentile of reference period |
| eca_r90p ifile1 ifile2 ofile | |
| eca_r90ptot | Precipitation percent due to R90p days |
| eca_r90ptot ifile1 ifile2 ofile | |
| eca_r95p | Very wet days wrt 95th percentile of reference period |
| eca_r95p ifile1 ifile2 ofile | |
| eca_r95ptot | Precipitation percent due to R95p days |
| eca_r95ptot ifile1 ifile2 ofile | |
| eca_r99p | Extremely wet days wrt 99th percentile of reference |
| eca_r99p ifile1 ifile2 ofile | |
| eca_r99ptot | Precipitation percent due to R99p days |
| eca_r99ptot ifile1 ifile2 ofile | |
| eca_rr1 | Wet days index per time period |
| eca_rr1,[R] ifile ofile | |
| eca_rx1day | Highest one day precipitation amount per time period |
| eca_rx1day,[mode] ifile ofile | |
| eca_rx5day | Highest five-day precipitation amount per time period |
| eca_rx5day,[x] ifile ofile | |
| eca_sdii | Simple daily intensity index per time period |
| eca_sdii,[R] ifile ofile | |
| eca_su | Summer days index per time period |
| eca_su,[T] ifile ofile | |
| eca_tg10p | Cold days percent wrt 10th percentile of reference |
| eca_tg10p ifile1 ifile2 ofile | |
| eca_tg90p | Warm days percent wrt 90th percentile of reference |
| eca_tg90p ifile1 ifile2 ofile | |
| eca_tn10p | Cold nights percent wrt 10th percentile of reference |
| eca_tn10p ifile1 ifile2 ofile | |
| eca_tn90p | Warm nights percent wrt 90th percentile of reference |
| eca_tn90p ifile1 ifile2 ofile | |
| eca_tr | Tropical nights index per time period |
| eca_tr,[T] ifile ofile | |
| eca_tx10p | Very cold days percent wrt 10th percentile of reference |
| eca_tx10p ifile1 ifile2 ofile | |

eca_tx90p Very warm days percent wrt 90th percentile of reference period

eca_tx90p ifile1 ifile2 ofile