

# CDO Reference Card

Climate Data Operators  
Version 1.4.0  
September 2009

Uwe Schulzweida  
Max-Planck-Institute for Meteorology

<http://www.mpimet.mpg.de/cdo>

## Syntax

cdo [Options] Operator1 [-Operator2 [-OperatorN]]

## Options

-a	Convert from a relative to an absolute time axis
-b <nbits>	Set the number of bits for output precision (32/64 for nc,nc2,nc4,srv,ext,iwg; 1 - 32 for grb)
-f <format>	Output file format (grb,nc,nc2,nc4,srv,ext,iwg)
-g <grid>	Grid name or file Available grids: t<RES>grid, r<NX>x<NY>
-h	Help information for the operators
-m <missval>	Set the default missing value (default: -9e+33)
-R	Convert GRIB data from reduced to regular grid
-r	Convert from an absolute to a relative time axis
-s	Silent mode
-t <table>	Set the parameter table name or file Predefined tables: echam4 echam5 mpiom1
-V	Print the version number
-v	Print extra details for some operators
-z szip	Compress GRIB records with szip

## Operators

### Information

info	Dataset information listed by code number
infov	Dataset information listed by variable name
map	Dataset information and simple map
Syntax	<operator> ifiles
sinfo	Short dataset information listed by code number
sinfov	Short dataset information listed by variable name
Syntax	<operator> ifiles
diff	Compare two datasets listed by code number
diffv	Compare two datasets listed by variable name
Syntax	<operator> ifile1 ifile2
npar	Number of parameters
nlevel	Number of levels
nyear	Number of years
nmon	Number of months
ndate	Number of dates
ntime	Number of time steps
Syntax	<operator> ifile

showformat	Show file format
showcode	Show code numbers
showname	Show variable names
showstdname	Show standard names
showlevel	Show levels
showtype	Show GRIB level types
showyear	Show years
showmon	Show months
showdate	Show dates
showtime	Show time steps
Syntax	<operator> ifile

pardes	Parameter description
griddes	Grid description
zaxisdes	Z-axis description
vct	Vertical coordinate table
Syntax	<operator> ifile

## File operations

copy	Copy datasets
cat	Concatenate datasets
Syntax	<operator> ifiles ofile
replace	Replace variables
Syntax	replace ifile1 ifile2 ofile
merge	Merge datasets with different fields
mergetime	Merge datasets sorted by date and time
Syntax	<operator> ifiles ofile
splitcode	Split code numbers
splitname	Split variable names
splitlevel	Split levels
splitgrid	Split grids
splitzaxis	Split z-axes
Syntax	<operator> ifile oprefix
splithour	Split hours
splitday	Split days
splitmon	Split months
splitseas	Split seasons
splityear	Split years
Syntax	<operator> ifile oprefix
splitsel	Split time selection
Syntax	splitsel,nsets[,noffset[,nskip]] ifile oprefix

## Selection

selcode	Select variables by code number
delcode	Delete variables by code number
Syntax	<operator>,codes ifile ofile
selname	Select variables by name
delname	Delete variables by name
Syntax	<operator>,varnames ifile ofile
selstdname	Select variables by standard name
Syntax	selstdname,stdnames ifile ofile
sellevel	Select levels
Syntax	sellevel,levels ifile ofile
sellevidx	Select levels by index
Syntax	sellevidx,levidx ifile ofile
selgrid	Select grids
Syntax	selgrid,grids ifile ofile
selgridname	Select grids by name
Syntax	selgridname,gridnames ifile ofile
selzaxis	Select z-axes
Syntax	selzaxis,zaxes ifile ofile
selzaxisname	Select z-axes by name
Syntax	selzaxisname,zaxisname ifile ofile
selltype	Select GRIB level types
Syntax	selltype,ltypes ifile ofile
seltabnum	Select parameter table numbers
Syntax	seltabnum,tabnums ifile ofile

sel timestep	Select time steps
Syntax	sel timestep,timesteps ifile ofile
sel time	Select times
Syntax	sel time,times ifile ofile
sel hour	Select hours
Syntax	sel hour,hours ifile ofile
sel day	Select days
Syntax	sel day,days ifile ofile
sel mon	Select months
Syntax	sel mon,months ifile ofile
sel year	Select years
Syntax	sel year,years ifile ofile
sel seas	Select seasons
Syntax	sel seas,seasons ifile ofile
sel date	Select dates
Syntax	sel date,date1[,date2] ifile ofile
sel mon	Select single month
Syntax	sel mon,month[,nts1[,nts2]] ifile ofile
sellonlatbox	Select a longitude/latitude box
Syntax	sellonlatbox,lon1,lon2,lat1,lat2 ifile ofile
selindexbox	Select an index box
Syntax	selindexbox,idx1,IDX2,idy1,idy2 ifile ofile

## Conditional selection

ifthen	If then
ifnotthen	If not then
Syntax	<operator> ifile1 ifile2 ofile
ifthenelse	If then else
Syntax	ifthenelse ifile1 ifile2 ifile3 ofile
ifthenenc	If then constant
ifnotthenenc	If not then constant
Syntax	<operator>,c ifile ofile

## Comparison

eq	Equal
ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
Syntax	<operator> ifile1 ifile2 ofile
eqc	Equal constant
neq	Not equal constant
lec	Less equal constant
ltc	Less than constant
gec	Greater equal constant
gtc	Greater than constant
Syntax	<operator>,c ifile ofile

## Modification

setpartab	Set parameter table
Syntax	setpartab,table ifile ofile
setcode	Set code number
Syntax	setcode,code ifile ofile
setname	Set variable name
Syntax	setname,name ifile ofile
setlevel	Set level
Syntax	setlevel,level ifile ofile
setltype	Set GRIB level type
Syntax	setltype,ltype ifile ofile

setdate	Set date
Syntax	setdate,date ifile ofile
settime	Set time of the day
Syntax	settime,time ifile ofile
setday	Set day
Syntax	setday,day ifile ofile
setmon	Set month
Syntax	setmon,month ifile ofile
setyear	Set year
Syntax	setyear,year ifile ofile
settunits	Set time units
Syntax	settunits,units ifile ofile
settaxis	Set time axis
Syntax	settaxis,date,time[,inc] ifile ofile
setreftime	Set reference time
Syntax	setreftime,date,time[,units] ifile ofile
setcalendar	Set calendar
Syntax	setcalendar,calendar ifile ofile
shifttime	Shift time steps
Syntax	shifttime,sval ifile ofile
chcode	Change code number
Syntax	chcode,oldcode,newcode,... ifile ofile
chname	Change variable name
Syntax	chname,oldname,newname,... ifile ofile
chlevel	Change level
Syntax	chlevel,oldlev,newlev,... ifile ofile
chlevelc	Change level of one code
Syntax	chlevelc,code,oldlev,newlev ifile ofile
chlevelv	Change level of one variable
Syntax	chlevelv,name,oldlev,newlev ifile ofile
setgrid	Set grid
Syntax	setgrid,grid ifile ofile
setgridtype	Set grid type
Syntax	setgridtype,gridtype ifile ofile
setzaxis	Set z-axis
Syntax	setzaxis,zaxis ifile ofile
setgatt	Set global attribute
Syntax	setgatt,attname,attstring ifile ofile
setgatts	Set global attributes
Syntax	setgatts,attfile ifile ofile
invertlat	Invert latitudes
Syntax	invertlat ifile ofile
invertlev	Invert levels
Syntax	invertlev ifile ofile
maskregion	Mask regions
Syntax	maskregion,regions ifile ofile
masklonlatbox	Mask a longitude/latitude box
Syntax	masklonlatbox,lon1,lon2,lat1,lat2 ifile ofile
maskindexbox	Mask an index box
Syntax	maskindexbox,idx1,IDX2,idy1,idy2 ifile ofile
setclonlatbox	Select a longitude/latitude box to constant
Syntax	setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile
setcindexbox	Select an index box to constant
Syntax	setcindexbox,c,idx1,IDX2,idy1,idy2 ifile ofile
enlarge	Enlarge fields
Syntax	enlarge,grid ifile ofile
setmissval	Set a new missing value
Syntax	setmissval,newmiss ifile ofile
setctomiss	Set constant to missing value
Syntax	setctomiss Set missing value to constant
setmisstoc	Set missing value to constant
Syntax	<operator>,c ifile ofile
setrtomiss	Set range to missing value
Syntax	setrtomiss Set valid range
setvrangle	Set valid range
Syntax	<operator>,rmin,rmax ifile ofile

## Arithmetic

<b>expr</b>	Evaluate expressions Syntax
<b>exprf</b>	Evaluate expressions from script file Syntax
<b>abs</b>	Absolute value
<b>int</b>	Integer value
<b>nint</b>	Nearest integer value
<b>pow</b>	Power
<b>sqr</b>	Square
<b>sqrt</b>	Square root
<b>exp</b>	Exponential
<b>ln</b>	Natural logarithm
<b>log10</b>	Base 10 logarithm
<b>sin</b>	Sine
<b>cos</b>	Cosine
<b>tan</b>	Tangent
<b>asin</b>	Arc sine
<b>acos</b>	Arc cosine
<b>reci</b>	Reciprocal value
Syntax $<\text{operator}> \text{ ifile ofile}$	
<b>addc</b>	Add a constant
<b>subc</b>	Subtract a constant
<b>mulec</b>	Multiply with a constant
<b>divec</b>	Divide by a constant
Syntax $<\text{operator}>,c \text{ ifile ofile}$	
<b>add</b>	Add two fields
<b>sub</b>	Subtract two fields
<b>mul</b>	Multiply two fields
<b>div</b>	Divide two fields
<b>min</b>	Minimum of two fields
<b>max</b>	Maximum of two fields
<b>atan2</b>	Arc tangent of two fields
Syntax $<\text{operator}> \text{ ifile1 ifile2 ofile}$	
<b>monadd</b>	Add monthly time series
<b>monsub</b>	Subtract monthly time series
<b>monmul</b>	Multiply monthly time series
<b>mondiv</b>	Divide monthly time series
Syntax $<\text{operator}> \text{ ifile1 ifile2 ofile}$	
<b>ymonadd</b>	Add multi-year monthly time series
<b>ymonsub</b>	Subtract multi-year monthly time series
<b>ymonmul</b>	Multiply multi-year monthly time series
<b>ymondiv</b>	Divide multi-year monthly time series
Syntax $<\text{operator}> \text{ ifile1 ifile2 ofile}$	
<b>muldpnm</b>	Multiply with days per month
<b>divdpnm</b>	Divide by days per month
<b>muldpyp</b>	Multiply with days per year
<b>divdpyp</b>	Divide by days per year
Syntax $<\text{operator}> \text{ ifile ofile}$	

## Statistical values

Available statistical functions	$<\text{STAT}>$
<b>minimum</b>	<b>min</b>
<b>maximum</b>	<b>max</b>
<b>sum</b>	<b>sum</b>
<b>mean</b>	<b>mean</b>
<b>average</b>	<b>avg</b>
<b>variance</b>	<b>var</b>
<b>standard deviation</b>	<b>std</b>
<b>ens</b>	Statistical values over an ensemble Syntax $<\text{operator}> \text{ ifiles ofile}$
<b>enspcl</b>	Ensemble percentiles Syntax $\text{enspcl},p \text{ ifiles ofile}$
<b>fld</b>	Statistical values over a field Syntax $<\text{operator}> \text{ ifile ofile}$
<b>fldpcl</b>	Field percentiles Syntax $\text{fldpcl},p \text{ ifile ofile}$

<b>zon</b>	Zonal statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>zonpcl</b>	Zonal percentiles Syntax $\text{zonpcl},p \text{ ifile ofile}$
<b>mer</b>	Meridional statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>merpcl</b>	Meridional percentiles Syntax $\text{merpcl},p \text{ ifile ofile}$
<b>vert</b>	Vertical statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>timsel</b>	Time range statistical values Syntax $<\text{operator}>,nsets[,noffset[,nskip]] \text{ ifile ofile}$
<b>timsepc</b>	Time range percentiles Syntax $\text{timsepc},p,nsets[,noffset[,nskip]] \text{ ifile1 ifile2 ifile3 ofile}$

<b>run</b>	Running statistical values Syntax $<\text{operator}>,nts \text{ ifile ofile}$
<b>runpcl</b>	Running percentiles Syntax $\text{runpcl},p,nts \text{ ifile1 ofile}$

<b>tim</b>	Statistical values over all time steps Syntax $<\text{operator}> \text{ ifile ofile}$
<b>timpcl</b>	Time percentiles Syntax $\text{timpcl},p \text{ ifile1 ifile2 ifile3 ofile}$

<b>hour</b>	Hourly statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>hourpcl</b>	Hourly percentiles Syntax $\text{hourpcl},p \text{ ifile1 ifile2 ifile3 ofile}$

<b>day</b>	Daily statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>daypcl</b>	Daily percentiles Syntax $\text{daypcl},p \text{ ifile1 ifile2 ifile3 ofile}$

<b>mon</b>	Monthly statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>monpcl</b>	Monthly percentiles Syntax $\text{monpcl},p \text{ ifile1 ifile2 ifile3 ofile}$

<b>year</b>	Yearly statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>yearpcl</b>	Yearly percentiles Syntax $\text{yearpcl},p \text{ ifile1 ifile2 ifile3 ofile}$

<b>seas</b>	Seasonal statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>seaspcl</b>	Seasonal percentiles Syntax $\text{seaspcl},p \text{ ifile1 ifile2 ifile3 ofile}$

<b>yhour</b>	Multi-year hourly statistical values Syntax $<\text{operator}> \text{ ifile ofile}$
<b>yday</b>	Multi-year daily statistical values Syntax $<\text{operator}> \text{ ifile ofile}$

<b>ydaypcl</b>	Multi-year daily percentiles Syntax $\text{ydaypcl},p \text{ ifile1 ifile2 ifile3 ofile}$
<b>ymon</b>	Multi-year monthly statistical values Syntax $<\text{operator}> \text{ ifile ofile}$

<b>ymonpcl</b>	Multi-year monthly percentiles Syntax $\text{ymonpcl},p \text{ ifile1 ifile2 ifile3 ofile}$
<b>yseas</b>	Multi-year seasonal statistical values Syntax $<\text{operator}> \text{ ifile ofile}$

<b>yseaspcl</b>	Multi-year seasonal percentiles Syntax $\text{yseaspcl},p \text{ ifile1 ifile2 ifile3 ofile}$
<b>ydrun</b>	Multi-year daily running statistical values Syntax $<\text{operator}>,nts \text{ ifile ofile}$

<b>ydrunpcl</b>	Multi-year daily running percentiles Syntax $\text{ydrunpcl},p,nts \text{ ifile1 ifile2 ifile3 ofile}$
<b>ens</b>	Statistical values over an ensemble Syntax $<\text{operator}> \text{ ifiles ofile}$

## Regression

<b>regres</b>	Regression Syntax
<b>detrend</b>	Detrend Syntax
<b>trend</b>	Trend Syntax
<b>subtrend</b>	Subtract trend Syntax

## Formatted I/O

<b>input</b>	ASCII input Syntax
<b>input,grid</b>	grid input Syntax
<b>inputsrv</b>	SERVICE ASCII input
<b>inputtext</b>	EXTRA ASCII input Syntax
<b>output</b>	ASCII output Syntax
<b>outputf</b>	Formatted output Syntax
<b>outputf,format,nelem</b>	output f,format,nelem Syntax
<b>outputint</b>	Integer output
<b>outputsrv</b>	SERVICE ASCII output
<b>outputtext</b>	EXTRA ASCII output Syntax
<b>output</b>	$<\text{operator}> \text{ ifiles}$

## Interpolation

<b>remapbil</b>	Bilinear interpolation
<b>remapbic</b>	Bicubic interpolation
<b>remapdis</b>	Distance-weighted average remapping
<b>remapnn</b>	Nearest neighbor remapping
<b>remapcon</b>	First order conservative remapping
<b>remapcon2</b>	Second order conservative remapping
<b>remaplap</b>	Largest area fraction remapping Syntax

<b>genbil</b>	Generate bilinear interpolation weights
<b>genbic</b>	Generate bicubic interpolation weights
<b>gendis</b>	Generate distance-weighted average remap weights
<b>gennn</b>	Generate nearest neighbor remap weights
<b>gencon</b>	Generate 1st order conservative remap weights
<b>gencon2</b>	Generate 2nd order conservative remap weights
<b>genlaf</b>	Generate largest area fraction remap weights Syntax

<b>remap</b>	SCRIP grid remapping Syntax
<b>remap,grid,weights</b>	<b>remap,grid,weights</b> ifile ofile

<b>interpolate</b>	PINGO grid interpolation Syntax
<b>remapeta</b>	Remap vertical hybrid level Syntax

<b>ml2pl</b>	Model to pressure level interpolation Syntax
<b>ml2hl</b>	Model to height level interpolation Syntax

<b>intlevel</b>	Linear level interpolation Syntax
<b>inttime</b>	Interpolation between time steps Syntax

<b>inttime,n</b>	Interpolation between time steps Syntax
<b>intyear</b>	Interpolation between two years Syntax

<b>wct</b>	Windchill temperature Syntax
<b>fdns</b>	Frost days where no snow index per time period Syntax
<b>strwin</b>	Strong wind days index per time period Syntax
<b>strbre</b>	Strong breeze days index per time period Syntax
<b>strgal</b>	Strong gale days index per time period Syntax
<b>hurr</b>	Hurricane days index per time period Syntax
<b>import_amsr</b>	Import AMSR binary files Syntax
<b>import_cmsaf</b>	Import CM-SAF HDF5 files Syntax
<b>import_binary</b>	Import binary data sets Syntax

## Miscellaneous

<b>gridarea</b>	Grid cell area
<b>gridweights</b>	Grid cell weights Syntax
<b>gradsdes1</b>	GRADS data descriptor file (version 1 GRIB map)
<b>gradsdes2</b>	GRADS data descriptor file (version 2 GRIB map) Syntax
<b>smooth9</b>	9 point smoothing Syntax

<b>setrtoc</b>	Set range to constant Syntax
<b>setrtoc,rmin,rmax,c</b>	<b>setrtoc,rmin,rmax,c</b> ifile ofile
<b>setrtoc2</b>	Set range to constant others to constant2 Syntax
<b>setrtoc2,rmin,rmax,c,c2</b>	<b>setrtoc2,rmin,rmax,c,c2</b> ifile ofile
<b>timsort</b>	Sort over the time Syntax

<b>const</b>	Create a constant field Syntax
<b>random</b>	Create a field with random values Syntax
<b>histcount</b>	Histogram count
<b>histsum</b>	Histogram sum
<b>histmean</b>	Histogram mean
<b>histfreq</b>	Histogram frequency Syntax

<b>wct</b>	Windchill temperature
<b>fdns</b>	

## Climate indices

	<b>eca_tg90p</b> Syntax <b>eca_tg90p ifile1 ifile2 ofile</b>	Warm days percent wrt 90th percentile of reference
<b>eca_cdd</b> Syntax	Consecutive dry days index per time period <b>eca_cdd ifile ofile</b>	<b>eca_tn10p</b> Syntax <b>eca_tn10p ifile1 ifile2 ofile</b>
<b>eca_cfd</b> Syntax	Consecutive frost days index per time period <b>eca_cfd ifile ofile</b>	<b>eca_tn90p</b> Syntax <b>eca_tn90p ifile1 ifile2 ofile</b>
<b>eca_csu</b> Syntax	Consecutive summer days index per time period <b>eca_csu[,T] ifile ofile</b>	<b>eca_tr</b> Syntax <b>eca_tr[,T] ifile ofile</b>
<b>eca_cwd</b> Syntax	Consecutive wet days index per time period <b>eca_cwd ifile ofile</b>	<b>eca_tx10p</b> Syntax <b>eca_tx10p ifile1 ifile2 ofile</b>
<b>eca_cwdi</b> Syntax	Cold wave duration index wrt mean of reference period <b>eca_cwdi[,nday[,T]] ifile1 ifile2 ofile</b>	<b>eca_tx90p</b> Syntax <b>eca_tx90p ifile1 ifile2 ofile</b>
<b>eca_cwfi</b> Syntax	Cold-spell days index wrt 10th percentile of reference period <b>eca_cwfi[,nday] ifile1 ifile2 ofile</b>	
<b>eca_etr</b> Syntax	Intra-period extreme temperature range <b>eca_etr ifile1 ifile2 ofile</b>	
<b>eca_fd</b> Syntax	Frost days index per time period <b>eca_fd ifile ofile</b>	
<b>eca_gsl</b> Syntax	Growing season length index <b>eca_gsl[,nday[,T[,fand]]] ifile1 ifile2 ofile</b>	
<b>eca_hd</b> Syntax	Heating degree days per time period <b>eca_hd[,T1[,T2]] ifile ofile</b>	
<b>eca_hwdi</b> Syntax	Heat wave duration index wrt mean of reference period <b>eca_hwdi[,nday[,T]] ifile1 ifile2 ofile</b>	
<b>eca_hwfi</b> Syntax	Warm spell days index wrt 90th percentile of reference period <b>eca_hwfi[,nday] ifile1 ifile2 ofile</b>	
<b>eca_id</b> Syntax	Ice days index per time period <b>eca_id ifile ofile</b>	
<b>eca_r10mm</b> Syntax	Heavy precipitation days index per time period <b>eca_r10mm ifile ofile</b>	
<b>eca_r20mm</b> Syntax	Very heavy precipitation days index per time period <b>eca_r20mm ifile ofile</b>	
<b>eca_r75p</b> Syntax	Moderate wet days wrt 75th percentile of reference period <b>eca_r75p ifile1 ifile2 ofile</b>	
<b>eca_r75ptot</b> Syntax	Precipitation percent due to R75p days <b>eca_r75ptot ifile1 ifile2 ofile</b>	
<b>eca_r90p</b> Syntax	Wet days wrt 90th percentile of reference period <b>eca_r90p ifile1 ifile2 ofile</b>	
<b>eca_r90ptot</b> Syntax	Precipitation percent due to R90p days <b>eca_r90ptot ifile1 ifile2 ofile</b>	
<b>eca_r95p</b> Syntax	Very wet days wrt 95th percentile of reference period <b>eca_r95p ifile1 ifile2 ofile</b>	
<b>eca_r95ptot</b> Syntax	Precipitation percent due to R95p days <b>eca_r95ptot ifile1 ifile2 ofile</b>	
<b>eca_r99p</b> Syntax	Extremely wet days wrt 99th percentile of reference period <b>eca_r99p ifile1 ifile2 ofile</b>	
<b>eca_r99ptot</b> Syntax	Precipitation percent due to R99p days <b>eca_r99ptot ifile1 ifile2 ofile</b>	
<b>eca_rr1</b> Syntax	Wet days index per time period <b>eca_rr1 ifile ofile</b>	
<b>eca_rx1day</b> Syntax	Highest one day precipitation amount per time period <b>eca_rx1day[,mode] ifile ofile</b>	
<b>eca_rx5day</b> Syntax	Highest five-day precipitation amount per time period <b>eca_rx5day[,x] ifile ofile</b>	
<b>eca_sdii</b> Syntax	Simple daily intensity index per time period <b>eca_sdii ifile ofile</b>	
<b>eca_su</b> Syntax	Summer days index per time period <b>eca_su[,T] ifile ofile</b>	
<b>eca_tg10p</b> Syntax	Cold days percent wrt 10th percentile of reference period <b>eca_tg10p ifile1 ifile2 ofile</b>	