

# CDO Reference Card

Climate Data Operators  
Version 1.2.1  
November 2008

Uwe Schulzweida  
Max-Planck-Institute for Meteorology

http://www.mpimet.mpg.de/cdo

## Syntax

<b>cdo</b>	[Options]	<b>Operator1</b>	[ <b>–Operator2</b>	[ <b>–OperatorN</b>	]
------------	-----------	------------------	---------------------	---------------------	---

## Options

<b>-a</b>	Convert from a relative to an absolute time axis
<b>-b</b> <i>&lt;nbits&gt;</i>	Set the number of bits for output precision (32/64 for nc,nc2,nc4,srv,ext,ieg; 1 - 32 for grb)
<b>-f</b> <i>&lt;format&gt;</i>	Output file format (grb,nc,nc2,nc4,srv,ext,ieg)
<b>-g</b> <i>&lt;grid&gt;</i>	Grid name or file Available grids: t<RES>grid, r<NX>x<NY>
<b>-h</b>	Help information for the operators
<b>-m</b> <i>&lt;missval&gt;</i>	Set the default missing value (default: -9e+33)
<b>-R</b>	Convert GRIB data from reduced to regular grid
<b>-r</b>	Convert from an absolute to a relative time axis
<b>-s</b>	Silent mode
<b>-t</b> <i>&lt;table&gt;</i>	Set the parameter table name or file Predefined tables: echam4 echam5 mpiom1
<b>-V</b>	Print the version number
<b>-v</b>	Print extra details for some operators
<b>-z</b> szip	Compress GRIB records with szip

## Operators

### Information

<b>info</b> <b>infov</b> <b>map</b>	Dataset information listed by code number Dataset information listed by variable name Dataset information and simple map
Syntax	<b>&lt;operator&gt;</b> <b>ifiles</b>
<b>sinfo</b> <b>sinfov</b>	Short dataset information listed by code number Short dataset information listed by variable name
Syntax	<b>&lt;operator&gt;</b> <b>ifiles</b>
<b>diff</b> <b>diffv</b>	Compare two datasets listed by code number Compare two datasets listed by variable name
Syntax	<b>&lt;operator&gt;</b> <b>ifile1 ifile2</b>
<b>npar</b> <b>nlevel</b> <b>nyear</b> <b>nmon</b> <b>ndate</b> <b>ntime</b>	Number of parameters Number of levels Number of years Number of months Number of dates Number of time steps
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b>
<b>showformat</b> <b>showcode</b> <b>showname</b> <b>showstdname</b> <b>showlevel</b> <b>showtype</b> <b>showyear</b> <b>showmon</b> <b>showdate</b> <b>showtime</b>	Show file format Show code numbers Show variable names Show standard names Show levels Show GRIB level types Show years Show months Show dates Show time steps
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b>

<b>pardes</b> <b>griddes</b> <b>zaxisdes</b> <b>vct</b>	Parameter description Grid description Z-axis description Vertical coordinate table
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b>

### File operations

<b>copy</b> <b>cat</b>	Copy datasets Concatenate datasets
Syntax	<b>&lt;operator&gt;</b> <b>ifiles ofile</b>
<b>replace</b>	Replace variables
Syntax	<b>replace ifile1 ifile2 ofile</b>
<b>merge</b> <b>mergetime</b>	Merge datasets with different fields Merge datasets sorted by date and time
Syntax	<b>&lt;operator&gt;</b> <b>ifiles ofile</b>
<b>splitcode</b> <b>splitname</b> <b>splitlevel</b> <b>splitgrid</b> <b>splitzaxis</b>	Split code numbers Split variable names Split levels Split grids Split z-axes
Syntax	<b>&lt;operator&gt;</b> <b>ifile oprefix</b>
<b>splithour</b> <b>splitday</b> <b>splitmon</b> <b>splitseas</b> <b>splityear</b>	Split hours Split days Split months Split seasons Split years
Syntax	<b>&lt;operator&gt;</b> <b>ifile oprefix</b>
<b>splitssel</b>	Split time selection
Syntax	<b>splitssel,nsets[,noffset[,nskip]] ifile oprefix</b>

### Selection

<b>selcode</b> <b>delcode</b>	Select variables by code number Delete variables by code number
Syntax	<b>&lt;operator&gt;</b> , <b>codes ifile ofile</b>
<b>selname</b> <b>delname</b>	Select variables by name Delete variables by name
Syntax	<b>&lt;operator&gt;</b> , <b>varnames ifile ofile</b>
<b>selstdname</b>	Select variables by standard name
Syntax	<b>selstdname,stdnames ifile ofile</b>
<b>sellevel</b>	Select levels
Syntax	<b>sellevel,levels ifile ofile</b>
<b>sellevidx</b>	Select levels by index
Syntax	<b>sellevidx,levidx ifile ofile</b>
<b>selgrid</b>	Select grids
Syntax	<b>selgrid,grids ifile ofile</b>
<b>selgridname</b>	Select grids by name
Syntax	<b>selgridname,gridnames ifile ofile</b>
<b>selzaxis</b>	Select z-axes
Syntax	<b>selzaxis,zaxes ifile ofile</b>
<b>selzaxisname</b>	Select z-axes by name
Syntax	<b>selzaxisname,zaxisnames ifile ofile</b>
<b>selltype</b>	Select GRIB level types
Syntax	<b>selltype,types ifile ofile</b>
<b>seltabnum</b>	Select parameter table numbers
Syntax	<b>seltabnum,tabnums ifile ofile</b>

<b>seltimestep</b>	Select time steps
Syntax	<b>seltimestep,timesteps ifile ofile</b>
<b>seltime</b>	Select times
Syntax	<b>seltime,times ifile ofile</b>
<b>selhour</b>	Select hours
Syntax	<b>selhour,hours ifile ofile</b>
<b>selday</b>	Select days
Syntax	<b>selday,days ifile ofile</b>
<b>selmon</b>	Select months
Syntax	<b>selmon,months ifile ofile</b>
<b>selyear</b>	Select years
Syntax	<b>selyear,years ifile ofile</b>
<b>selseas</b>	Select seasons
Syntax	<b>selseas,seasons ifile ofile</b>
<b>seldate</b>	Select dates
Syntax	<b>seldate,date1[,date2] ifile ofile</b>
<b>selsmon</b>	Select single month
Syntax	<b>selsmon,month[,nts1[,nts2]] ifile ofile</b>

<b>sellonlatbox</b>	Select a longitude/latitude box
Syntax	<b>sellonlatbox,lon1,lon2,lat1,lat2 ifile ofile</b>
<b>selindexbox</b>	Select an index box
Syntax	<b>selindexbox,idx1,idx2,idy1,idy2 ifile ofile</b>

### Conditional selection

<b>ifthen</b> <b>ifnotthen</b>	If then If not then
Syntax	<b>&lt;operator&gt;</b> <b>ifile1 ifile2 ofile</b>
<b>ifthenelse</b>	If then else
Syntax	<b>ifthenelse ifile1 ifile2 ifile3 ofile</b>
<b>ifthenc</b> <b>ifnotthenc</b>	If then constant If not then constant
Syntax	<b>&lt;operator&gt;</b> , <b>c ifile ofile</b>

### Comparison

<b>eq</b> <b>ne</b> <b>le</b> <b>lt</b> <b>ge</b> <b>gt</b>	Equal Not equal Less equal Less than Greater equal Greater than
Syntax	<b>&lt;operator&gt;</b> <b>ifile1 ifile2 ofile</b>
<b>eqc</b> <b>nec</b> <b>lec</b> <b>ltc</b> <b>gec</b> <b>gtc</b>	Equal constant Not equal constant Less equal constant Less than constant Greater equal constant Greater than constant
Syntax	<b>&lt;operator&gt;</b> , <b>c ifile ofile</b>

### Modification

<b>setpartab</b>	Set parameter table
Syntax	<b>setpartab,table ifile ofile</b>
<b>setcode</b>	Set code number
Syntax	<b>setcode,code ifile ofile</b>
<b>setname</b>	Set variable name
Syntax	<b>setname,name ifile ofile</b>
<b>setlevel</b>	Set level
Syntax	<b>setlevel,level ifile ofile</b>
<b>setltype</b>	Set GRIB level type
Syntax	<b>setltype,ltype ifile ofile</b>

<b>setdate</b>	Set date
Syntax	<b>setdate,date ifile ofile</b>
<b>settime</b>	Set time of the day
Syntax	<b>settime,time ifile ofile</b>
<b>setday</b>	Set day
Syntax	<b>setday,day ifile ofile</b>
<b>setmon</b>	Set month
Syntax	<b>setmon,month ifile ofile</b>
<b>setyear</b>	Set year
Syntax	<b>setyear,year ifile ofile</b>
<b>settunits</b>	Set time units
Syntax	<b>settunits,units ifile ofile</b>
<b>settaxis</b>	Set time axis
Syntax	<b>settaxis,date,time[,inc] ifile ofile</b>
<b>setreftime</b>	Set reference time
Syntax	<b>setreftime,date,time ifile ofile</b>
<b>setcalendar</b>	Set calendar
Syntax	<b>setcalendar,calendar ifile ofile</b>
<b>shifttime</b>	Shift time steps
Syntax	<b>shifttime,sval ifile ofile</b>

<b>chcode</b>	Change code number
Syntax	<b>chcode,oldcode,newcode[,...] ifile ofile</b>
<b>chname</b>	Change variable name
Syntax	<b>chname,oldname,newname,... ifile ofile</b>
<b>chlevel</b>	Change level
Syntax	<b>chlevel,oldlev,newlev,... ifile ofile</b>
<b>chlevelc</b>	Change level of one code
Syntax	<b>chlevelc,code,oldlev,newlev ifile ofile</b>
<b>chlevelv</b>	Change level of one variable
Syntax	<b>chlevelv,name,oldlev,newlev ifile ofile</b>

<b>setgrid</b>	Set grid
Syntax	<b>setgrid,grid ifile ofile</b>
<b>setgridtype</b>	Set grid type
Syntax	<b>setgridtype,gridtype ifile ofile</b>

<b>setzaxis</b>	Set z-axis
Syntax	<b>setzaxis,zaxis ifile ofile</b>

<b>setgatt</b>	Set global attribute
Syntax	<b>setgatt,attname,attstring ifile ofile</b>
<b>setgatts</b>	Set global attributes
Syntax	<b>setgatts,attfile ifile ofile</b>

<b>invertlat</b>	Invert latitudes
Syntax	<b>invertlat ifile ofile</b>

<b>invertlev</b>	Invert levels
Syntax	<b>invertlev ifile ofile</b>

<b>maskregion</b>	Mask regions
Syntax	<b>maskregion,regions ifile ofile</b>

<b>masklonlatbox</b>	Mask a longitude/latitude box
Syntax	<b>masklonlatbox,lon1,lon2,lat1,lat2 ifile ofile</b>
<b>maskindexbox</b>	Mask an index box
Syntax	<b>maskindexbox,idx1,idx2,idy1,idy2 ifile ofile</b>

<b>setclonlatbox</b>	Set a longitude/latitude box to constant
Syntax	<b>setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile</b>
<b>setcindexbox</b>	Set an index box to constant
Syntax	<b>setcindexbox,c,idx1,idx2,idy1,idy2 ifile ofile</b>

<b>enlarge</b>	Enlarge fields
Syntax	<b>enlarge,grid ifile ofile</b>

<b>setmissval</b>	Set a new missing value
Syntax	<b>setmissval,newmiss ifile ofile</b>
<b>setctomiss</b>	Set constant to missing value
<b>setmisstoc</b>	Set missing value to constant
Syntax	<b>&lt;operator&gt;</b> , <b>c ifile ofile</b>
<b>setrtomiss</b>	Set range to missing value
Syntax	<b>setrtomiss,rmin,rmax ifile ofile</b>

Arithmetic

<b>expr</b>	Evaluate expressions
Syntax	<b>expr</b> , <i>instr</i> ifile ofile
<b>exprf</b>	Evaluate expressions from script file
Syntax	<b>exprf</b> , <i>filename</i> ifile ofile
<b>abs</b>	Absolute value
<b>int</b>	Integer value
<b>nint</b>	Nearest integer value
<b>pow</b>	Power
<b>sqr</b>	Square
<b>sqrt</b>	Square root
<b>exp</b>	Exponential
<b>ln</b>	Natural logarithm
<b>log10</b>	Base 10 logarithm
<b>sin</b>	Sine
<b>cos</b>	Cosine
<b>tan</b>	Tangent
<b>asin</b>	Arc sine
<b>acos</b>	Arc cosine
<b>atan</b>	Arc tangent
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>addc</b>	Add a constant
<b>subc</b>	Subtract a constant
<b>mulc</b>	Multiply with a constant
<b>divc</b>	Divide by a constant
Syntax	<b>&lt;operator&gt;</b> , <i>c</i> ifile ofile
<b>add</b>	Add two fields
<b>sub</b>	Subtract two fields
<b>mul</b>	Multiply two fields
<b>div</b>	Divide two fields
<b>min</b>	Minimum of two fields
<b>max</b>	Maximum of two fields
<b>atan2</b>	Arc tangent of two fields
Syntax	<b>&lt;operator&gt;</b> ifile1 ifile2 ofile
<b>monadd</b>	Add monthly time series
<b>monsub</b>	Subtract monthly time series
<b>monmul</b>	Multiply monthly time series
<b>mondiv</b>	Divide monthly time series
Syntax	<b>&lt;operator&gt;</b> ifile1 ifile2 ofile
<b>ymonadd</b>	Add multi-year monthly time series
<b>ymonsub</b>	Subtract multi-year monthly time series
<b>ymonmul</b>	Multiply multi-year monthly time series
<b>ymondiv</b>	Divide multi-year monthly time series
Syntax	<b>&lt;operator&gt;</b> ifile1 ifile2 ofile
<b>muldpm</b>	Multiply with days per month
<b>divdpm</b>	Divide by days per month
<b>mulpy</b>	Multiply with days per year
<b>divpy</b>	Divide by days per year
Syntax	<b>&lt;operator&gt;</b> ifile ofile

Statistical values

	Available statistical functions	<STAT>
	minimum	min
	maximum	max
	sum	sum
	mean	mean
	average	avg
	variance	var
	standard deviation	std
ens<STAT>	Statistical values over an ensemble	
Syntax	<operator> ifiles ofile	
enspctl	Ensemble percentiles	
Syntax	enspctl,p ifiles ofile	
fld<STAT>	Statistical values over a field	
Syntax	<operator> ifile ofile	
fldpctl	Field percentiles	
Syntax	fldpctl,p ifile ofile	

<b>zon&lt;STAT&gt;</b>	Zonal statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>zonpctl</b>	Zonal percentiles
Syntax	<b>zonpctl</b> , <i>p</i> ifile ofile
<b>mer&lt;STAT&gt;</b>	Meridional statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>merpctl</b>	Meridional percentiles
Syntax	<b>merpctl</b> , <i>p</i> ifile ofile
<b>vert&lt;STAT&gt;</b>	Vertical statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>timsel&lt;STAT&gt;</b>	Time range statistical values
Syntax	<b>&lt;operator&gt;</b> , <i>nsets</i> [, <i>noffset</i> ][, <i>nskip</i> ] ifile ofile
<b>timselfpctl</b>	Time range percentiles
Syntax	<b>timselfpctl</b> , <i>p</i> , <i>nsets</i> [, <i>noffset</i> ][, <i>nskip</i> ] ifile1 ifile2 ofile
<b>run&lt;STAT&gt;</b>	Running statistical values
Syntax	<b>&lt;operator&gt;</b> , <i>nts</i> ifile ofile
<b>runpctl</b>	Running percentiles
Syntax	<b>runpctl</b> , <i>p</i> , <i>nts</i> ifile1 ofile
<b>tim&lt;STAT&gt;</b>	Statistical values over all time steps
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>timpctl</b>	Time percentiles
Syntax	<b>timpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>hour&lt;STAT&gt;</b>	Hourly statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>hourpctl</b>	Hourly percentiles
Syntax	<b>hourpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>day&lt;STAT&gt;</b>	Daily statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>daypctl</b>	Daily percentiles
Syntax	<b>daypctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>mon&lt;STAT&gt;</b>	Monthly statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>monpctl</b>	Monthly percentiles
Syntax	<b>monpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>year&lt;STAT&gt;</b>	Yearly statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>yearpctl</b>	Yearly percentiles
Syntax	<b>yearpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>seas&lt;STAT&gt;</b>	Seasonal statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>seaspctl</b>	Seasonal percentiles
Syntax	<b>seaspctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>yhour&lt;STAT&gt;</b>	Multi-year hourly statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>yday&lt;STAT&gt;</b>	Multi-year daily statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>ydaypctl</b>	Multi-year daily percentiles
Syntax	<b>ydaypctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>ymon&lt;STAT&gt;</b>	Multi-year monthly statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>ymonpctl</b>	Multi-year monthly percentiles
Syntax	<b>ymonpctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>yseas&lt;STAT&gt;</b>	Multi-year seasonal statistical values
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>yseaspctl</b>	Multi-year seasonal percentiles
Syntax	<b>yseaspctl</b> , <i>p</i> ifile1 ifile2 ifile3 ofile
<b>ydrun&lt;STAT&gt;</b>	Multi-year daily running statistical values
Syntax	<b>&lt;operator&gt;</b> , <i>nts</i> ifile ofile
<b>ydrunpctl</b>	Multi-year daily running percentiles
Syntax	<b>ydrunpctl</b> , <i>p</i> , <i>nts</i> ifile1 ifile2 ifile3 ofile

Regression

<b>regres</b>	Regression
Syntax	<b>regres</b> ifile ofile
<b>detrend</b>	Detrend
Syntax	<b>detrend</b> ifile ofile
<b>trend</b>	Trend
Syntax	<b>trend</b> ifile ofile1 ofile2
<b>subtrend</b>	Subtract trend
Syntax	<b>subtrend</b> ifile1 ifile2 ifile3 ofile

Interpolation

<b>remapbil</b>	Bilinear interpolation
<b>remapbic</b>	Bicubic interpolation
<b>remapcon</b>	Conservative remapping
<b>remapdis</b>	Distance-weighted average remapping
Syntax	<b>&lt;operator&gt;</b> , <i>grid</i> ifile ofile
<b>genbil</b>	Generate bilinear interpolation weights
<b>genbic</b>	Generate bicubic interpolation weights
<b>gencon</b>	Generate conservative interpolation weights
<b>gendis</b>	Generate distance-weighted average remap weights
Syntax	<b>&lt;operator&gt;</b> , <i>grid</i> ifile ofile
<b>remap</b>	SCRIP grid remapping
Syntax	<b>remap</b> , <i>grid</i> , <i>weights</i> ifile ofile
<b>interpolate</b>	PINGO grid interpolation
<b>intgridbil</b>	Bilinear grid interpolation
Syntax	<b>&lt;operator&gt;</b> , <i>grid</i> ifile ofile
<b>remapeta</b>	Remap vertical hybrid level
Syntax	<b>remapeta</b> , <i>vct</i> [, <i>oro</i> ] ifile ofile
<b>ml2pl</b>	Model to pressure level interpolation
Syntax	<b>ml2pl</b> , <i>plevels</i> ifile ofile
<b>ml2hl</b>	Model to height level interpolation
Syntax	<b>ml2hl</b> , <i>hlevels</i> ifile ofile
<b>intlevel</b>	Linear level interpolation
Syntax	<b>intlevel</b> , <i>levels</i> ifile ofile
<b>inttime</b>	Time interpolation
Syntax	<b>inttime</b> , <i>date</i> , <i>time</i> [, <i>inc</i> ] ifile ofile
<b>intntime</b>	Time interpolation
Syntax	<b>intntime</b> , <i>n</i> ifile ofile
<b>intyear</b>	Year interpolation
Syntax	<b>intyear</b> , <i>years</i> ifile1 ifile2 oprefix

Transformation

<b>sp2gp</b>	Spectral to gridpoint
<b>sp2gpl</b>	Spectral to gridpoint (linear)
<b>gp2sp</b>	Gridpoint to spectral
<b>gp2spl</b>	Gridpoint to spectral (linear)
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>sp2sp</b>	Spectral to spectral
Syntax	<b>sp2sp</b> , <i>trunc</i> ifile ofile
<b>spcut</b>	Cut spectral wave number
Syntax	<b>spcut</b> , <i>wnums</i> ifile ofile
<b>dv2uv</b>	Divergence and vorticity to U and V wind
<b>dv2uvl</b>	Divergence and vorticity to U and V wind (linear)
<b>uv2dv</b>	U and V wind to divergence and vorticity
<b>uv2dvl</b>	U and V wind to divergence and vorticity (linear)
Syntax	<b>&lt;operator&gt;</b> ifile ofile

Formatted I/O

<b>input</b>	ASCII input
Syntax	<b>input</b> , <i>grid</i> ofile
<b>inputsrv</b>	SERVICE ASCII input
<b>inputext</b>	EXTRA ASCII input
Syntax	<b>&lt;operator&gt;</b> ofile

<b>output</b>	ASCII output
Syntax	<b>output</b> ifiles
<b>outputf</b>	Formatted output
Syntax	<b>outputf</b> , <i>format</i> , <i>nelem</i> ifiles
<b>outputint</b>	Integer output
<b>outputsrv</b>	SERVICE ASCII output
<b>outputtext</b>	EXTRA ASCII output
Syntax	<b>&lt;operator&gt;</b> ifiles

Miscellaneous

<b>gridarea</b>	Grid cell area
<b>gridweights</b>	Grid cell weights
Syntax	<b>&lt;operator&gt;</b> ifile ofile
<b>gradsdes1</b>	GrADS data descriptor file (version 1 GRIB map)
<b>gradsdes2</b>	GrADS data descriptor file (version 2 GRIB map)
Syntax	<b>&lt;operator&gt;</b> ifile
<b>smooth9</b>	9 point smoothing
Syntax	<b>smooth9</b> ifile ofile
<b>setrtoc</b>	Set range to constant
Syntax	<b>setrtoc</b> , <i>rmin</i> , <i>rmax</i> , <i>c</i> ifile ofile
<b>setrtoc2</b>	Set range to constant others to constant2
Syntax	<b>setrtoc2</b> , <i>rmin</i> , <i>rmax</i> , <i>c</i> , <i>c2</i> ifile ofile
<b>timsort</b>	Sort over the time
Syntax	<b>timsort</b> ifile ofile
<b>const</b>	Create a constant field
Syntax	<b>const</b> , <i>const</i> , <i>grid</i> ofile
<b>random</b>	Create a field with random values
Syntax	<b>random</b> , <i>grid</i> ofile
<b>rotuvb</b>	Backward rotation
Syntax	<b>rotuvb</b> , <i>u</i> , <i>v</i> ,... ifile ofile
<b>mastrfu</b>	Mass stream function
Syntax	<b>mastrfu</b> ifile ofile
<b>histcount</b>	Histogram count
<b>histsum</b>	Histogram sum
<b>histmean</b>	Histogram mean
<b>histfreq</b>	Histogram frequency
Syntax	<b>&lt;operator&gt;</b> , <i>bounds</i> ifile ofile
<b>wct</b>	Windchill temperature
Syntax	<b>wct</b> ifile1 ifile2 ofile
<b>fdns</b>	Frost days where no snow index per time period
Syntax	<b>fdns</b> ifile1 ifile2 ofile
<b>strwin</b>	Strong wind days index per time period
Syntax	<b>strwin</b> [, <i>v</i> ] ifile ofile
<b>strbre</b>	Strong breeze days index per time period
Syntax	<b>strbre</b> ifile ofile
<b>strgal</b>	Strong gale days index per time period
Syntax	<b>strgal</b> ifile ofile
<b>hurr</b>	Hurricane days index per time period
Syntax	<b>hurr</b> ifile ofile
<b>import_amsr</b>	Import AMSR binary files
Syntax	<b>import_amsr</b> ifile ofile
<b>import_cmsaf</b>	Import CM-SAF files
Syntax	<b>import.cmsaf</b> ifile ofile

Climate indices

<b>eca_cdd</b>	Consecutive dry days index per time period
Syntax	<b>eca_cdd</b> ifile ofile
<b>eca_cfd</b>	Consecutive frost days index per time period
Syntax	<b>eca_cfd</b> ifile ofile
<b>eca_csu</b>	Consecutive summer days index per time period
Syntax	<b>eca_csu</b> [, <i>T</i> ] ifile ofile
<b>eca_cwd</b>	Consecutive wet days index per time period
Syntax	<b>eca_cwd</b> ifile ofile

<b>eca_cwdi</b>	Cold wave duration index wrt mean of reference period
Syntax	<b>eca_cwdi</b> <i>[,nday[,T]] ifile1 ifile2 ofile</i>
<b>eca_cwfi</b>	Cold-spell days index wrt 10th percentile of reference period
Syntax	<b>eca_cwfi</b> <i>[,nday] ifile1 ifile2 ofile</i>
<b>eca_etr</b>	Intra-period extreme temperature range
Syntax	<b>eca_etr</b> ifile1 ifile2 ofile
<b>eca_fd</b>	Frost days index per time period
Syntax	<b>eca_fd</b> ifile ofile
<b>eca_gsl</b>	Growing season length index
Syntax	<b>eca_gsl</b> <i>[,nday[,T[,fland]]] ifile1 ifile2 ofile</i>
<b>eca_hd</b>	Heating degree days per time period
Syntax	<b>eca_hd</b> <i>[,T1[,T2]] ifile ofile</i>
<b>eca_hwdi</b>	Heat wave duration index wrt mean of reference period
Syntax	<b>eca_hwdi</b> <i>[,nday[,T]] ifile1 ifile2 ofile</i>
<b>eca_hwfi</b>	Warm spell days index wrt 90th percentile of reference period
Syntax	<b>eca_hwfi</b> <i>[,nday] ifile1 ifile2 ofile</i>
<b>eca_id</b>	Ice days index per time period
Syntax	<b>eca_id</b> ifile ofile
<b>eca_r10mm</b>	Heavy precipitation days index per time period
Syntax	<b>eca_r10mm</b> ifile ofile
<b>eca_r20mm</b>	Very heavy precipitation days index per time period
Syntax	<b>eca_r20mm</b> ifile ofile
<b>eca_r75p</b>	Moderate wet days wrt 75th percentile of reference period
Syntax	<b>eca_r75p</b> ifile1 ifile2 ofile
<b>eca_r75ptot</b>	Precipitation percent due to R75p days
Syntax	<b>eca_r75ptot</b> ifile1 ifile2 ofile
<b>eca_r90p</b>	Wet days wrt 90th percentile of reference period
Syntax	<b>eca_r90p</b> ifile1 ifile2 ofile
<b>eca_r90ptot</b>	Precipitation percent due to R90p days
Syntax	<b>eca_r90ptot</b> ifile1 ifile2 ofile
<b>eca_r95p</b>	Very wet days wrt 95th percentile of reference period
Syntax	<b>eca_r95p</b> ifile1 ifile2 ofile
<b>eca_r95ptot</b>	Precipitation percent due to R95p days
Syntax	<b>eca_r95ptot</b> ifile1 ifile2 ofile
<b>eca_r99p</b>	Extremely wet days wrt 99th percentile of reference period
Syntax	<b>eca_r99p</b> ifile1 ifile2 ofile
<b>eca_r99ptot</b>	Precipitation percent due to R99p days
Syntax	<b>eca_r99ptot</b> ifile1 ifile2 ofile
<b>eca_rr1</b>	Wet days index per time period
Syntax	<b>eca_rr1</b> ifile ofile
<b>eca_rx1day</b>	Highest one day precipitation amount per time period
Syntax	<b>eca_rx1day</b> <i>[,mode] ifile ofile</i>
<b>eca_rx5day</b>	Highest five-day precipitation amount per time period
Syntax	<b>eca_rx5day</b> <i>[,x] ifile ofile</i>
<b>eca_sdii</b>	Simple daily intensity index per time period
Syntax	<b>eca_sdii</b> ifile ofile
<b>eca_su</b>	Summer days index per time period
Syntax	<b>eca_su</b> <i>[,T] ifile ofile</i>
<b>eca_tg10p</b>	Cold days percent wrt 10th percentile of reference period
Syntax	<b>eca_tg10p</b> ifile1 ifile2 ofile
<b>eca_tg90p</b>	Warm days percent wrt 90th percentile of reference period
Syntax	<b>eca_tg90p</b> ifile1 ifile2 ofile
<b>eca_tn10p</b>	Cold nights percent wrt 10th percentile of reference period
Syntax	<b>eca_tn10p</b> ifile1 ifile2 ofile
<b>eca_tn90p</b>	Warm nights percent wrt 90th percentile of reference period
Syntax	<b>eca_tn90p</b> ifile1 ifile2 ofile
<b>eca_tr</b>	Tropical nights index per time period
Syntax	<b>eca.tr</b> <i>[,T] ifile ofile</i>