

Advanced subseasonal and seasonal climate forecasts for adaptation

> Núria Pérez-Zanón Researcher Barcelona Supercomputing Center

> > NEXT GEN EU

PARTNER EVENT #EU GREEN WEEK 30 MAY - 5 JUNE 2022









ticat toos has received funding from the unopean Union's Horizon 2020 research and novation programme under grant agreement s. 869565.

What do we see?

















f 🕒 💟 🗷

French wine production faces lowest output in decades after cold spells, heavy rains





How does climate change affect wine?

Sustainability | Article | July 16, 2021 | 3 6 min read Wine grapes are highly sensitive to changes in climate. So how will the future of the wine industry

By Sean McAllister

be impacted by global warming?

Share this

'terroir', or geology, landscape, soil and, most importantly, the shaping the quality and yield of the harvest. When the climatic conditions are good, then you can expect a great vintage.









Weather forecasts vs Climate predictions









Weather and Climate forecast Service



BSC's task is to provide the VitiGEOSS weather and climate service:

- · Weather forecasts (1 -3 days)
- · Sub-seasonal forecasts (4 weeks)
- Seasonal forecasts (3 months)



The target regions correspond to the vineyard plots of the wine producers in the project:

- Campania region (MASTROBERARDINO)
- Douro Valley (SYMINGTON)
- Catalonia (TORRES)










Weather forecasts





Temperature Maximum temperature Minimum temperature Relative humidity Shortwave radiation Precipitation Wind speed



- 3-hourly temporal evolution for today, tomorrow and half-day of the day after tomorrow
- daily updated









Subseasonal forecasts






Select the site

Select the variable

Temperature Shortwave radiation Precipitation

Temperature (Sant Martí Sarroca)
Subseasonal forecast issued on 19 May 2022










Seasonal forecasts



Select Forecast Select the site Select the variable

Temperature Shortwave radiation Precipitation

Temperature (Pietradefusi)



Monthly forecast

Up to the next 3 months

Monthly updated













Word cloud from Terrado et al., 2020










Prediction Types, Skill, and Lead Times



FORECAST LEAD TIME











Model simulations







uncertainty

Sub-seasonal forecasts: NCEP CFSv2 Seasonal forecasts: ECMWF SEAS5
















Downscaling











Bias adjustment






Fig. 4. Fair RPSS for tercile events of 10-m wind speed forecasts from ECMWF System 4 and ERA-Interim reanalysis in winter (DJF). These predictions have been initialized on 1 Nov for the period of 1981-2012.










Probabilities

Forecasts initialized on Nov 2000 at sample Mediterranean region





Probability density





Forecasts skill





Re-forecast (Hindcast)

August

August

August 1994 August


August 1995

August 1995

August



$$SS_{ref} = \frac{A - A_{ref}}{A_{perf} - A_{ref}} \times 100\%,$$












Co-development









Week 4






Summary



VitiGEOSS Weather and Climate Service provided by BSC consists in the:













Núria Pérez-Zanón Researcher **Barcelona Supercomputing Center** nuria.perez@bsc.es

> Next GEN EU

PARTNER EVENT #EUGREEN WEEK 30 MAY - 5 JUNE 2022



eurecal (BSC Supercontracting Center



