

Please check our [wiki](#) for help on navigating the form.

## Horizon 2020

### Call: H2020-LC-CLA-2018-2019-2020

(Building a low-carbon, climate resilient future: climate action in support of the Paris Agreement)

### **SECOND STAGE**

**Topic: LC-CLA-08-2018**

**Type of action: RIA**

**Proposal number: SEP-210520747**

**Proposal acronym: CCiCC**

**Deadline Id: H2020-LC-CLA-2018-2**

### Table of contents

---

<i>Section</i>	<i>Title</i>	<i>Action</i>
1	General information	
2	Participants & contacts	
3	Budget	
4	Ethics	
5	Call-specific questions	

#### *How to fill in the forms*

The administrative forms must be filled in for each proposal using the templates available in the submission system. Some data fields in the administrative forms are pre-filled based on the steps in the submission wizard.

## 1 - General information

Topic	LC-CLA-08-2018	Type of Action	RIA
Call Identifier	H2020-LC-CLA-2018-2019-2020	Deadline Id	H2020-LC-CLA-2018-2

Acronym

Proposal title

*Note that for technical reasons, the following characters are not accepted in the Proposal Title and will be removed: < > " &*

Duration in months

Fixed keyword 1

Fixed keyword 2

Free keywords

### Abstract

CCiCC addresses the crucial knowledge gap in the climate sensitivity to carbon dioxide emissions, by reducing uncertainty in our quantitative understanding of carbon-climate interactions and feedbacks. This will be achieved through innovative integration of models and observations, providing new constraints on modelled carbon-climate interactions and climate projections, and supporting IPCC assessments and policy objectives. To meet this objective, CCiCC will (a) provide a step change in our ability to quantify the key processes regulating the coupled carbon-climate system, (b) use observational constraints and improved processes understanding to provide multi-model near-term predictions and long-term projections of the climate in response to anthropogenic emissions, and (c) deliver policy-relevant carbon dioxide emission pathways consistent with the UNFCCC Paris Agreement (PA) goals.

To achieve its goals, CCiCC will develop and use: state-of-the-art Earth System Models (ESMs) including biogeochemical processes not included in previous IPCC reports; novel observations to constrain the contemporary carbon cycle and its natural variability; ESM-based decadal predictions including carbon-climate feedbacks and novel initialisation methods; novel emergent constraints and weighting methods to reduce uncertainty in carbon cycle and climate projections; and novel climate scenarios following adaptive CO2 emission pathways.

CCiCC will support two central elements of the PA. First, the PA global stocktakes, by providing policy-relevant predictions of atmospheric CO2 and climate in response to the national determined contributions. Second, the PA ambitions to keep global warming well below 2°C, by providing robust estimates of the remaining carbon budgets and available pathways. CCiCC will bring together leading European groups on climate modelling and on carbon cycle research, uniquely securing Europe's leadership in actionable science needed for the IPCC assessments.

Remaining characters

5

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym **CCiCC**

Has this proposal (or a very similar one) been submitted in the past 2 years in response to a call for proposals under Horizon 2020 or any other EU programme(s)?

Yes  No

Please give the proposal reference or contract number.

XXXXXX-X

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym **CCiCC**

## Declarations

1) The coordinator declares to have the explicit consent of all applicants on their participation and on the content of this proposal.	<input checked="" type="checkbox"/>
2) The information contained in this proposal is correct and complete.	<input checked="" type="checkbox"/>
3) This proposal complies with ethical principles (including the highest standards of research integrity — as set out, for instance, in the <a href="#">European Code of Conduct for Research Integrity</a> — and including, in particular, avoiding fabrication, falsification, plagiarism or other research misconduct).	<input checked="" type="checkbox"/>
4) The coordinator confirms:	
- to have carried out the self-check of the financial capacity of the organisation on <a href="http://ec.europa.eu/research/participants/portal/desktop/en/organisations/lfv.html">http://ec.europa.eu/research/participants/portal/desktop/en/organisations/lfv.html</a> or to be covered by a financial viability check in an EU project for the last closed financial year. Where the result was “weak” or “insufficient”, the coordinator confirms being aware of the measures that may be imposed in accordance with the H2020 Grants Manual (Chapter on Financial capacity check); or	<input type="radio"/>
- is exempt from the financial capacity check being a public body including international organisations, higher or secondary education establishment or a legal entity, whose viability is guaranteed by a Member State or associated country, as defined in the H2020 Grants Manual (Chapter on Financial capacity check); or	<input checked="" type="radio"/>
- as sole participant in the proposal is exempt from the financial capacity check.	<input type="radio"/>
5) The coordinator hereby declares that each applicant has confirmed:	
- they are fully eligible in accordance with the criteria set out in the specific call for proposals; and	<input checked="" type="checkbox"/>
- they have the financial and operational capacity to carry out the proposed action.	<input checked="" type="checkbox"/>
The coordinator is only responsible for the correctness of the information relating to his/her own organisation. Each applicant remains responsible for the correctness of the information related to him and declared above. Where the proposal to be retained for EU funding, the coordinator and each beneficiary applicant will be required to present a formal declaration in this respect.	

According to Article 131 of the Financial Regulation of 25 October 2012 on the financial rules applicable to the general budget of the Union (Official Journal L 298 of 26.10.2012, p. 1) and Article 145 of its Rules of Application (Official Journal L 362, 31.12.2012, p.1) applicants found guilty of misrepresentation may be subject to administrative and financial penalties under certain conditions.

### Personal data protection

The assessment of your grant application will involve the collection and processing of personal data (such as your name, address and CV), which will be performed pursuant to Regulation (EC) No 45/2001 on the protection of individuals with regard to the processing of personal data by the Community institutions and bodies and on the free movement of such data. Unless indicated otherwise, your replies to the questions in this form and any personal data requested are required to assess your grant application in accordance with the specifications of the call for proposals and will be processed solely for that purpose. Details concerning the purposes and means of the processing of your personal data as well as information on how to exercise your rights are available in the [privacy statement](#). Applicants may lodge a complaint about the processing of their personal data with the European Data Protection Supervisor at any time.

Your personal data may be registered in the Early Detection and Exclusion system of the European Commission (EDES), the new system established by the Commission to reinforce the protection of the Union's financial interests and to ensure sound financial management, in accordance with the provisions of articles 105a and 108 of the revised EU Financial Regulation (FR) (Regulation (EU, EURATOM) 2015/1929 of the European Parliament and of the Council of 28 October 2015 amending Regulation (EU, EURATOM) No 966/2012) and articles 143 - 144 of the corresponding Rules of Application (RAP) (COMMISSION DELEGATED REGULATION (EU) 2015/2462 of 30 October 2015 amending Delegated Regulation (EU) No 1268/2012) for more information see the [Privacy statement for the EDES Database](#).

## 2 - Participants & contacts

#	Participant Legal Name	Country	Action
1	THE UNIVERSITY OF EXETER	UK	
2	UNIVERSITY OF EAST ANGLIA	UK	
3	ECOLE NORMALE SUPERIEURE	FR	
4	MAX-PLANCK-GESELLSCHAFT ZUR FORDERUNG DER WISSENSCHAFTEN EV	DE	
5	EIDGENOESSISCHE TECHNISCHE HOCHSCHULE ZUERICH	CH	
6	BARCELONA SUPERCOMPUTING CENTER - CENTRO NACIONAL DE SUPERCOMPUTACION	ES	
7	DEUTSCHES ZENTRUM FUER LUFT - UND RAUMFAHRT EV	DE	
8	UNIVERSITAET BREMEN	DE	
9	UNIVERSITAET BERN	CH	
10	CICERO SENTER KLIMAFORSKNING STIFTELSE	NO	
11	THE CHANCELLOR, MASTERS AND SCHOLARS OF THE UNIVERSITY OF OXFORD	UK	
12	COMMISSARIAT A L ENERGIE ATOMIQUE ET AUX ENERGIES ALTERNATIVES	FR	

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UNEXE**

## 2 - Administrative data of participating organisations

**PIC** 999864555      **Legal name** THE UNIVERSITY OF EXETER

*Short name: UNEXE*

### *Address of the organisation*

Street THE QUEEN S DRIVE NORTHCOTE HOUSE

Town EXETER

Postcode EX4 4QJ

Country United Kingdom

Webpage www.ex.ac.uk

### *Legal Status of your organisation*

#### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....yes

Research organisation .....yes

#### **Enterprise Data**

SME self-declared status.....06/08/2014 - no

SME self-assessment ..... unknown

SME validation sme..... unknown

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UNEXE**

## Department(s) carrying out the proposed work

### Department 1

Department name   not applicable

Same as proposing organisation's address

Street

Town

Postcode

Country

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	
<input type="text"/>	<input type="text"/>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **UNEXE**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex

Male  Female

First name **Pierre**

Last name **Friedlingstein**

E-Mail **p.friedlingstein@exeter.ac.uk**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Enda	CLARKE	euresearch@exeter.ac.uk	+441392726206



# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UEA**

## **PIC**

999985611

## **Legal name**

UNIVERSITY OF EAST ANGLIA

*Short name: UEA*

## *Address of the organisation*

Street EARLHAM ROAD

Town NORWICH

Postcode NR4 7TJ

Country United Kingdom

Webpage <http://www.uea.ac.uk>

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....unknown

International organisation of European interest .....unknown

Industry (private for profit).....no

Secondary or Higher education establishment .....yes

Research organisation .....unknown

### **Enterprise Data**

SME self-declared status.....04/03/2014 - no

SME self-assessment .....04/03/2014 - no

SME validation sme..... unknown

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **UEA**

## Department(s) carrying out the proposed work

### Department 1

Department name

not applicable

Same as proposing organisation's address

Street

Town

Postcode

Country

### Department 2

Department name

not applicable

Same as proposing organisation's address

Street

Town

Postcode

Country

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	
<input type="text"/>	<input type="text"/>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **UEA**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex  Male  Female

First name **Corinne**

Last name **Le Quéré**

E-Mail **c.lequere@uea.ac.uk**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Jason	Rust	j.rust@uea.ac.uk	+441603591479
Antoni	Wojcik	p.wojcik@uea.ac.uk	+441603591663
Ian	Beggs	i.beggs@uea.ac.uk	+4416035913399
Vikki	Coe	v.coe@uea.ac.uk	+441603591720

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **ENS**

## **PIC**

999854758

## **Legal name**

**ECOLE NORMALE SUPERIEURE**

*Short name: ENS*

## *Address of the organisation*

Street 45, RUE D'ULM

Town PARIS CEDEX 05

Postcode 75230

Country France

Webpage

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....yes

Research organisation .....yes

### **Enterprise Data**

SME self-declared status..... unknown

SME self-assessment ..... unknown

SME validation sme..... unknown

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **ENS**

## Department(s) carrying out the proposed work

### Department 1

Department name

Department of Geosciences

not applicable

Same as proposing organisation's address

Street

24 rue Lhomond

Town

Paris

Postcode

75005

Country

France

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

CCiCC

Short name **ENS**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex

Male  Female

First name **Laurent**

Last name **Bopp**

E-Mail **laurent.bopp@ens.fr**

Position in org.

-

Department

Department of Geosciences

Same as organisation name

Same as proposing organisation's address

Street

24 rue Lhomond

Town

Paris

Post code

75005

Country

France

Website

<http://savoirs.ens.fr/conferencier.php?id=2393>

Phone

+33144322230

Phone 2

+xxx xxxxxxxxx

Fax

+xxx xxxxxxxxx

## Other contact persons

First Name	Last Name	E-mail	Phone
Damien	Vogel	contrat-recherche@ens.fr	+33144322923

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **MPG**

## **PIC**

999990267

## **Legal name**

**MAX-PLANCK-GESELLSCHAFT ZUR FORDERUNG DER WISSENSCHAFTEN EV**

*Short name: MPG*

## *Address of the organisation*

Street **HOFGARTENSTRASSE 8**

Town **MUENCHEN**

Postcode **80539**

Country **Germany**

Webpage **www.mpg.de**

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....no

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....no

Research organisation .....yes

### **Enterprise Data**

SME self-declared status.....05/04/2016 - no

SME self-assessment .....05/04/2016 - no

SME validation sme.....31/10/2008 - no

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **MPG**

## Department(s) carrying out the proposed work

### Department 1

Department name   not applicable

Same as proposing organisation's address

Street

Town

Postcode

Country

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	
<input type="text"/>	<input type="text"/>	



# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **MPG**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex

Male

Female

First name **Tatiana**

Last name **Ilyina**

E-Mail **tatiana.ilyina@mpimet.mpg.de**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Victor	Brovkin	victor.brovkin@mpimet.mpg.de	+xxx xxxxxxxxx
Peter	Landschützer	peter.landschuetzer@mpimet.mpg.de	+xxx xxxxxxxxx
Chenbo	Guo	chenbo.guo@mpimet.mpg.de	+xxx xxxxxxxxx

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **ETH Zürich**

**PIC** 999979015 **Legal name** EIDGENOESSISCHE TECHNISCHE HOCHSCHULE ZUERICH

*Short name: ETH Zürich*

## *Address of the organisation*

Street Raemistrasse 101

Town ZUERICH

Postcode 8092

Country Switzerland

Webpage www.ethz.ch

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....yes

Research organisation .....yes

### **Enterprise Data**

SME self-declared status.....06/01/2009 - no

SME self-assessment ..... unknown

SME validation sme.....06/01/2009 - no

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **ETH Zürich**

## Department(s) carrying out the proposed work

### Department 1

Department name

D-USYS

not applicable

Same as proposing organisation's address

Street

Universitaetstr. 16

Town

Zurich

Postcode

8092

Country

Switzerland

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **ETH Zürich**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex

Male  Female

First name **Nicolas**

Last name **Gruber**

E-Mail **nicolas.gruber@env.ethz.ch**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Edouard	Davin	edouard.davin@env.ethz.ch	+41446328077
Barbara	Wittneben	barbara.wittneben@env.ethz.ch	+41446328279
Agatha	Keller	grants@sl.ethz.ch	+41446345350
Sonia	Seneviratne	sonia.seneviratne@ethz.ch	+41446328076

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCIICC**

Short name **BSC**

## **PIC**

999655520

## **Legal name**

**BARCELONA SUPERCOMPUTING CENTER - CENTRO NACIONAL DE SUPERCOMPUTACION**

*Short name: BSC*

## *Address of the organisation*

Street Calle Jordi Girona 31

Town BARCELONA

Postcode 08034

Country Spain

Webpage www.bsc.es

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....no

Research organisation .....yes

### **Enterprise Data**

SME self-declared status.....01/03/2005 - no

SME self-assessment ..... unknown

SME validation sme..... unknown

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **BSC**

## Department(s) carrying out the proposed work

### Department 1

Department name

Earth Sciences

not applicable

Same as proposing organisation's address

Street

Jordi Girona 29

Town

Barcelona

Postcode

08034

Country

Spain

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **BSC**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex  Male  Female

First name **Raffaele**

Last name **Bernardello**

E-Mail **raffaele.bernardello@bsc.es**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Dorota	Chmielewska	dorota.chmielewska@bsc.es	+34934134082
Pablo	Ortega	portega@bsc.es	+xxx xxxxxxxxx
Isadora	Jimenez	isadora.jimenez@bsc.es	+34934134076

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **DLR**

**PIC** 999981731 **Legal name** DEUTSCHES ZENTRUM FUER LUFT - UND RAUMFAHRT EV

Short name: *DLR*

## Address of the organisation

Street Linder Hoehe

Town KOELN

Postcode 51147

Country Germany

Webpage www.dlr.de

## Legal Status of your organisation

### Research and Innovation legal statuses

Public body .....no

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....no

Research organisation .....yes

### Enterprise Data

SME self-declared status.....28/10/2008 - no

SME self-assessment ..... unknown

SME validation sme.....28/10/2008 - no

Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.



# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **DLR**

## Department(s) carrying out the proposed work

### Department 1

Department name

Institute of Atmospheric Physics (IPA)

not applicable

Same as proposing organisation's address

Street

Muenchner Strasse 20

Town

Wessling

Postcode

82234

Country

Germany

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

CCiCC

Short name **DLR**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex

Male

Female

First name **Veronika**

Last name **Eyring**

E-Mail **veronika.eyring@dlr.de**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Stephanie	Koenig	stephanie.christian@dlr.de	+xxx xxxxxxxxx

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UBREMEN**

## **PIC**

999987454

## **Legal name**

**UNIVERSITAET BREMEN**

*Short name: UBREMEN*

## *Address of the organisation*

Street Bibliothekstrasse 1

Town BREMEN

Postcode 28359

Country Germany

Webpage www.uni-bremen.de

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....yes

Research organisation .....yes

### **Enterprise Data**

SME self-declared status.....20/05/2016 - no

SME self-assessment .....20/05/2016 - no

SME validation sme.....28/01/2009 - no

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UBREMEN**

## Department(s) carrying out the proposed work

### Department 1

Department name

Institute of Environmental Physics (IUP)

not applicable

Same as proposing organisation's address

Street

Otto Hahn Allee 1

Town

Bremen

Postcode

28334

Country

Gibraltar

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **UBREMEN**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex  Male  Female

First name **Michael**

Last name **Buchwitz**

E-Mail **buchwitz@uni-bremen.de**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Veronika	Eyring	veronika.eyring@uni-bremen.de	+4942121862733
Maximilian	Reuter	mreuter@iup.physik.uni-bremen.de	+4941221862085
Martin	Mehrtens	eu@vw.uni-bremen.de	+4942121860326

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UNIVERSITAET BERN**

## **PIC**

999976493

## **Legal name**

UNIVERSITAET BERN

*Short name: UNIVERSITAET BERN*

## *Address of the organisation*

Street HOCHSCHULSTRASSE 6

Town BERN

Postcode 3012

Country Switzerland

Webpage <http://www.unibe.ch>

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....yes

Research organisation .....yes

### **Enterprise Data**

SME self-declared status..... unknown

SME self-assessment ..... unknown

SME validation sme..... unknown

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UNIVERSITAET BERN**

## Department(s) carrying out the proposed work

### Department 1

Department name

Climate and Environmental Physics, Physics Institute

not applicable

Same as proposing organisation's address

Street

Sidlerstrasse 5

Town

Bern

Postcode

3012

Country

Switzerland

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UNIVERSITAET BERN**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex  Male  Female

First name **Thomas**

Last name **Froelicher**

E-Mail **froelicher@climate.unibe.ch**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Doris	Raetz	raetz@climate.unibe.ch	+41316314464
Annette	Jaeckel	annette.jaeckel@research.unibe.ch	+41316315289
Fortunat	Joos	joos@climate.unibe.ch	+41316314461



# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **CICERO**

## **PIC**

998157161

## **Legal name**

**CICERO SENTER KLIMAFORSKNING STIFTELSE**

*Short name: CICERO*

## *Address of the organisation*

Street Gaustadallèen 21

Town Oslo

Postcode 0349

Country Norway

Webpage [www.cicero.uio.no](http://www.cicero.uio.no)

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....no

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....no

Research organisation .....yes

### **Enterprise Data**

SME self-declared status.....29/05/2009 - no

SME self-assessment ..... unknown

SME validation sme.....29/05/2009 - no

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **CICERO**

## Department(s) carrying out the proposed work

### Department 1

Department name

CICERO

not applicable

Same as proposing organisation's address

Street

Gaustadallèen 21

Town

Oslo

Postcode

0349

Country

Norway

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **CICERO**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Dr.

Sex

Male  Female

First name **Glen**

Last name **Peters**

E-Mail **glen.peters@cicero.oslo.no**

Position in org. Research director

Department CICERO SENTER KLIMAFORSKNING STIFTELSE



Same as organisation name

Same as proposing organisation's address

Street Gaustadallèen 21

Town Oslo

Post code 0349

Country Norway

Website www.cicero.oslo.no

Phone +4722004780

Phone 2 +xxx xxxxxxxxxx

Fax

+xxx xxxxxxxxxx

## Other contact persons

First Name	Last Name	E-mail	Phone
Sigrid Rian	Song	sigrid.rian.song@cicero.oslo.no	+4791757375
Elise	Hafskjold	elise.hafskjold@cicero.oslo.no	+4722004777

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **UOXF**

## **PIC**

999984350

## **Legal name**

**THE CHANCELLOR, MASTERS AND SCHOLARS OF THE UNIVERSITY OF OXFORD**

*Short name: UOXF*

## *Address of the organisation*

Street WELLINGTON SQUARE UNIVERSITY OFFICE

Town OXFORD

Postcode OX1 2JD

Country United Kingdom

Webpage www.ox.ac.uk

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....yes

Research organisation .....yes

### **Enterprise Data**

SME self-declared status.....22/12/1570 - no

SME self-assessment ..... unknown

SME validation sme..... unknown

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **UOXF**

## Department(s) carrying out the proposed work

### Department 1

Department name

School of Geography and the Environment

not applicable

Same as proposing organisation's address

Street

South Parks Road

Town

Oxford

Postcode

OX1 3QY

Country

United Kingdom

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **UOXF**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex

Male  Female

First name **Myles**

Last name **Allen**

E-Mail **myles.allen@ouce.ox.ac.uk**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Gillian	Willis	<a href="mailto:gillian.willis@ouce.ox.ac.uk">gillian.willis@ouce.ox.ac.uk</a>	+441865285084
Gill	Wells	<a href="mailto:ecresearch@admin.ox.ac.uk">ecresearch@admin.ox.ac.uk</a>	+xxx xxxxxxxxx

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **CEA**

## **PIC**

999992401

## **Legal name**

COMMISSARIAT A L ENERGIE ATOMIQUE ET AUX ENERGIES ALTERNATIVES

*Short name: CEA*

## *Address of the organisation*

Street RUE LEBLANC 25

Town PARIS 15

Postcode 75015

Country France

Webpage www.cea.fr

## *Legal Status of your organisation*

### **Research and Innovation legal statuses**

Public body .....yes

Legal person .....yes

Non-profit .....yes

International organisation .....no

International organisation of European interest .....no

Industry (private for profit).....no

Secondary or Higher education establishment .....no

Research organisation .....yes

### **Enterprise Data**

SME self-declared status.....01/10/2008 - no

SME self-assessment ..... unknown

SME validation sme.....01/10/2008 - no

**Based on the above details of the Beneficiary Registry the organisation is not an SME (small- and medium-sized enterprise) for the call.**

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCICC**

Short name **CEA**

## Department(s) carrying out the proposed work

### Department 1

Department name

CEA - LSCE

not applicable

Same as proposing organisation's address

Street

Orme des Merisiers

Town

Gif sur Yvette

Postcode

91191

Country

France

## Dependencies with other proposal participants

<b>Character of dependence</b>	<b>Participant</b>	



# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym

**CCiCC**

Short name **CEA**

## Person in charge of the proposal

The name and e-mail of contact persons are read-only in the administrative form, only additional details can be edited here. To give access rights and basic contact details of contact persons, please go back to Step 4 of the submission wizard and save the changes.

Title

Sex

Male  Female

First name **Philippe**

Last name **Peylin**

E-Mail **peylin@lsce.ipsl.fr**

Position in org.

Department

Same as organisation name

Same as proposing organisation's address

Street

Town

Post code

Country

Website

Phone

Phone 2

Fax

## Other contact persons

First Name	Last Name	E-mail	Phone
Isabelle	Rault	isabelle.rault@cea.fr	+33169089693
Philippe	Ciais	philippe.ciais@lsce.ipsl.fr	+33684819992

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym **CCiCC**

## 3 - Budget

No	Participant	Country	(A) Direct personnel costs/€	(B) Other direct costs/€	(C) Direct costs of sub- contracting/€	(D) Direct costs of providing financial support to third parties/€	(E) Costs of inkind contributions not used on the beneficiary's premises/€	(F) Indirect Costs / €  (=0.25(A+B-E))	(G) Special unit costs covering direct & indirect costs / €	(H) Total estimated eligible costs / €  (=A+B+C+D+F +G)	(I) Reimburse- ment rate (%)	(J) Max.EU Contribution / €  (=H*I)	(K) Requested EU Contribution/ €
			?	?	?	?	?	?	?	?	?	?	?
1	The University Of Exeter	UK	906198	99400	0	0	0	251399,50	0	1256997,50	100	1256997,50	1256997,50
2	University Of East Anglia	UK	460096	39000	0	0	0	124774,00	0	623870,00	100	623870,00	623870,00
3	Ecole Normale Supérieure	FR	330600	36000	0	0	0	91650,00	0	458250,00	100	458250,00	458250,00
4	Max-planck-gesellschaft Zur Forderung	DE	792000	15960	0	0	0	201990,00	0	1009950,00	100	1009950,00	1009950,00
5	Eidgenoessische Technische Hochschule	CH	387244	14600	0	0	0	100461,00	0	502305,00	100	502305,00	502305,00
6	Barcelona Supercomputing Center	ES	594000	42000	0	0	0	159000,00	0	795000,00	100	795000,00	795000,00
7	Deutsches Zentrum Fuer Luft - Und	DE	429847	37900	0	0	0	116936,75	0	584683,75	100	584683,75	584683,75
8	Universitaet Bremen	DE	277200	34500	0	0	0	77925,00	0	389625,00	100	389625,00	389625,00
9	Universitaet Bern	CH	565500	37500	0	0	0	150750,00	0	753750,00	100	753750,00	753750,00
10	Cicero Senter Klimaforskning Stiftelse	NO	364500	38900	0	0	0	100850,00	0	504250,00	100	504250,00	504250,00

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym **CCiCC**

11	The Chancellor, Masters And	UK	316089	31000	0	0	0	86772,25	0	433861,25	100	433861,25	433861,25
12	Commissariat A L Energie Atomique Et	FR	355110	22656	0	0	0	94441,50	0	472207,50	100	472207,50	472207,50
	<b>Total</b>		<b>5778384</b>	<b>449416</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1556950,00</b>	<b>0</b>	<b>7784750,00</b>		<b>7784750,00</b>	<b>7784750,00</b>

## 4 - Ethics

<b>1. HUMAN EMBRYOS/FOETUSES</b>		Page
Does your research involve <a href="#">Human Embryonic Stem Cells (hESCs)</a> ?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Does your research involve the use of human embryos?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Does your research involve the use of human foetal tissues / cells?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>2. HUMANS</b>		Page
Does your research involve human participants?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Does your research involve physical interventions on the study participants?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>3. HUMAN CELLS / TISSUES</b>		Page
Does your research involve human cells or tissues (other than from Human Embryos/ Foetuses, i.e. section 1)?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>4. PERSONAL DATA</b>		Page
Does your research involve personal data collection and/or processing?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Does your research involve further processing of previously collected personal data (secondary use)?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>5. ANIMALS</b>		Page
Does your research involve animals?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>6. THIRD COUNTRIES</b>		Page
In case non-EU countries are involved, do the research related activities undertaken in these countries raise potential ethics issues?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Do you plan to use local resources (e.g. animal and/or human tissue samples, genetic material, live animals, human remains, materials of historical value, endangered fauna or flora samples, etc.)?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Do you plan to import any material - including personal data - from non-EU countries into the EU?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Do you plan to export any material - including personal data - from the EU to non-EU countries?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
In case your research involves <a href="#">low and/or lower middle income countries</a> , are any benefits-sharing actions planned?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Could the situation in the country put the individuals taking part in the research at risk?	<input type="radio"/> Yes <input checked="" type="radio"/> No	

# Proposal Submission Forms

Proposal ID **SEP-210520747**

Acronym **CCiCC**

<b>7. ENVIRONMENT &amp; HEALTH and SAFETY</b>		Page
Does your research involve the use of elements that may cause harm to the environment, to animals or plants?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Does your research deal with endangered fauna and/or flora and/or protected areas?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Does your research involve the use of elements that may cause harm to humans, including research staff?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>8. DUAL USE</b>		Page
Does your research involve dual-use items in the sense of Regulation 428/2009, or other items for which an authorisation is required?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>9. EXCLUSIVE FOCUS ON CIVIL APPLICATIONS</b>		Page
Could your research raise concerns regarding the exclusive focus on civil applications?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>10. MISUSE</b>		Page
Does your research have the potential for misuse of research results?	<input type="radio"/> Yes <input checked="" type="radio"/> No	
<b>11. OTHER ETHICS ISSUES</b>		Page
Are there any other ethics issues that should be taken into consideration? Please specify	<input type="radio"/> Yes <input checked="" type="radio"/> No	

I confirm that I have taken into account all ethics issues described above and that, if any ethics issues apply, I will complete the ethics self-assessment and attach the required documents.

[How to Complete your Ethics Self-Assessment](#)

## 5 - Call specific questions

### Declarations on stage-2 changes

The full stage-2 proposal must be consistent with the short outline proposal submitted to the stage-1- in particular with respect to the proposal characteristics addressing the concepts of excellence and impact.

Are there substantial differences compared to the stage-1 proposal?

Yes

No

### Extended Open Research Data Pilot in Horizon 2020

If selected, applicants will by default participate in the [Pilot on Open Research Data in Horizon 2020<sup>1</sup>](#), which aims to improve and maximise access to and re-use of research data generated by actions.

However, participation in the Pilot is flexible in the sense that it does not mean that all research data needs to be open. After the action has started, participants will formulate a [Data Management Plan \(DMP\)](#), which should address the relevant aspects of making data FAIR – findable, accessible, interoperable and re-usable, including what data the project will generate, whether and how it will be made accessible for verification and re-use, and how it will be curated and preserved. Through this DMP projects can define certain datasets to remain closed according to the principle "as open as possible, as closed as necessary". A Data Management Plan does not have to be submitted at the proposal stage.

Furthermore, applicants also have the possibility to opt out of this Pilot completely at any stage (before or after the grant signature). In this case, applicants must indicate a reason for this choice (see options below).

Please note that participation in this Pilot does not constitute part of the evaluation process. Proposals will not be penalised for opting out.

We wish to opt out of the Pilot on Open Research Data in Horizon 2020.

Yes

No

Further guidance on open access and research data management is available on the participant portal: [http://ec.europa.eu/research/participants/docs/h2020-funding-guide/cross-cutting-issues/open-access-dissemination\\_en.htm](http://ec.europa.eu/research/participants/docs/h2020-funding-guide/cross-cutting-issues/open-access-dissemination_en.htm) and in general annex L of the Work Programme.

<sup>1</sup> According to article 43.2 of Regulation (EU) No 1290/2013 of the European Parliament and of the Council, of 11 December 2013, laying down the rules for participation and dissemination in "Horizon 2020 - the Framework Programme for Research and Innovation (2014-2020)" and repealing Regulation (EC) No 1906/2006.

**Technical annex**  
***Research and Innovation actions***  
***Innovation actions***

**Title of Proposal**

**Climate-Carbon Interactions in the Coming Century**

**Project acronym**

**CCiCC**

**List of participants**

<b>No.</b>	<b>Participant organisation name</b>	<b>Short name</b>	<b>Country</b>
1	University of Exeter	UNEXE	UK
2	University of East Anglia	UEA	UK
3	Ecole Normale Supérieure	ENS	FR
4	Max-Planck-Gesellschaft zur Förderung der Wissenschaft e.V.	MPG	DE
5	Eidgenoessische Technische Hochschule Zuerich	ETHZ	CH
6	Barcelona Supercomputing Center – Centro nacional de Supercomputación	BSC	ES
7	Deutsches Zentrum für Luft- und Raumfahrt	DLR	DE
8	Universitaet Bremen	UBREMEN	DE
9	Universitaet Bern	UBERN	CH
10	CICERO Senter Klimaforskning Stiftelse	CICERO	NO
11	The Chancellor Masters and Scholars of the University of Oxford	UOXF	UK
12	Commissariat à l’Energie Atomique et aux Energies Alternatives	CEA	FR

## Table of Contents

<b>1</b>	<b>EXCELLENCE</b>	<b>3</b>
<b>1.1</b>	<b>OBJECTIVES</b>	<b>3</b>
1.1.1	CONTEXT	3
1.1.2	OVERALL OBJECTIVE 1: BETTER UNDERSTANDING OF PROCESSES CONTROLLING THE GLOBAL CARBON CYCLE	4
1.1.3	OVERALL OBJECTIVE 2: TOWARDS A NEAR-TERM PREDICTION OF THE CLIMATE AND CARBON CYCLE	6
1.1.4	OVERALL OBJECTIVE 3: REDUCING UNCERTAINTIES IN CLIMATE PROJECTIONS OVER THE 21 <sup>ST</sup> CENTURY	7
1.1.5	OBJECTIVE 4: KNOWLEDGE TRANSFER	8
1.1.6	OVERVIEW AND APPROACH	9
<b>1.2</b>	<b>RELATION TO THE WORK PROGRAMME</b>	<b>10</b>
<b>1.3</b>	<b>CONCEPT AND METHODOLOGY</b>	<b>12</b>
1.3.1	CONCEPT	12
1.3.2	METHODOLOGY	15
<b>1.4</b>	<b>AMBITION</b>	<b>17</b>
1.4.1	BETTER QUANTITATIVE UNDERSTANDING OF PROCESSES CONTROLLING THE GLOBAL CARBON CYCLE	17
1.4.2	DEVELOP NEAR-TERM PREDICTION OF THE CARBON CYCLE FOR THE COMING DECADE	20
1.4.3	REDUCING UNCERTAINTIES IN CLIMATE PROJECTIONS OVER THE 21 <sup>ST</sup> CENTURY	23
1.4.4	IMPROVED PROCESS UNDERSTANDING AND REPRESENTATION IN ESMS	25
1.4.5	COMMUNICATING OUR RESULTS TO A BROADER AUDIENCE, INCLUDING POLICYMAKERS AND THE LARGER PUBLIC.	25
<b>2</b>	<b>IMPACT</b>	<b>26</b>
<b>2.1</b>	<b>EXPECTED IMPACTS</b>	<b>26</b>
2.1.1	SUPPORT MAJOR INTERNATIONAL SCIENTIFIC ASSESSMENTS SUCH AS THE IPCC	26
2.1.2	INCREASE CONFIDENCE IN CLIMATE CHANGE PREDICTIONS AND PROJECTIONS	27
2.1.3	PROVIDING ADDED-VALUE TO DECISION AND POLICYMAKERS	27
2.1.4	SUSTAIN EUROPE'S LEADERSHIP IN CLIMATE SCIENCE	27
<b>2.2</b>	<b>MEASURES TO MAXIMISE IMPACT</b>	<b>28</b>
2.2.1	DISSEMINATION AND EXPLOITATION OF RESULTS	28
2.2.2	COMMUNICATION STRATEGY	31
<b>3</b>	<b>IMPLEMENTATION</b>	<b>33</b>
<b>3.1</b>	<b>WORK PLAN — WORK PACKAGES, DELIVERABLES</b>	<b>33</b>
<b>3.2</b>	<b>MANAGEMENT STRUCTURE, MILESTONES AND PROCEDURES</b>	<b>53</b>
3.2.1	OVERALL MANAGEMENT STRUCTURE	54
3.2.2	APPROPRIATENESS OF THE ORGANISATIONAL STRUCTURE AND DECISION MAKING MECHANISMS	57
3.2.3	INNOVATION MANAGEMENT	58
3.2.4	CRITICAL RISKS AND RISK MITIGATION MEASURES	59
<b>3.3</b>	<b>CONSORTIUM AS A WHOLE</b>	<b>61</b>
<b>3.4</b>	<b>RESOURCES TO BE COMMITTED</b>	<b>62</b>



# 1 Excellence

## 1.1 Objectives

**Climate-carbon feedbacks are leading-order uncertainties in climate projections and in estimates of the total carbon budget consistent with the goal to limit global warming set out in the Paris Agreement. CCiCC (Carbon Cycle Interactions in the Coming Century) will advance our quantitative understanding of climate-carbon interactions and resolve large and persistent knowledge gaps in the climate sensitivity to carbon dioxide emissions. CCiCC will achieve its objectives through the innovative integration of new models and a wide range of observations. It will develop systems for new climate predictions and projections from annual to centennial timescales that are informed by observations, and provide key knowledge to underpin IPCC assessments and support policy makers.**

### 1.1.1 Context

Based on recent advances in Earth system modelling, the Intergovernmental Panel on Climate Change 5<sup>th</sup> Assessment Report (IPCC AR5) concluded that “*Cumulative emissions of CO<sub>2</sub> largely determine global mean surface warming by the late 21st century and beyond*”, unambiguously identifying the causal link between anthropogenic emissions of carbon dioxide (CO<sub>2</sub>) and global warming<sup>1</sup>. The IPCC AR5 further summarized that “*Cumulative total emissions of CO<sub>2</sub> and global mean surface temperature response are approximately linearly related. Any given level of warming is associated with a range of cumulative CO<sub>2</sub> emissions, and therefore, e.g. higher emissions in earlier decades imply lower emissions later.*” The IPCC AR5 also assessed the positive feedback between climate change and the carbon cycle stating: “*there is high confidence that the feedback between climate and the carbon cycle is positive in the 21st century. As a result more of the emitted anthropogenic CO<sub>2</sub> will remain in the atmosphere*”<sup>1</sup>. These findings highlight the central role of the carbon cycle in the global climate system.

CCiCC will advance three interlinked areas of carbon cycle research:

#### a) Develop a better understanding

Over the historical period, since 1750, human activities are estimated to have released about 650 GtC (1 GtC=10<sup>12</sup> kgC), with about two-thirds coming from fossil fuel combustion and one-third from land-use changes<sup>2</sup>. Over the same period, atmospheric CO<sub>2</sub> concentration increased by about 50%, from about 280ppm (parts per million) to 410ppm today. The atmospheric CO<sub>2</sub> increase accounts for less than half of the CO<sub>2</sub> emitted by human activities because a large fraction of the CO<sub>2</sub> emissions is being absorbed by the land and the ocean (Figure 1). The main driver of these long-term land and ocean carbon sinks is the atmospheric CO<sub>2</sub> increase itself. Higher atmospheric CO<sub>2</sub> concentration leads to increased photosynthesis on land and greater CO<sub>2</sub> uptake by the surface ocean and transport to deeper layers. These CO<sub>2</sub>-induced land and ocean carbon sinks can be seen as strong negative feedbacks operating on the climate-carbon cycle system. However, warming and other changes in climate induced by the atmospheric CO<sub>2</sub> increase (along with changes in other radiative forcers such as CH<sub>4</sub>, N<sub>2</sub>O and aerosols) also impact these carbon sinks<sup>3,4</sup>. Although CO<sub>2</sub>-carbon cycle and climate-carbon cycle feedbacks have been identified for more than a decade<sup>5-7</sup>, our ability to quantify them has remained limited<sup>8,9</sup>, as is our capability to confidently attribute past changes of the carbon cycle and hence to anticipate its future evolution<sup>10,11</sup>. **There is an urgent need to better understand and better model the processes that drive the observed variability in atmospheric CO<sub>2</sub> at seasonal to century time-scales, in order to improve climate projections and inform climate mitigation and adaptation.**

#### b) Provide policy relevant near-term predictions

Under Article 4 of the Paris Agreement, Parties “*aim to reach global peaking of greenhouse gas emissions as soon as possible*” and to “*undertake rapid reductions thereafter in accordance with the best available science*”. Hence the first major global milestone in the implementation of the Paris Agreement is for emissions to reach a peak and start decreasing. Under scenarios meeting the long-term temperature goal, this must occur within or near the timescale of this project. Identifying whether emissions have peaked is both a detection and a prediction challenge: emissions must be observed to fall, and predicted to continue to do so. Given current uncertainties in our understanding of the carbon cycle, the “*best available science*” at present would be unable to detect with confidence that emissions have peaked until one decade or more after they had actually done so (Figure 2). Reducing this uncertainty is an essential contribution of CCiCC to the UNFCCC global stocktake process integral to the implementation of the Paris Agreement. So far, there has been little attempt by the scientific community to predict the near-term evolution of the carbon cycle, and in particular what would be the near-term growth rate of atmospheric CO<sub>2</sub> in the next decade if all countries

follow their Paris agreement ambitions on emissions reduction. **There is an urgent need to develop the capability to simulate and assess the near-term evolution of the global carbon cycle and the climate system in response to different near-term emission trajectories.**

*c) Reduce long-term projections uncertainties for policy-making*

The Transient Climate Response to Cumulative Carbon Emissions (TCRE) is the Earth system metric that quantifies the global average surface warming for a given cumulative emission of CO<sub>2</sub> (1000 GtC) and can be used to infer the carbon emissions consistent with a given climate target<sup>12,13</sup>. TCRE is an attractive metric for policymakers as it directly links CO<sub>2</sub> emissions to global warming. While individual Earth system models reveal a nearly linear relationship between global warming and cumulative carbon emissions, the allowable carbon emissions for a global warming target, such as the 2°C target, are poorly constrained (Figure 3), and the uncertainties are currently too large to be useful for international climate negotiations. The uncertainty in carbon cycle feedbacks is as large as the uncertainty arising from physical climate feedbacks alone<sup>14</sup>, it severely undermines attempts to estimate the climate response for a chosen emission scenario, and similarly, to quantify the anthropogenic CO<sub>2</sub> emissions that would be consistent with a stabilization of global warming at a chosen level. Resolving key carbon cycle uncertainties, in particular for stringent mitigation scenarios, is essential in order to provide greater clarity on necessary mitigation actions required to meet the Paris Agreement Long-Term Temperature Goal (LTTG) of “limiting warming to well below 2°C, and pursuing efforts to 1.5°C”, hence limiting the effects of dangerous climate change. **There is an urgent need to provide useful constraints on TCRE to inform policy-making.**

**CCiCC has three overall scientific objectives to tackle persistent knowledge gaps in climate science, all supporting a fourth objective of knowledge transfer. CCiCC will achieve its scientific objectives, using new observations and observational techniques, together with enhanced process understanding and new improvements in Earth system modelling for better understanding past and anticipating future changes.**

*1.1.2 Overall objective 1: Better understanding of processes controlling the global carbon cycle*

**Overall objective 1 of CCiCC is to make a major improvement in our understanding of the global carbon cycle over the historical period, by producing a comprehensive set of novel constraints using innovative methods and new observations, and applying these new constraints to critically assess and improve current carbon cycle models.**

The conventional approach to quantify global carbon emissions and their partitioning among the environment, so called the ‘global carbon budget’<sup>2</sup>, including by the IPCC<sup>15</sup>, relies on estimates of fossil fuel emissions ( $E_{FF}$ ) and land-use change ( $E_{LUC}$ ) derived from a combination of national reporting and bookkeeping modelling; observed atmospheric CO<sub>2</sub> increase ( $G_{ATM}$ ); and ocean CO<sub>2</sub> uptake estimates ( $S_{OCEAN}$ ) from either global ocean circulation-biogeochemistry models when annual estimates have been provided, or from indirect estimates based on ocean observations when only decadal means were needed. The land sink ( $S_{LAND}$ ) is then estimated as the residual term needed to close the global carbon budget ( $S_{LAND} = E_{FF} + E_{LUC} - (G_{ATM} + S_{OCEAN})$ ). For more than thirty years, the land carbon balance has been estimated with this method, as a residual of the global carbon budget<sup>16,17</sup>. Because this approach assumes that the global carbon budget is perfectly closed, it precludes the opportunity to objectively test our understanding of the global carbon cycle. Even the IPCC AR5 did not quantify individually, using independent estimates, all five components of the historical global carbon budget<sup>15</sup>, which constitutes a major limitation. Furthermore, recent estimates of the oceanic sink  $S_{OCEAN}$ , based on ocean surface pCO<sub>2</sub> observations have suggested that the interannual to decadal variability in the ocean carbon sink could be as much as 2-5 times larger than generated by ocean carbon cycle models<sup>18</sup>. Having a potentially large missing variability in ocean uptake estimates implies that deriving  $S_{LAND}$  from the carbon budget residual is no longer tenable.

In 2017, the Global Carbon Project (GCP), led by several CCiCC project partners, assessed for the first time each term of the global carbon budget independently, with an estimate of the land sink ( $S_{LAND}$ ) based on an ensemble of land carbon cycle models<sup>2</sup>. This new approach allows quantifying the carbon budget imbalance ( $B_{IM} = E_{FF} + E_{LUC} - (G_{ATM} + S_{OCEAN} + S_{LAND})$ ).  $B_{IM}$  is a measure of imperfect closure of the global carbon budget and hence it offers a quantitative measure of the community’s level of understanding of the contemporary carbon budget. The  $B_{IM}$  shows annual absolute errors of 0.7 GtCyr<sup>-1</sup> on average, with large year-to-year variability of 1-2 GtCyr<sup>-1</sup> (corresponding to 10-40% of fossil emissions), and also longer, semi-decadal anomalies of 0.5-1 GtCyr<sup>-1</sup> (Figure 1). The  $B_{IM}$  does not show any clear bias, with both long-term mean and

the trend close to zero. Given the very low year-to-year variability in anthropogenic emissions<sup>19</sup>, we expect the  $B_{IM}$  variability to be primarily due to errors in the understanding of processes driving land and ocean carbon sinks, and their responses to climate variability, as represented in models. For example, we suspect that the large imbalance in the early 1990s could be due to the poor representation of the climate impact of the Mount Pinatubo volcano on ecosystems in land carbon models<sup>20,21</sup>. The sustained negative  $B_{IM}$  in the 1970s (too large sinks) could similarly be caused by the yet to be explained large land sink over that period, while the positive  $B_{IM}$  in the late 2000s (too weak sinks), and possibly also in the 1960s, could be due to an underestimation in models of the ocean sink variability in the Southern Ocean<sup>22</sup>. We will work to significantly reduce the  $B_{IM}$  in CCiCC.




Figure 1. Global carbon budget over the Mauna Loa period (1959-2017), showing the  $CO_2$  emissions from fossil fuels and industry and from land-use and land cover changes (two left panels); their storage in the atmosphere and the ocean and land carbon sinks (three middle panels); and the residual carbon budget imbalance (right panel). Units  $GtCyr^{-1}$  (adapted from Le Quéré et al 2018).

Recent Earth observations and new data-driven products provide multiple opportunities to evaluate and constrain current models in order to significantly reduce the  $B_{IM}$  over the entire historical period. However, identifying and synthesizing the most relevant constraints within a global budget approach (rather than on the basis of individual components) requires a strong and interdisciplinary community effort.

CCiCC will synthesise direct observations for atmospheric, oceanic and land carbon cycle and closely related variables (such as oxygen and carbon isotopes, plant solar-induced fluorescence (SIF), atmospheric carbonyl sulphide (COS) as well as land water storage and exchanges, etc.), and develop observation-based products for ocean and land carbon cycles. Careful consideration will be given to quantify the uncertainties in observations and methods. The observation-based products will provide unique metrics and constraints to assess the current land and ocean carbon sinks (size, variability, and underlying processes), quantify their evolution over the historical period and their sensitivity to environmental changes (mainly changes in atmospheric  $CO_2$  and climate), and evaluate their representations in models.

CCiCC will work over multiple time-scales, making use of the rich observational base of the recent past to improve understanding of underlying processes. We will provide and use observation-based products: (1) at the interannual time-scale (satellite  $xCO_2$ , SIF, COS, land-water data reconstructions) to constrain the processes that are responsible for interannual variability (IAV) in land carbon fluxes (i.e. primary productivity, respiration, wildfire and other disturbance on land and associated processes), recognising that although land carbon models produce a large land contribution to the observed atmospheric  $CO_2$  variability, they currently do this for very different reasons<sup>23</sup>; (2) at the decadal and semi-decadal time-scale (atmospheric  $O_2$  budgets, neural network based ocean surface  $pCO_2$  flux, ocean carbon stock) to constrain processes responsible for variability in the oceanic carbon sink, recognising that although these new data-products suggest that ocean carbon sink variability could be far larger than suggested by models<sup>24</sup>, its causes

are poorly understood, and finally (3) at the decadal to century time scale ( $^{13}\text{C}$  trends and  $^{13}\text{C}$  budget) to provide an independent estimate of the mean and trend in carbon sinks, and thus complement findings of the Global Carbon Budget currently based on the  $\text{CO}_2$  budget alone<sup>2</sup>. We expect that improving understanding and model representation on seasonal to multi-decadal time-scales, where we have observations, will help improve key processes in models, reduce the  $B_{\text{IM}}$  over the historical period, and reduce uncertainties in model projections. This includes improvements in the representation of nutrient limitation, water stress, wildfires, permafrost on land, and mesoscale, biological export, and internal and externally-forced variability in the ocean (see Section 1.4). New and improved observation-based products will be used along with existing observations to evaluate carbon cycle models, provide our best estimate of the global carbon budget, and implement model improvements as diagnosed during the model evaluation. This procedure will be conducted every year of the CCiCC project to ensure continuous improvement in process understanding and representations in Earth System Models (ESMs), also allowing more robust attribution of the observed changes in the contemporary carbon cycle, and increased confidence in model predictions and projections.

### 1.1.3 Overall objective 2: Towards a near-term prediction of the climate and carbon cycle

**Overall objective 2 of CCiCC is to develop new tools and methods to predict, for the first time, the evolution of global carbon cycle variability over the coming decade, including atmospheric  $\text{CO}_2$ , land and ocean carbon sinks, and climate response to track the overall progress towards the goal of the Paris Agreement.**

IPCC AR5 near-term climate predictions only focused on the climate response over the coming decades, assuming atmospheric  $\text{CO}_2$  follows the Representative Concentration Pathways RCP4.5 scenario<sup>25</sup>, which is not specifically relevant to the Paris Agreement LTTG, and ignoring the uncertainty arising from the carbon cycle response to emissions. The slowdown in global warming that emerged over the first decade of the 21<sup>st</sup> century took the research community by surprise. Climate scientists were not able to account for what was happening<sup>26</sup>, which prompted a wave of climate scepticism among the public. A similar “climate surprise” could occur again in the near future, if for example, atmospheric  $\text{CO}_2$  concentration was changing at a rate that would seem inconsistent with reported trend in global emissions. The research community needs to be able to understand the processes at play and to clearly communicate these, in order to enable appropriate policy responses. Even on a year-to-year time scale, the reporting of changes in atmospheric  $\text{CO}_2$  growth rate, primarily caused by natural fluctuations of land and ocean carbon sinks<sup>27,28</sup>, is often misinterpreted as reporting of emissions growth rates<sup>29</sup>. Such misunderstandings could be addressed with the development and deployment of a near-term carbon cycle prediction system.

We will first assess the predictability of the carbon cycle system, both over land and in the ocean, via ESM control experiments and decadal hindcasts over the last 60 years. We will then explore predictions of the carbon system in the near-future, assuming anthropogenic emissions follow the United Nations Framework Convention on Climate Change (UNFCCC) Nationally Determined Contributions (NDCs) and quantify the direct impact of emission reductions on  $\text{CO}_2$  concentrations, accounting for the natural variability of the climate system and the carbon sinks. This new knowledge will be a major step to facilitate the verification of near-term emission trends, and in particular the timing of any emissions peak, providing policy-relevant analysis for the UNFCCC global stocktakes.

This overall objective 2 will be tightly connected to the overall objective 1 by making use of the new observation-based products to reduce uncertainties in near-term predictions. Our current partial understanding of the global carbon cycle, illustrated by the carbon budget imbalance ( $B_{\text{IM}}$ ) severely limits our capability to detect any near-term changes in atmospheric  $\text{CO}_2$ , and therefore to correctly attribute such changes to emission mitigation efforts or to internal natural variability of the climate-carbon system (Figure 2)<sup>29</sup>. Assuming that  $B_{\text{IM}}$  annual errors are  $0.7 \text{ GtCyr}^{-1}$  on average (with possible multi-year excursions of  $1\text{--}2 \text{ GtCyr}^{-1}$ ) in the near future, it would take 10 to 20 years to detect a 1% change in the increase of  $\text{CO}_2$  emissions at the 68% confidence level (e.g. from the 1% per year increase of the past few years to a 0% per year, i.e. emissions stabilization). To reduce this detection time and thus provide meaningful near-term predictions of atmospheric  $\text{CO}_2$  and the carbon cycle, we will use the new observational constraints in two ways: first to assist in the choice of the initial conditions that best approximate observations of the land and ocean carbon reservoirs; and second to provide stronger constraints, and potentially apply bias corrections, on the temporal evolution of the simulated land and ocean carbon sinks. While overall objective 1 of CCiCC will help reducing the  $B_{\text{IM}}$  over the historical record, this will also benefit overall objective 2, which aims to (a) reduce the time window for the detection of trends in  $\text{CO}_2$  emissions in the near term, and (b) build confidence in a decadal prediction system of the coupled climate and carbon cycle system.




Figure 2. Uncertainty in the near-term carbon budget. Atmospheric CO<sub>2</sub> growth rate (black) vs. simulated growth rate from modelled carbon sinks (grey), the difference being our current budget imbalance ( $B_{IM}$ ). The grey zones (1 and 2  $\sigma$ ) in the future illustrate the lack of predictability, estimated by the standard deviation of  $B_{IM}$  in the past. Without a better understanding of climate-carbon interactions, it would take about 10 to 20 years to detect a 1%/year change in emissions growth rate (orange vs. green line) (adapted from Peters et al., 2017).

#### 1.1.4 Overall objective 3: Reducing uncertainties in climate projections over the 21<sup>st</sup> century

**Overall objective 3 of CCiCC is to improve our understanding of climate-carbon feedbacks and provide a robust quantification of their evolution over the 21<sup>st</sup> century, using new constraints from historical observations to inform the analysis of ESM projections.**

The IPCC AR5 provided the first consensus assessment of TCRE and carbon budget for the 2°C LTTG, but with such a large uncertainty as to limit its utility in policy decisions. IPCC assessed that TCRE is *likely* in the range of 0.8°C to 2.5°C per 1000 GtC (vertical blue bar on Figure 3), and that limiting the warming with a 66% probability to less than 2°C will require cumulative CO<sub>2</sub> emissions to stay below about 790 GtC (red arrow Figure 3). However, the individual model estimates ranged between about 650 and 1350 GtC, due to large uncertainties in climate and carbon feedbacks (horizontal red bar Figure 3), mainly because the IPCC estimate was based on a small set of ESMs, with a carbon cycle largely unconstrained by observations<sup>10</sup>.

As important, the IPCC estimates were based on the non-mitigation RCP8.5 scenario, not designed to inform on the likelihood to remain below 2°C, with the carbon budget being diagnosed by the time at which the scenario exceeds 2°C and for the specific CO<sub>2</sub> and non-CO<sub>2</sub> forcing of the RCP8.5 scenario<sup>30</sup>. For ambitious mitigation scenarios, with potentially significant overshoot followed by negative emissions, even the sign of the combined land and ocean carbon feedback is largely unknown<sup>31</sup>. Reduced uncertainty in the TCRE is therefore needed to provide greater clarity on CO<sub>2</sub> emissions pathways and carbon budgets consistent with the goals of the Paris Agreement<sup>32</sup>.

CCiCC will make use of existing CMIP6 (Coupled Model Intercomparison Project Phase 6) and new post-CMIP6 ESM configurations (in this proposal we will call these enhanced models “CMIP6+ ESMs”), combined with existing and novel emergent constraints<sup>33-35</sup> to reduce the uncertainty in carbon and climate projections, TCRE and remaining cumulative emissions. CCiCC will develop novel emergent constraints such as terrestrial water storage, evapotranspiration, SIF and COS for terrestrial carbon uptake; seasonal air-sea CO<sub>2</sub> flux, ocean interior carbon content, and tracer (CFCs, SF<sub>6</sub>) measurements for the ocean carbon uptake and biological carbon export, and new emergent constraints for processes recently included in ESMs (fires, permafrost).

Article 4 of the Paris Agreement also aims “to achieve a balance between anthropogenic emissions by sources and removals by sinks of greenhouse gases in the second half of this century.” However, achieving

this “balance” will depend on carbon cycle feedbacks: for instance, uncontrolled CO<sub>2</sub> losses from permafrost will require stronger emissions reductions to reach balance in CO<sub>2</sub> emissions. Global emissions balance will also depend on the contribution of non-CO<sub>2</sub> climate drivers such as methane, nitrous oxide or potentially aerosols<sup>36</sup>. A key limitation of the TCRE and budget approach is their exclusive focus on CO<sub>2</sub>. CCiCC will develop new physically-based approaches to relating CO<sub>2</sub> emissions and non-CO<sub>2</sub> climate drivers, developing the concept of “CO<sub>2</sub>-forcing-equivalent emissions”<sup>37</sup>. This allows non-CO<sub>2</sub> forcing agents to be incorporated into CO<sub>2</sub>-based emission budgets in a physically consistent way, accommodating lifetime differences that are obscured by conventional “CO<sub>2</sub>-equivalent emissions” metrics.

CCiCC will also develop innovative new adaptive emission scenarios, where the emission mitigation effort is revised every 5 years in light of the realised radiative forcing and warming simulated by the ESM models during the course of the 21st century, in such a way that emissions approach zero (net carbon balance) when global warming approaches the given climate target (1.5 or 2°C). A large rate of warming (i.e. a large TCRE) would require implementing deeper emission reductions; conversely a moderate rate of warming would allow for a slower rate of emission cuts. This approach is consistent with the proposed 5-year cycle of “stocktakes of ambition” introduced by the Paris Agreement. Combined with our reassessment of carbon feedbacks and TCRE, and accounting for the contribution of non-CO<sub>2</sub> forcing, it will allow us to provide, for the first time, our best estimate of carbon emissions fully consistent with the Paris agreement ambition to limit climate change below 1.5°C or 2°C under a periodic stocktake regime. One of the key outputs of CCiCC is to provide the “best available science” to support the Paris Agreement. In particular, we will address the danger that Parties might relax their ambitions prematurely, should either global emissions appear to fall unexpectedly fast, or atmospheric concentrations rise unexpectedly slowly, over a 5-year stocktake cycle due to uncertainties and variability in the global carbon cycle.




Figure 3. Uncertainty in the long-term carbon budget. Global surface temperature change as a function of cumulative CO<sub>2</sub> emissions for 1%/year CO<sub>2</sub> increase (grey) and RCP scenarios (colours). The vertical blue bar represents the AR5 likely range for TCRE; the red arrow shows the AR5 estimate of the cumulative CO<sub>2</sub> emissions for a 66% chance to remain below 2°C, and the horizontal red bar represent the full AR5 ESMS range for this estimate (adapted from IPCC AR5 WG1 SPM).

#### 1.1.5 Objective 4: Knowledge transfer

**CCiCC will ensure the usability of the knowledge generated by scientific research and engage in bilateral interactions among scientists and policymakers, while also fostering the understanding of the findings for the broad society.**

Innovative findings come hand-in-hand with challenges in communication and knowledge transfer. Solving knowledge gaps in carbon cycle interactions requires scientific results – from objectives 1, 2 and 3 - and their correct interpretation. However, once a concept is grasped it needs to be further elaborated to become

usable information. When dealing with technical content the obstacles between receiving the information and using it are particularly high. Knowledge transfer implies the synthesis of CCiCC scientific findings to foster understanding of the concepts and, importantly, enhance the usability of the information conveyed. Explaining a finding can be unidirectional but transferring knowledge requires both parties to understand each other's perspectives. To achieve this, two-way interaction between scientists and policy and decision makers is necessary. The CCiCC project will go beyond explaining project findings by integrating the perspectives and needs of policy and decision makers into the scientific process. Findings will be shaped in such a way as to feed smoothly into decision-making processes (e.g. the annual UNFCCC Conferences of Parties). In addition, CCiCC will assist international scientific assessments (e.g. IPCC, IPBES GCP, WMO State of the Climate, UNEP Emissions Gap Report, etc.). The project is designed to provide timely support to IPCC assessments and to ease the exploitation of the results by the scientific community using solutions detailed below.

This knowledge transfer is transversal to the three above-mentioned overall objectives. CCiCC will make use of different types of communication, dissemination and engagement activities to facilitate knowledge transfer and bring benefits to the scientific community, policy and decision makers, and the broader society. Different approaches will be tailored for each of the targeted audiences.

The newly developed ScienceBrief platform (<http://sciencebrief.org>) uses the power of ICT to help keep up with a rapidly growing scientific literature. ScienceBrief will facilitate the exchange of research findings among the research community and between researchers and users of science. Building on the ScienceBrief Carbon Cycle pilot, CCiCC will improve user experience of the platform and work to significantly enhance its reach. Initially, the platform will harvest the latest findings to contribute to IPCC AR6, which will also receive specific support by an ad-hoc discussion panel involving IPCC AR6 lead authors. Presenting results at conferences, workshops and other traditional channels (e.g. the annual conference of the European Geophysical Union) will also be an important mean to foster interactions within the scientific community.

Directly supporting decision makers, CCiCC aims to provide added value by translating the emerging scientific understanding into a format that can inform policy decisions. Organization and active participation in policy relevant events is the starting point of a bilateral conversation. On the one hand, the events will be designed to communicate key findings; on the other hand they will serve to receive inputs from policymakers in order to understand their needs - with particular attention given to the Paris Agreement goals, with a dedicated workshop in Brussels. These continuous exchanges will also feed into a Policy Brief towards the end of the project. Combining the relevant scientific findings with an overview of the state-of-the-art CO<sub>2</sub> emissions policies and pledges, an analysis of the potential ways forward will be conducted resulting in policy recommendations (at European and possibly National level). In addition, CCiCC will also provide updates at each phase of the project with user-oriented fact sheets, which will be produced according to the development stage of the research. The goal is to build the knowledge base of our project's users and build trust in the CCiCC results, impacting positively on the engagement. Additionally, to enhance outreach, key outcomes of the project will be published in form of Carbon Outlooks - in partnership with the annual Global Carbon Budget (every autumn for the duration of the project).

The visibility of the project is pivotal to reach all targeted stakeholders and society at large. CCiCC therefore includes a comprehensive communication plan (section 2.2). CCiCC will create outreach pieces adapted to the general audience (e.g. opinion editorials, interviews, videos, and info-graphics) building on considerable and demonstrated expertise within the CCiCC consortium that, together with social media actions, will help to raise awareness of the general public.

### ***1.1.6 Overview and approach***

To achieve these four objectives, we will employ:

- New observations to better constrain the contemporary carbon cycle and its variability on seasonal to multi-decadal timescales. These include combined CO<sub>2</sub> and <sup>13</sup>C atmospheric measurements, atmospheric and oceanic O<sub>2</sub> data, and satellite atmospheric CO<sub>2</sub> that together will enable the identification of underlying processes and drivers of variability.
- New and improved data-based products to evaluate CCiCC carbon cycle models and to guide and improve process representation so as to reduce the carbon budget imbalance. These include water fluxes and storage on the land, neural network-based upscaling of surface ocean pCO<sub>2</sub> measurements, ocean interior changes in carbon stocks, new atmospheric data of CO<sub>2</sub>, O<sub>2</sub> and COS, satellite observations of SIF of land vegetation that together will provide new information on ocean carbon uptake and vertical

export as well as land photosynthesis and related carbon sink. A full list of novel data used in CCiCC is given in Table 1.1.

- State-of-the-art ESMs and their individual components including post-AR5 and post-CMIP6 physical and biogeochemical processes that are of importance for climate and carbon feedbacks (CMIP6+ ESMs). For the land carbon cycle, we will include recent and on-going development of nutrient limitations to photosynthesis and hence carbon sinks; wildfires, permafrost and peat carbon and the responses of these processes to climate change; and improved representation of land management. For the ocean carbon cycle, we will employ high-resolution (eddy-permitting) models to improve representation of mesoscale transport and simulation of the Southern Ocean CO<sub>2</sub> uptake and its variability; include recent and ongoing development in riverine and atmospheric input of nutrients; and advanced marine ecosystem models including upper trophic levels (e.g. macrozooplankton processes) & explicit bacteria, as well as variable stoichiometry.
- Novel ESM-based decadal predictions, using CO<sub>2</sub> concentration-driven and CO<sub>2</sub> emission-driven configurations.
- Novel ESM-based diagnoses of CO<sub>2</sub>-forcing-equivalent emissions corresponding to full multi-gas and multi-forcing-agent emission pathways to provide a fully physically-based interpretation of both “peaking” and “balance” of aggregate emissions, accounting for uncertainties in both the properties of other forcing agents and in the carbon cycle used to diagnose CO<sub>2</sub>-forcing-equivalent emissions.
- Novel emergent constraints and weighting methods to reduce uncertainty in future projections of TCRE, carbon cycle feedbacks and climate. These will integrate new observational datasets, including e.g. on land water or ocean CFCs and SF<sub>6</sub> measurements, which have shown potential to reduce systematic biases in current models.
- Novel adaptive scenarios to drive the CCiCC ESMs in their CMIP6+ configuration to provide best estimates of carbon budgets consistent with the Paris Agreement ambitions, accounting for the major Earth system feedbacks.
- Enhanced ESM Evaluation Tool (ESMValTool), building on previous EU projects (in particular EMBRACE and CRESCENDO), with a recommended set of diagnostics and metrics for evaluation of the carbon cycle and climate-carbon feedbacks and constraints on TCRE and future projections.
- First extensive use of the novel ScienceBrief ICT platform to synthesise results on climate-carbon interactions and keep them up to date, and efficiently inform IPCC and other international assessments in a background of rapidly growing scientific literature.

**In summary**, CCiCC will make a major advance in our understanding of the key processes regulating the interactions and feedbacks between the carbon cycle and the physical climate system, using observational constraints and improved process understanding to provide, for the first time, harmonized near-term predictions and long-term projections of the coupled climate-carbon system under ambitious mitigation scenarios. This will allow the CCiCC team to deliver policy-relevant and observationally-constrained carbon dioxide emission pathways consistent with the Paris Agreement ambitions. Via its objectives, CCiCC will support two central elements of the UNFCCC Paris Agreement: the 2023 and 5-year global stocktakes to track progress towards the long-term goal; and the mitigation effort to achieve a long-term goal of keeping the increase in global average temperature to well below 2°C.

## 1.2 Relation to the work programme

The CCiCC project addresses the H2020-LC-CLA call: **“Building a low Carbon, Climate resilient future: Climate action in support of the Paris Agreement”**. With reference to the call text in bold, we detail how CCiCC addresses key objectives of the call.

**“Actions in this call aim to produce solutions for the achievement of the Paris Agreement's mitigation and adaptation goals, and to further relevant scientific knowledge for the implementation of the Nationally Determined Contributions (NDCs) and in advance of key Paris Agreement-related milestones, such as the publication of national mid-century strategies (2020), the 6th IPCC assessment cycle (2018-2022) and the first global stocktake in 2023.”**

CCiCC will provide improved knowledge of the likely outcome of NDC implementation for the first global stocktake in 2023 and lay the scientific foundations for improved analysis in the subsequent stocktakes. CCiCC will develop the capability to simulate the expected changes in atmospheric CO<sub>2</sub>, carbon cycle and associated climate change over the coming decade, combining the effect of the implementation of the NDCs with the intrinsic natural interannual to decadal variability of the coupled climate and carbon cycle system.



This will allow policymakers to better anticipate the evolution of the carbon cycle and climate, in advance of key Paris Agreement-related milestones.

**“Specific efforts have to be paid to communicating research results to a broader audience, including the larger public”**

CCiCC participants have very extensive experience in science communication to policymakers and other stakeholders. A key example of this expertise is the growing success and reach of the annual updates of the Global Carbon Budget, led by CCiCC partners, with key messages referenced in high-level political discussions (e.g., UN Secretary General, UNFCCC), policy making (government documents or discussions), mainstream media (reported in most widely read print and online media), and increasingly social media. CCiCC will build on this expertise and experience, and aim to reach deeper into decision and policy making with targeted and novel activities. CCiCC includes a strong component on communication, with its WP4 entirely devoted to synthesis, dissemination, and policy dialogue. Each audience will have focussed activities: science summaries and other dissemination tools will aim to first improve the general understanding of carbon cycle science amongst decision and policymakers, and then build on this to communicate main findings in the context of other emerging science and policy discussions. Building on the science summaries additional products will be produced for mainstream and social media (e.g. opinion editorials, interviews, videos, info-graphics). A strong focus will be placed on communicating to scientific peers that feeds into the IPCC process and broader scientific discussions. Activities will build on the highly successful annual Global Carbon Budgets to ensure that CCiCC 1 to 10-year forecasts, and insights on climate-carbon interactions are effectively communicated. Science communication expert I. Jimenez (BSC) will be the lead and Research Director G. Peters (CICERO) the deputy lead of WP4, with contribution from most partners to ensure the science is optimally communicated.

**CCiCC will address the topic “LC-CLA-08-2018: Addressing knowledge gaps in climate science, in support of IPCC reports”.**

As described in section 1.1, CCiCC has three overall scientific objectives, each addressing a critical knowledge gap we have identified in the IPCC 5th Assessment Report. The first objective is to significantly reduce the uncertainty in the historical carbon budget, combining existing and novel observations with state-of-the-art global carbon models, focusing on key land and ocean processes that can contribute to the budget imbalance on annual to decadal time-scales. The second objective is to develop novel ESMs-based decadal predictions driven by anthropogenic CO<sub>2</sub> emissions in order to forecast the near-term evolution of the atmospheric CO<sub>2</sub> and climate response in the context of the global stocktake. The third objective is to significantly reduce the uncertainty in carbon cycle feedbacks and climate projections, and in particular to provide a more robust estimate of TCRE for mitigation scenarios in the context of the Paris agreement. CCiCC will directly support the IPCC reports. We are aware that for AR6, the Working Group 1 cut-off dates for scientific papers to be assessed will be 30/12/2019 (paper submitted) and 30/09/2020 (paper accepted), and hence we have a strategy to deliver early results from CCiCC within that time-frame. In addition, the CCiCC 2<sup>nd</sup> and 3<sup>rd</sup> overall objectives are also relevant to the WG2 and WG3 reports, both having later cut-off dates.

**Specific challenge: “Better understanding of the key processes controlling the climate-Earth system is fundamental in order to further improve climate projections, reduce uncertainty in climate sensitivity calculations”**

CCiCC’s main objective is an improved understanding of the fate of anthropogenic CO<sub>2</sub> in the Earth System, better characterising the role of land and ocean in removing CO<sub>2</sub> from the atmosphere, and in particular the under-explored response to falling emissions in high mitigation scenarios. CCiCC will utilize a hierarchy of models to enable a comprehensive exploration of the interactions between the climate system and the global carbon cycle, over the historical period, in the near-term up to 2030 and over the full 21<sup>st</sup> century. CCiCC will make use of state-of-the-art ESMs, accounting for key biogeochemical processes not included at the time of AR5, assessed against comprehensive observations and new emergent constraints of the land and ocean carbon cycle and related variables in order to improve climate projections for given CO<sub>2</sub> emission scenarios and to significantly reduce the uncertainty on the estimates of the transient climate response to CO<sub>2</sub> emissions (TCRE), a quantity that **“provides added-value to decision and policymakers”**.

CCiCC aims to address the first topic of this specific challenge: **“Improving the understanding of key climate processes for reducing uncertainty in climate projections and predictions”**. **Actions should achieve better understanding of key processes, and associated feedbacks, affecting the climate-Earth**

**system over time, in order to improve climate projections and predictions and constrain climate sensitivity estimates.**

CCiCC will improve our understanding of the key biogeochemical processes (and associated physical drivers) responsible for carbon sinks and their response to climate change, making use of an unprecedented amount of global atmospheric, oceanic, and land carbon cycle observations to improve our understanding of the causes of trend and variability of the carbon cycle over the recent past, which is critical for improving our confidence in near-term prediction and for better constraining our long-term projections. In particular, following the previous H2020 projects on ESM developments (e.g. EMBRACE, CRESCENDO) and other national projects, CCiCC will assess and further refine the land nutrient cycle, permafrost, wildfire and land-use components of CMIP6+ ESMs used and improved in the project, aiming to better understand the key control of nutrients, disturbance and land management on land carbon sinks. CCiCC will also use advanced marine biogeochemical models, benefiting from the recent model developments of past projects. In particular, marine biogeochemical models will be embedded within higher resolution physical ocean models than in the previous generation of ESMs. The high resolution ocean models can simulate small scale eddies that are thought to be important for simulating the upwelling strength and its sensitivity to climate variability in the Southern Ocean, and may therefore also be critical to better resolve the decadal variability in the Southern Ocean carbon sink. The marine biogeochemical models will also employ refined ecosystem components (e.g., with explicit bacteria, upper trophic levels, and variable stoichiometry), and include improved products for nutrient and carbon atmospheric and riverine inputs.

**“Action may cover processes such as biogeochemical cycles and their evolution under a changing climate, ocean dynamics and circulation, dynamic interactions between atmosphere, land, and ocean and ice”**

CCiCC will bring together 12 partners with a unique expertise on global biogeochemical cycles, oceanic physics, land-atmosphere interaction and Earth System modelling in the context of climate change. Five state-of-the-art ESMs in configuration similar to CMIP6, combined with their enhanced CMIP6+ versions where key new processes in land and ocean carbon models components will be assessed and further improved over the course of the project, providing a measure of the remaining uncertainties due to different process representations across the models.

## 1.3 Concept and methodology

### 1.3.1 *Concept*

The overall concept underpinning CCiCC is to use a new generation of observations (Table 1.1) to constrain the CMIP6+ ESMs (Table 1.2), a novel near-term initialisation and prediction technique, and original policy-relevant climate scenarios to provide a deeper understanding of the climate and carbon cycle interactions on the three critical time scales relevant to CCiCC:

- the historical period (1900-2020), as a unique test-bed of our capability to understand the key processes that control the changes in atmospheric CO<sub>2</sub>, and in particular the importance and response of the land and ocean carbon reservoirs to interannual to multi-decadal climate variability;
- the near-term future of the carbon cycle, from next year to the coming decade, as the critical time window to inform on the integrated effectiveness of the sequential implementation of the Paris Agreement;
- the full 21<sup>st</sup> century, as the central time frame to ensure the success of the Paris Agreement in limiting climate change.

Recent EU projects (e.g. EMBRACE, CRESCENDO), along with nationally funded research, have led to substantial developments of the biogeochemical and biophysical components of European ESMs (e.g. Land: nitrogen and phosphorous cycle, permafrost; Ocean: high-resolution (eddy-permitting) model, organic remineralisation from bacterial and zooplankton processes, variable stoichiometry). However, many of these most recent developments have not been fully integrated into the standard CMIP6 ESMs configurations or comprehensively tested against a large range of carbon cycle and related observations. CCiCC will build on the CMIP6+ models that are being developed now and over the course of the project, to further assess the climate-carbon interactions over the historical period, improve our understanding of key processes controlling the carbon cycle and its sensitivity to environmental changes, and reduce uncertainties in decadal predictions to centennial projections. A full list of models and configuration is given in Table 1.2.

CCiCC will perform simulations with three main European ESMs (MPI-ESM, IPSL-ESM, and EC-Earth ESM) for near-term predictions, with the addition of two ESMs originally developed in the US (NCAR-CESM2 and GFDL-ESM2M) for the long-term projections. CCiCC will also include Bern3D-LPX, a cost-

efficient Earth System Model of Intermediate Complexity to explore novel adaptive scenarios. Offline simulations (land and ocean physical and biogeochemical models forced by observed climate forcing) will be performed in addition to support the analysis over the historical period. Table 1.3 summarises these project specific simulations, their main purpose along with the list of participating models.

**Table 1.1 New observations and observation-based data products used in CCiCC**

Data	Constraint on	Record length	Spat. res.	Temp. res.	Usage in CCiCC	Ref
Air-sea CO <sub>2</sub> flux SOCAT and BGC Argo	Air-sea CO <sub>2</sub> flux	1982-present	1°x1°	monthly	WP1 evaluation WP2 bias correction, skill assessment, validation of initial conditions (IC) WP3 emergent constraints (EC) on ocean sink	38
GO-SHIP Ocean interior C, heat	Ocean C content	1994-present	1°x1°	Time slices	WP1 evaluation WP2 validation of IC WP3 EC on ocean sink	39
Ocean CFC-11, CFC-12 and SF <sub>6</sub>	Ocean C content	1982-present	1°x1°	Time slices	WP1 evaluation WP2 validation of IC WP3 EC on ocean sink	40
Observations of terrestrial water storage (GRACE)	Water storage changes	2003-present	1°x1°	monthly	WP1 evaluation WP2 validation of IC WP3 EC on land sink	41
Statistical reconstruction of water storage	Water storage changes	1901-present	1°x1°	monthly	WP1 evaluation WP2 validation of IC WP3 EC on land sink	42
Synthesis dataset of evapotranspiration	ET	1989–2005	various	monthly	WP1 evaluation WP3 EC on land sink	43
Upscaling of ET and C fluxes	GPP, NBP, ET	1950-2014	0.5°	daily	WP1 evaluation WP2 bias correction, skill assessment, validation of IC WP3 EC on land sink	44
SIF (Solar induced fluorescence)	GPP	2001-2016	0.05°	4-day	WP1 evaluation WP3 EC on GPP	45
Atmospheric COS	GPP	2000- present	stations	monthly	WP1 evaluation WP3 EC on GPP	46
Burned area (GFED)	Fire	1998-present	0.25°	monthly	WP1 evaluation WP3 EC on fire	47
Satellite XCO <sub>2</sub>	Atmospheric CO <sub>2</sub> , C fluxes	2003-present	2°x2°	monthly	WP1 evaluation WP3 EC on C sinks	48
Scripps, UEA Atm O <sub>2</sub>	O <sub>2</sub> and APO budgets	1989-present	>10stations & ship line data	monthly	WP1 evaluation and carbon budget	49
NOAA, Scripps, CSIRO Atm <sup>12</sup> C, <sup>13</sup> C (CO <sub>2</sub> )	<sup>12</sup> C and <sup>13</sup> C carbon budgets	1958-present ( <sup>12</sup> C); 1977- present ( <sup>13</sup> C)	45 stations	Discrete samples	WP1 evaluation and carbon budget	50
- GLODAP <sup>13</sup> C(DIC)	<sup>13</sup> C carbon budget	Preindustrial & modern 1000-2001	1°x1°	decadal	WP1 evaluation and carbon budget	51
- Ice and firn <sup>13</sup> C			Global	decadal		52
- Tree-ring <sup>13</sup> C			76records	Samples		53
- Leaf <sup>13</sup> C			594sites	decadal		54

**Table 1.2 Characteristics of CCiCC models, with list of CMIP6+ processes**

Model	Atm. Res. (°)	Ocn. Res. (°)	Land BGC	Ocean BGC	Ref.
<b>ESMs</b>					
MPI-ESM1.2 LR	1.8x1.8	1.5x1.5	JSBACH3: C-N, fires, dynamic veg., land-use	HAMOCC: C, O <sub>2</sub> , P, Fe, Si; <sup>13</sup> C, 4 PFTs, interactive ocean sediments, organic particle aggregation, riverine fluxes of nutrients	<sup>55</sup>
EC-Earth	1x 1	1 x 1	LPJ-Guess: improved wildfires, permafrost and global wetland CH <sub>4</sub> , N <sub>2</sub> O emissions	PISCES: C, O <sub>2</sub> , P, Fe, Si, <sup>13</sup> C; 4 PFTs	<sup>56</sup>
IPSL-ESM	2.5x 1.5	1x 1	ORCHIDEE: C-N-P, dynamic veg., land-use, permafrost, peatlands, ozone damage, diffuse/direct light	C, O <sub>2</sub> , P, Fe, Si, <sup>13</sup> C; explicit bacteria, 5 PFTs, internal quotas for N,P,Fe and Si of phytoplankton	<sup>57</sup>
NCAR CESM2	0.9x1.15	0.9x1.15	CLM5: C, <sup>13</sup> C, N, peat, crop, wood harvest	POP2/Marble: C, <sup>13</sup> C, N, P, Si, Fe, O <sub>2</sub>	<sup>58</sup>
GFDL-ESM2M	2x2.5	0.3-1x1	LM3.0: C, N, dynamic veg., land-use, wood harvest	TOPAZv2: C, O <sub>2</sub> , P, Fe, Si; 3 PFTs	<sup>59 60</sup>
<b>Earth System Model of Intermediate Complexity</b>					
BERN3D-LPX	~10x5	~10x5	LPX-Bern: C, N, CH <sub>4</sub> , N <sub>2</sub> O, fires, wetland, permafrost, land-use	Bern3D: C, <sup>13</sup> C, <sup>14</sup> C, P, Si, Fe, O <sub>2</sub> , etc., interactive ocean sediments	<sup>61 62</sup>
<b>Carbon cycle models (not described above)</b>					
JULES	0.5x0.5 to 4x5	n.a.	JULES: C, N, fires, permafrost, land-use, ozone damage, diffuse/direct light	n.a.	<sup>63,21</sup>
NEMOv3.6-PlankTOM10	n.a.	2x0.3-1.5 and 0.25x0.25	n.a.	PlankTOM10: C, <sup>13</sup> C, O <sub>2</sub> , P, N, Fe, Si; 10 PFTs explicit bacteria and macrozooplankton	<sup>64</sup>

**Table 1.3 List of CCiCC specific model simulations**

Description	Simulation Period*	WP and Task	Simulation type and length	Models	Purpose
Forced historical run land carbon	1900-2020 (+1700-1899 ramp-up)	WP1 T1.3	Offline C models 120+ year long	JULES, ORCHIDEE LPX-Bern, JSBACH LPJ-GUESS	Understanding processes causing land carbon sinks; model evaluation
Forced historical run ocean carbon	1900-2020 (+1700-1899 ramp-up)	WP1 T1.3	Offline C models 120+ year long	NEMO-PlankTOM10, POP2, HAMOCC, NEMO-PISCES	Understanding processes causing ocean carbon sinks; model evaluation
Forced historical run ocean carbon high resolution	1989-2020	WP1 T1.3	Offline C models 30+ years long	NEMO-PlankTOM10	Quantifying the effect of small-scale processes on ocean carbon variability

Historical coupled simulation	1850-2014	WP1 T1.3	Online ESMs Emission-driven 165 year long	IPSL-ESM, EC-Earth, MPI-ESM, GFDL- ESM2M, NCAR- CESM2-C13	Evaluation of global carbon cycle; provision of starting point for decadal predictions; provision of emergent constraints,
Factorial experiments individual forcings	1900-2020	WP1 T1.3	Offline C models 120 year long	Same as models for forced historical runs	Attribution of carbon cycle changes to drivers
Perfect model decadal predictions	From control	WP2 T2.1	Online ESM 15 start dates x 15 members 10 year long	IPSL-ESM, EC-Earth, MPI-ESM	Assess potential predictability of climate-carbon system
Data-assimilated reconstruction	1958-present	WP2 T2.2	Online ESM 3 realizations x 60+ year long	Same as above	Provide initial conditions for hindcast and future predictions
Retrospective decadal predictions (Conc. driven)	1981-present	WP2 T2.3	Online ESM 30+ start dates x 15 members 40 year long	Same as above	Assess predictability against observations Bias correction estimate
Retrospective decadal predictions (Emis. driven)	1981-present	WP2 T2.3	Online ESM 30+ start dates x 15 members 40 year long	Same as above	As above + assess predictability of atmosph. CO <sub>2</sub> against observations
Future decadal predictions (NDCs)	present-2030	WP2 T2.4	Online ESM Emission driven 3 start dates x 15 members 10 year long	Same as above	Prediction of next decade (including next year) of atmospheric CO <sub>2</sub> , carbon sinks, and climate
Future decadal predictions (baseline scenarios)	present-2030	WP2 T2.4	Online ESM Emission driven 3 start dates x 15 members 10 year long	Same as above	Baseline to allow attribution of future atmospheric CO <sub>2</sub> to NDCs vs natural variability.
Adaptive scenarios projections	2015-2100	WP3 T3.4	Online ESM Emission driven 3 scenarios 86 year long	IPSL-ESM, EC-Earth, MPI-ESM, GFDL- ESM2M, NCAR- CESM2-C13, Bern3D- ESM	Assessment of TCRE, remaining carbon budget and climate response

\* End year of simulation period will be extended every year, lagging actual calendar year by one year, for simulations that are repeated annually in the project (Forced historical runs and Future decadal NDCs).

### 1.3.2 Methodology

CCiCC will be divided into three science work packages (WP1-3), a synthesis, dissemination and policy dialogue work package (WP4) and a management work package (WP5) as described below (Figure 4). The CCiCC science work packages (WP1-3) are aligned with the three overall objectives, each one closely connected to one time horizon: historical record, near-term future and long-term future, and they are constantly complemented by the transversal efforts of WP4 aligned with objective 4 ensuring knowledge transfer and enhancing the project impact.




Figure 4. CCiCC Work Package structure and inter-connections between WPs. Blue arrows represent transfer of scientific data; green arrows represent transfer of scientific knowledge.

### WP1 Understanding the contemporary carbon cycle

The objective of WP1 is to make an advance in our understanding of the carbon cycle over the historical period, as an essential prerequisite of reliable near-term predictions and long-term projections. This will be achieved by developing and making use of novel observations and data products to constrain the land and ocean carbon fluxes and their drivers, combined with forced land and ocean carbon cycle model simulations over the historical period (1900-2020), and fully coupled ESM simulations over the last 30 years to improve our understanding of underlying processes, particularly focusing on the response of carbon fluxes to increase in atmospheric CO<sub>2</sub>, seasonal to decadal climate variability, and climatic extremes.

WP1 will be divided in 5 tasks: T1.1 providing new observational constraints, T1.2 providing improved data-based products, T1.3 providing historical model simulations to support the model evaluation against these observations and improvement of key process representations in T1.4 and the attribution of key drivers controlling the evolution and variability of the carbon sinks in T1.5.

### WP2 Predicting the carbon cycle and climate for the global stocktake to the horizon of 2030

The objective of WP2 is to build the capability to perform decadal predictions of climate and the carbon cycle where CO<sub>2</sub> emissions (instead of concentrations) are being prescribed. This will be achieved along with an improved understanding of decadal variability of the climate-carbon cycle system, accounting for forced response and natural variability. We will use 3 European ESMs to develop and continually improve initialization techniques via validation against new observational products from WP1. The best-performing initialization technique will be used to perform future near-term predictions assuming anthropogenic emissions follow the UNFCCC NDCs ambitions and, as a baseline scenario, the RCP4.5. This will allow anticipating and explaining the near-term evolution (up to 2030) of atmospheric CO<sub>2</sub> increase and climate response, in time for the first global stocktake in 2023.

WP2 will be divided in 4 successive tasks. T2.1 will explore the mechanisms driving decadal predictability of the global carbon cycle by performing idealized process-oriented predictions. T2.2 will reconstruct the recent past (1958-present) to provide initial conditions for the retrospective predictions. These will be used in T2.3 to assess the predictability of the 3 ESMs over the last 40 years (1981-present). Finally, T2.4 will provide unique emission-driven predictions of the near-future (2020-2030) evolution of atmospheric CO<sub>2</sub>, carbon cycle and climate when emissions follow either the UNFCCC NDCs or a baseline scenario, also including annually-repeated predictions of the next year's atmospheric CO<sub>2</sub> and carbon sinks.

### WP3 Projecting the required mitigation effort over the 21<sup>st</sup> century

The objective of WP3 is to make use of existing and new observation datasets, developed in WP1, to better constrain long-term projections of the climate-carbon cycle system in the context of climate targets and remaining carbon emissions compatible with the ambitions of the Paris Agreement. Using the available CMIP6 simulations, T3.1 will develop emergent constraints on the carbon cycle to obtain observation-based improved understanding of the carbon cycle dynamics and biogeochemical feedbacks. T3.2 will reassess the transient climate response to cumulative CO<sub>2</sub> emissions (TCRE) in light of these new emergent constraints, also accounting for the warming induced by non-CO<sub>2</sub> emissions. T3.3 will combine emergent constraints and models' skills to reproduce the historical record, as provided by WP1, to provide original weighting of multi-model and large ensemble climate and carbon cycle projections. T3.4 will use our CMIP6+ ESMs to explore original adaptive scenarios, starting from the same NDC compliant scenario from WP2 for the first decade (2020-2030), followed by a "adaptive mechanism" where simulated climate change is diagnosed every 5 years and used to revise the emissions reduction needed to keep global warming below 1.5°C or 2°C. Emergent constraints developed in CCiCC will be used to further refine the estimates of remaining carbon budgets in these adaptive scenarios.

### WP4 Synthesis, dissemination, and policy dialogue

The objective of WP4 is to assess and synthesise CCiCC scientific findings to foster a broader understanding of climate-carbon interactions to support international assessments, decision and policymakers, and the general public. We will facilitate knowledge transfer concerning our improved understanding of the human perturbation of contemporary carbon cycle; our understanding of the near-term evolution of the carbon cycle and how it would respond to near-term emission mitigation; and our understanding of the Earth System, accounting for climate and carbon cycle feedbacks in the context of the long-term ambitions of the Paris Agreement. WP4 will be divided in 4 tasks, T4.1 will focus on the knowledge transfer to support major international scientific assessments, T4.2 will provide added-value to decision and policymakers, while T4.3 will focus on the general public, and T4.4 will manage the project communication and dissemination in close collaboration with WP5.

### WP5 Management

The management includes provision for the overall project management, interfacing with the Commission and third parties, reporting to the Commission, ensuring the project's objectives are met, the deliverables achieved, and managing project risks.

## 1.4 Ambition

The ambitions of CCiCC builds on its four objectives: i) improved understanding of processes controlling the carbon sinks via an unprecedented assessment of the models against a large set of existing and new observations and the use of recent biophysical and biogeochemical developments integrated in post CMIP6 models (CMIP6+ ESMs); ii) novel annual to decadal prediction of the state of the carbon cycle and climate system; iii) reduction of uncertainty on long-term projections of climate and carbon cycle; iv) efficient dissemination of relevant results to a broad range of audiences from policymakers to the larger public.

### 1.4.1 *Better quantitative understanding of processes controlling the global carbon cycle*

**By the end of the project, we have the ambition to improve our modelling of the processes regulating the land and ocean carbon sinks such that the combined carbon budget imbalance is reduced by a factor of two (mean absolute deviation of the  $B_{IM}$  decreasing from 0.7 GtCyr<sup>-1</sup> to 0.35 GtCyr<sup>-1</sup>).**

A measure of the current limitations in our understanding is provided by the amplitude of the carbon budget imbalance ( $B_{IM}$ ), illustrated in Figure 1. CCiCC has the ambition to significantly improve our understanding of the global carbon cycle over the historical period, and in particular the last 60 years. This will be achieved mainly through improved process-based constraints on interannual variability, particularly on land; and on semi-decadal to decadal variability of the ocean.

To improve our current understanding, CCiCC will first collect and use an unprecedented series of global observational constraints to attribute the part of the  $B_{IM}$  caused by limitations in estimates of the land and/or ocean sink. This will include coherent times series of atmospheric CO<sub>2</sub>, oxygen and carbon isotopes and COS, most recent satellite-derived observation ( $xCO_2$  and SIF), as well as new development in observation-based products of air-sea CO<sub>2</sub> flux, ocean interior carbon stocks, and transient tracers (CFCs, SF<sub>6</sub>), and land water, carbon and nutrients fluxes and stocks. This observation framework will provide unique observational

constraints on the global carbon cycle and fill the gap between observations and ESMs, allowing us to comprehensively assess the land and ocean carbon cycle models over the recent past.

**CCiCC will focus particularly on the following processes:**

*a) Nitrogen and Phosphorous control on the strength of the carbon sink on land.* Nutrient limitation affects the spatial distribution of land carbon uptake and its trend, limiting CO<sub>2</sub> fertilisation in heavily nutrient limited tropical and boreal and arctic high-latitude ecosystems, and increasing land carbon uptake in areas of high anthropogenic air pollution via nutrients atmospheric deposition<sup>65</sup>. However large uncertainties still exist in future projections of the magnitude and spatial extent of land nutrient limitation and their effect on long-term land CO<sub>2</sub> fertilisation and response to climate change<sup>66</sup>. Furthermore, nutrient limitation could also dampen responses to climatic variability, therefore reducing IAV in models. The participating state-of-the-art CMIP6+ land carbon models with improved representation of nutrient dynamics will be rigorously evaluated against C and N fluxes and pools datasets to corroborate their ability to simulate the carbon cycle dynamics at seasonal to decadal timescales. New constraints on GPP spatial variability from soil water storage, SIF and COS will also guide the insights on nutrient control. The specific role of nitrogen on land carbon sinks will be further assessed via attribution studies of the impact of anthropogenic N deposition of land (see item j below) and compared to observational constraints on the N sensitivity of land carbon storage derived from manipulation studies as a measure of N limitation<sup>67,68</sup>. Jointly, these analyses will provide more confidence in the potential nutrient limitation on carbon sinks in the future.

*b) Land water control on land carbon sink:* New evidence has revealed a strong global-scale control of land water variability on the IAV of the land carbon sink and the atmospheric CO<sub>2</sub> growth rate<sup>69,70</sup>, although this response appears muted in most ESMs<sup>34</sup>. Observational constraints based on satellite measurements of terrestrial water storage<sup>41</sup>, observations-based reconstructions of water storage for the 20<sup>th</sup> century<sup>42</sup>, and new evapotranspiration datasets<sup>71</sup> will be used to further assess the temporal variability of simulated soil water content and its control on plant transpiration and photosynthesis and hence land carbon sinks. These analyses will provide improved understanding on land carbon dynamics on interannual time-scales (El Niño, droughts), with the potential to significantly reduce the B<sub>IM</sub> on ENSO time-scales.

*c) CO<sub>2</sub> emissions from permafrost, peatlands and their evolution in the 21<sup>st</sup> century.* Permafrost carbon has been identified as potentially the largest land carbon pool vulnerable to climate change<sup>72</sup>. However, large uncertainties remain in the quantification of the potential carbon loss over the 21<sup>st</sup> century<sup>73,74</sup>, with significant implications for the quantification of TCRE and the remaining carbon budget for climate target. Any carbon release from permafrost would imply a reduction in the remaining anthropogenic emissions. In CCiCC, we will evaluate state-of-the-art CMIP6+ land carbon models with improved representation of permafrost against observations of permafrost spatial extension and permafrost soil carbon content. Interaction with high-latitude warming, soil nitrogen mineralization and vegetation dynamic will also be investigated<sup>75</sup>.

*d) CO<sub>2</sub> emissions from wildfires and their interannual variability.* CO<sub>2</sub> emissions from fires play an important role on atmospheric CO<sub>2</sub> interannual variability, with large emissions from tropical fires during El Niño years<sup>76</sup>, potentially explaining some of the carbon imbalance (B<sub>IM</sub>) over the historical period. On longer time-scales, climate change (e.g. droughts) is expected to alter fire regimes of most ecosystems, inducing climate-fires feedbacks<sup>77,78</sup>, with potentially drought-related increase in fires counteracting REDD+ measures to reduce deforestation<sup>79</sup>. New developments in ecosystem fire modelling<sup>80,81</sup> will be assessed over the historical period, in synergy with the FireMIP international initiative<sup>82</sup>. These analyses will provide improved understanding of fire dynamics and sensitivity to droughts, with the potential to also significantly reduce the B<sub>IM</sub> on ENSO time-scales.

*e) Mesoscale physical ocean circulation control on semi-decadal variability of the ocean carbon sink.* New analysis of carbon observations in the ocean surface<sup>24</sup> and interior<sup>83</sup> suggest that ocean carbon cycle models underestimate the variability in ocean CO<sub>2</sub> fluxes, especially in the Southern Ocean. This is most likely due to their poor representation of small-scale processes, particularly those associated with mesoscale eddy transport at scales of ~10-100 km, which is below current model resolution (~100-200 km in most global ocean carbon models<sup>2</sup>). Eddy transports are significant contributors to the meridional exchange of mass, heat, carbon and nutrients, for example across the Southern Ocean, and to the vertical exchange of momentum<sup>84</sup>. Eddy processes are parameterised in ocean models, but this parameterisation could dampen the multi-year dynamics which is associated with eddy transport<sup>85</sup>. An assessment of the size and cause of oceanic CO<sub>2</sub> variability will be done by first gaining a better quantitative understanding of the variability in both air-sea CO<sub>2</sub> fluxes at the regional level and the variability in carbon in the ocean interior over three decades, based on data synthesis and novel methodologies. The methodologies will further inform about the source of



variability, i.e. natural vs anthropogenic. Then model simulations with eddy-permitting resolution will be used to explore the importance of ocean meso-scale processes, not currently explicitly included in ESM, on ocean CO<sub>2</sub> flux variability. Both the direct impact of ocean circulation on carbon in the ocean interior, and the indirect impact mediated by nutrients and ecosystem productivity, will be examined. The oceanic analysis will be done both globally and at the regional level, enabling the identification of specific circulation processes, such as eddy responses in the Southern Ocean, and coastal and equatorial upwelling in the tropics.

*f) Biological carbon export control on the ocean carbon sink.* The export of organic carbon from the ocean surface to the intermediate and deep ocean generates a flux of carbon in the ocean that is five times as large as the ocean carbon sink. Changes in the intensity of this ‘biological pump’ would almost directly translate into changes in the intensity of the ocean carbon sink on annual to century time-scales. Model simulations project reductions in carbon export of 5-10% this century driven by, among other processes, reductions in marine primary production<sup>86</sup>, in part constrained by seasonal and interannual variability using the emergent constraint approach<sup>87</sup>. However current models only used simple representations of marine ecosystems, and did not account for more detailed ecosystem processes that have been shown to respond to temperature and changing oceanic conditions (stratification and nutrient availability). Here we will test the importance of key ecosystem processes on carbon export, including from organic remineralisation by bacteria and zooplankton<sup>64</sup> over the past decades, and from variable stoichiometry on the export of carbon. In CCiCC, we will assess how these processes improve the representation of carbon fluxes in the ocean making use of existing and new data, including Atmospheric Potential Oxygen (APO).

*g) Internally and externally - induced variability.* Modelled land and ocean CO<sub>2</sub> sinks vary in response to externally (anthropogenic and natural) forced variability and due to the internal (chaotic) variability of the Earth system. External forcings include, for example, changes in greenhouse gases, aerosols, explosive volcanic eruptions and solar variations, while typical expressions of internal variability are climatic modes such as ENSO or the North Atlantic Oscillation with associated carbon cycle responses<sup>88,89</sup>, or variations on smaller scales unrelated to climate modes. There is evidence from fully coupled models that internal variability in the ocean carbon cycle could be larger than previously thought, leading to a potentially missed source of variability. In addition, controls of the IAV of the land carbon sink also appear underestimated<sup>34</sup>. In ocean-only and land-only models as used in hindcast simulations, the CO<sub>2</sub> sinks vary in response to imposed atmospheric forcing conditions (mainly temperature and rainfall variability on land, wind and buoyancy in the ocean). Unfortunately, there are large differences in observations and reanalysis products used to force models<sup>90,91</sup> and these uncertainties affect CO<sub>2</sub> sink estimates in these models. An assessment of the contribution of potential error in forcing products and missed internal variability will be done to identify sources of errors in the current methodologies for estimating CO<sub>2</sub> sinks in the past.

**To assist in the understanding of how key processes control the global carbon cycle**, we will further provide quantitative analysis of the land and ocean sink variability and trends, first by applying the approach based on the Global Carbon Budget using associated variables and second by applying methods of detection and attribution used in climate research to carbon cycle variables. This includes the specific analysis of:

*h) Ocean and land responses to climatic drivers over semi-decadal time-scales using atmospheric O<sub>2</sub> observations.* CCiCC will provide a further constraint on the oceanic and land CO<sub>2</sub> sink variability using observations of APO and building a global annual budget for APO and atmospheric O<sub>2</sub> since 1991. APO combines atmospheric O<sub>2</sub> and CO<sub>2</sub> in a way that is invariant to biospheric exchanges, and therefore enables the isolation of oceanic fluxes alone<sup>49</sup>. On land, O<sub>2</sub> and CO<sub>2</sub> are taken up and released by photosynthesis and respiration in equal (and known) ratios. Similarly, fossil fuel combustion has known ratios for CO<sub>2</sub> and O<sub>2</sub>. In the ocean, O<sub>2</sub> and CO<sub>2</sub> are affected by the same processes of physical circulation and biological productivity, but in different proportions. Furthermore, O<sub>2</sub> is not influenced by the increase in anthropogenic CO<sub>2</sub> in the atmosphere, and therefore its signature reflects strongly the Earth system variability. Therefore, a global APO budget will provide independent constraint on oceanic responses to variability in climatic drivers, that will be used to identify the origin of the carbon budget imbalance, B<sub>IM</sub>, while a global budget for O<sub>2</sub> will provide constraints on the sum of fluxes from the ocean and land as reproduced by models, and therefore provide independent information on the origin (land and/or ocean) of the B<sub>IM</sub> identified through the Global Carbon Budget. The trends and changes in seasonal amplitude will also be examined to infer underlying processes. This analysis will be done both on observations directly, with particular attention given to the assessment of uncertainties (e.g. heat flux, rectifier effect), and integrated with models to verify how models reproduce variability and trends in APO and O<sub>2</sub>. This activity should help in constraining

processes driving the variability of the land and ocean carbon sinks, hence helping to reduce the magnitude of the  $B_{IM}$ .

*i) Ocean and land responses to increasing CO<sub>2</sub> over decades-to-century using atmospheric <sup>13</sup>C.* CCIcC will provide further constraint on the land and ocean trends using atmospheric <sup>13</sup>C signature. This signal is decreasing due to the addition of <sup>13</sup>C-depleted anthropogenic carbon from fossil fuel burning and land use. <sup>13</sup>CO<sub>2</sub> is exchanged between the atmosphere, ocean, and the land biosphere through air-to-sea and sea-to-air gas exchange and by photosynthesis and respiration on land. Each of these transfer fluxes is characterized by an isotopic fractionation, influenced by climate processes. Analyses of <sup>13</sup>C observations therefore provide independent and integrated constraints on the two-way carbon exchange fluxes (magnitude, trend and variability) and the redistribution of anthropogenic carbon in the Earth system. This will provide an independent estimate of the land and ocean carbon sinks and the underlying two-way carbon exchange fluxes and isotopic disequilibria, and also provide isotopic constraints on future carbon sink projections. As for APO and O<sub>2</sub>, this analysis will be done both on observations directly, and integrated with models to verify how models reproduce variability (and to some extent trends) in <sup>13</sup>C, also constraining processes responsible for the land and ocean carbon sinks on decadal to centennial time scales.

*j) Attribution of main driver of the land and ocean carbon sink.* Using observations alone, it is impossible to attribute the causes of any observed long-term change (e.g. increases in Leaf Area Index (LAI), in seasonal cycle CO<sub>2</sub> amplitude, etc.), Models are needed to “attribute” these changes. As applied routinely for climate variables<sup>92</sup>, we will use standard detection/attribution methodologies to attribute the observed changes in the land and ocean carbon cycle and associated water cycle to potential drivers (CO<sub>2</sub>, climate, N inputs, land-use, etc. over land; CO<sub>2</sub>, climate, winds over the ocean). Attribution methods have been used in the past studies for single observations, such as trend in river runoff<sup>93</sup> or trend in LAI<sup>94</sup>. Here we will include all available carbon-related observations that have a long enough record to allow detection of significant changes, and conduct a series of factorial, single-forcing, model simulations to isolate the processes responsible for the observed changes across all observations. We will quantify the model responses at the process level, using a fingerprint attribution method to compare the simulated and observed temporal and spatial patterns. This will allow us to better identify and constrain the processes related to the land and ocean carbon sensitivity to changes in environmental drivers, primarily atmospheric CO<sub>2</sub> and climate. The global and regional attribution of the land and ocean carbon sinks to long-term changes in atmospheric CO<sub>2</sub> vs. changes in climate is critical for our capability to predict the carbon cycle (and hence the climate response) over the 21st century<sup>8</sup>. By combining the results from all the models in CCIcC, we will be able to make quantitative probabilistic statements about the causes of land and ocean carbon sinks, equivalent to the attribution statements made by the IPCC concerning the causes of global warming (e.g. “we estimate that x% of the historical land carbon sink is due to changes in atmospheric CO<sub>2</sub>”).

#### ***1.4.2 Develop near-term prediction of the carbon cycle for the coming decade***

**By the end of the project, we have the ambition to provide robust annual to decadal predictions of atmospheric CO<sub>2</sub>, land and ocean carbon sinks and climate response, in order to inform on the possible outcome of the implementation of the UNFCCC compliant anthropogenic emissions (NDCs) in time for the 2023 global stocktake.**

Up to now, ESMs driven by CO<sub>2</sub> emissions have been only used for long-term projections<sup>10</sup>, but not in the context of near-term decadal prediction. We will move beyond state-of-the-art by attempting for the first time to predict the evolution of the coupled climate-carbon cycle on decadal timescale, with the additional value of using fully interactive emission-driven ESMs. This will allow us to inform on the possible changes in atmospheric CO<sub>2</sub> and climate resulting from both emissions policies and internal climate and carbon cycle variability.

Over the past decade, near-term climate predictions have emerged as rapidly improving tools at the service of society and decision-makers. The CMIP5 model experiment suite included a set of such predictions that proved skilful at regional scales<sup>95</sup>. Moreover, near-term climate predictions have proven their ability to predict global-scale variability mechanisms like, for example, the recent ocean-driven hiatus in the increase of global surface temperature<sup>96</sup> or the fluctuations in the strength of the North Atlantic sub-polar gyre<sup>97</sup> and the Atlantic meridional overturning circulation<sup>98</sup>.

Future near-term climate is the result of two components a) change in atmospheric radiative forcing and b) the natural variability of the climate system. ESMs can be used to simulate historical and future climate by prescribing the radiative forcing based on observed data and future emission scenarios. These simulations do

not attempt to phase the model with the observed natural variability of the climate and are thus useful only in a statistical sense on centennial timescales. ESMs can also produce **climate reconstructions** where, besides the radiative forcing, the natural variability is also taken into account by continuously constraining the model's solution towards the observed state of the climate through numerical techniques commonly referred to as data assimilation (or nudging, here used as a synonym). Finally, ESMs can be used to perform **near-term climate predictions** where the radiative forcing is still prescribed throughout the simulation but only the simulation's initial state is constrained towards the observed climate through data assimilation, a procedure referred to as **initialization**. The evaluation of the ability of a model and a particular initialization technique to produce skilful near-term climate predictions is normally assessed by comparing retrospective climate predictions with available observations. **Retrospective climate predictions** are near-term predictions of the past climate initialized using only contemporaneous information available at the time of starting the simulation<sup>95</sup>. Here we use near-term and decadal as synonyms.

While these predictions can be performed using state-of-the-art ESMs with a complete description of the carbon cycle, the predictability of the carbon cycle received little attention so far. Thus, the extension of this exercise beyond the physical climate is an emerging and promising topic which has been explored only in a few models so far to investigate the predictability of oceanic primary production over the tropical Pacific<sup>99</sup> or the global ocean<sup>100</sup> and of the carbon uptake over the North Atlantic<sup>101</sup> or the global scale in a perfect model set up<sup>102</sup>. As of now however, no modelling group has attempted ESM-based initialized near-term predictions of the global carbon cycle driven by CO<sub>2</sub> emissions. Furthermore, the only decadal predictions of the climate system planned for CMIP6 are based on a middle of the road greenhouse gas scenario (SSP2.4.5), not highly relevant in the context of the Paris Agreement. CCiCC will produce unique decadal predictions of the global carbon cycle with state-of-the-art CMIP6+ ESMs driven by near-term NDC compliant emissions, allowing us to develop the capability to assess the success of NDCs implementations in terms of expected atmospheric CO<sub>2</sub> and climate response, accounting for the natural variability of the carbon and climate system, ultimately providing unique policy relevant information for the global stocktake. Such predictions will be important tools to indicate potential early warning of systematic errors in emission reporting, or carbon cycle response.

We will repeat the emission-driven decadal predictions for 3 years of the project, allowing us to produce annual predictions of the following year's global carbon budget (atmospheric CO<sub>2</sub> and carbon sinks). Such predictions have never been attempted before apart from a simple regression previously used to reconstruct atmospheric CO<sub>2</sub> growth rate on the basis of anthropogenic emissions and Equatorial Pacific sea surface temperature anomalies<sup>103</sup>, no attempt has been made so far to predict next year's global carbon budget. By repeating these predictions we will compare our results with CO<sub>2</sub> observations in near real time. This exercise will allow assessing and continually improving our representation of the processes driving the carbon cycle sensitivity to climate variability on annual to decadal time scales. This is the first step towards establishing a semi-operational system for near-term prediction of atmospheric CO<sub>2</sub>.

To reach these specific objectives, CCiCC will adopt a step-by-step strategy, progressing from a process-oriented perfect model approach to estimate the potential predictability of the carbon cycle<sup>102</sup>, to data-assimilated reconstructions that provide initial conditions for CO<sub>2</sub> concentration-driven near-term predictions and then, finally, for CO<sub>2</sub> emission-driven near-term predictions. Each step is meant to improve some aspect of our understanding of the decadal predictability of the climate and carbon cycle systems as follows:

a) *To understand and quantify the potential predictability of atmosphere-land and atmosphere-ocean carbon fluxes.* A classic way to quantify potential predictability is through a "perfect model approach"<sup>104</sup> in which we assume that the model reproduces all the processes driving the predictability of a given variable and that such representation is not affected by model biases. This potential predictability is a measure of how long the memory of an initial state drives the evolution of a given variable in a given region. Or in other words, it quantifies the ability of the model to predict itself. Such an approach is well suited to establish a theoretical framework of predictability assessment across different models, as well as to investigate and better understand the processes driving predictability of the global carbon cycle.

In our case, the perfect model framework will be used to assess the potential predictability of key variables for the carbon cycle for which we have insufficient observations. This allows for a better understanding of the mechanisms driving low frequency (interannual to multi-decadal) variability of land and ocean CO<sub>2</sub> exchange with the atmosphere. For the ocean, in addition to air-sea CO<sub>2</sub> fluxes, we will focus on its first-order drivers, i.e. sea-surface temperature, surface alkalinity, surface dissolved inorganic carbon, primary productivity, mixed layer depth and ocean circulation. For the land, in addition to land-atmosphere CO<sub>2</sub> fluxes, we will focus on surface air temperature, precipitation, soil humidity and snow cover. The perfect

model approach allows discerning the regions and processes that drive the low frequency variability of CO<sub>2</sub> fluxes, as well as providing an estimate of the carbon cycle system predictability horizon in a consistent manner across different models. This information will be crucial for the interpretation of results from both retrospective and future near-term predictions. For instance, if a modelling system has a short potential predictability horizon for air-sea CO<sub>2</sub> flux for a given region, we would treat with caution a future prediction of atmospheric CO<sub>2</sub> variation if such variation were mostly driven from that region.

Previous studies show that the North Atlantic and the Southern Ocean are main contributors to the low-frequency variability of ocean-driven atmospheric CO<sub>2</sub> variations<sup>24,102</sup>. However, the mechanisms behind this variability are of a different nature between the regions. In the Southern Ocean the main driver of interannual to decadal variability in air-sea CO<sub>2</sub> flux is the supply of natural dissolved inorganic carbon (DIC) along the Ekman-driven upwelling region while for the North Atlantic the physical system (sea surface temperature or mixed layer depth variations) seems to have a more direct control<sup>89</sup>. Furthermore, the equatorial Pacific emerges as a critical region for atmosphere-ocean coupling, as well as for controlling the variability of the land carbon surface fluxes and atmospheric CO<sub>2</sub>. Different models could give a different picture of the driving processes, pointing to an urgent need for a multi-model assessment as we propose in CCiCC.

b) *To test initialization techniques for retrospective and future predictions.* The three modelling groups involved in near-term predictions within the project will produce the CMIP6 “historical” (driven by CO<sub>2</sub> concentration) and esm-hist (driven by CO<sub>2</sub> emissions) simulations with the CMIP6+ version of the models (see Tables 1.2 and 1.3), covering the period 1850-2015 (see Figure 5). While the climate of the historical simulations is not necessarily in phase with the observed climate, they provide a good starting point to produce reconstructions where ocean and atmospheric physical fields are nudged to observations to phase the model’s climate with the observed variability. We will not directly assimilate any observation for the carbon cycle allowing instead both land and ocean biogeochemical models to evolve following the physical constraints of the ocean and atmospheric forcings. We will let the model’s climate adjust to the observations for over two decades (1958-1980) and then consider initial conditions for retrospective near-term predictions.

The reconstructed fields are used as a compromise between the inherently biased model solution and the observed state of climate and carbon cycle. We will test several options for producing the reconstructed fields by varying, for example, the weight of the nudging towards observations. This will translate in several possible solutions for the initialization of the retrospective predictions that we will assess against the new observation products elaborated in WP1 (air-sea CO<sub>2</sub> fluxes, ocean interior C distribution, terrestrial water storage, evapotranspiration, land-atmosphere CO<sub>2</sub> fluxes, see Table 1.1) to compute metrics that will allow highlighting strengths and weaknesses of our reconstructed carbon cycle. Such systematic multi-model exploration of initialization techniques has never been attempted before and will represent a milestone in the establishment of an organized community focusing on near-term predictions of global carbon cycle.

c) *To quantify the predictability of the carbon cycle and climate systems.* We will perform ESM-based decadal retrospective predictions using the initial conditions that best approximate observations among those tested (see point (b) above). At this stage, we will use both CO<sub>2</sub> concentration-driven and newly developed CO<sub>2</sub> emission-driven simulations. The latter will enable us to simulate prognostic atmospheric CO<sub>2</sub> concentrations along with the evolution of land and ocean carbon sinks, therefore accounting for emerging climate-carbon feedbacks and the climate response all together. Retrospective predictions will be bias-corrected following procedures that have been tested and investigated over the past decade in the context of seasonal-to-decadal climate predictability<sup>105</sup>. Our retrospective predictions will be performed every year for the period overlapping the availability of the observation-based products from WP1 (1981-present, See Table 1.1 and Figure 5) to allow for a more meaningful statistical reliability of results, drift treatments, skill assessment, as well as predictive skill assessment.

The predictive skill of the carbon cycle variables, analogous to the physical climate variables, is not geographically uniform. Moreover, predictive skill is decaying with time, being strongest over the first few years during which the effect of initialization is stronger. Therefore, we will particularly target prediction years 1 to 5 and will identify regions with highest prediction skill. For the first time there will be an extensive assessment of the impact of different approaches regarding initialization, ensemble generation, and model architecture across the three ESMs on the prediction skill of the carbon sinks. Of particular interest here is to establish the prediction skill of the ocean and land carbon compartments and test their coherence in a multi-model context. We will also assess the sources and time scales of predictability of the global carbon cycle in the three different prediction systems. The skill assessment for our retrospective decadal predictions will focus on the new observation-based products from WP1 (air-sea and air-land CO<sub>2</sub> fluxes; see Table 1.1),

on observations of atmospheric CO<sub>2</sub> in the case of CO<sub>2</sub> emission-driven predictions as well as on climate variables (e.g. surface temperature). It is also useful to assess the prediction skill against the reconstructions (based on the nudged simulation of the ESMs, see above point b). Thereby we will identify potential effects on the prediction skill of data gaps in observational products and gain confidence in our understanding of the time-scales of predictability of the climate-carbon system.

With the new knowledge acquired on the mechanisms responsible for the climate-carbon system predictability and with the improved predictive systems developed during CCiCC we will attempt to forecast the future near-term evolution of atmospheric CO<sub>2</sub> over the stocktake period using for the first time ever emission-driven ESMs for decadal predictions. These will be performed assuming CO<sub>2</sub> emissions follow NDC ambitions while non-CO<sub>2</sub> emissions will be prescribed according to the sustainability narrative SSP1<sup>99</sup>. These predictions will be compared to “baseline” decadal predictions that use SSP2-4.5 CO<sub>2</sub> emissions and non-CO<sub>2</sub> prescribed concentrations, allowing us to assess the skills to detect and attribute changes in atmospheric CO<sub>2</sub> and climate response due the implementation of the UNFCCC NDCs.

As an absolute novelty, CCiCC will represent the first step towards establishing a semi-operational system for predictions of atmospheric CO<sub>2</sub> growth rate for the next year, along with estimates of consistent land and ocean carbon sinks, allowing for near real-time evaluation of the predictive skill of our carbon cycle forecast system. This prediction/evaluation will be repeated the last 3 years of the CCiCC project.




Figure 5. Idealized representation of simulations in WP2. A data-assimilation (i.e. reconstruction) run (red line) is initialized from year 1958 of an historical simulation (black line). The reconstruction requires a period of adjustment to digest the data-assimilation and synchronize its climate to the observed. After this, an ensemble of retrospective predictions is initialized every year from 1981, from the reconstruction run (blue lines, only three start dates are shown). Future predictions are initialized from the last year of the reconstruction and repeated 3 times over the course of the project (green lines).

### 1.4.3 Reducing uncertainties in climate projections over the 21<sup>st</sup> century

**By the end of the project, CCiCC has the ambition to reduce the current uncertainty in TCRE by a factor of two.**

CCiCC has the ambition to significantly reduce the uncertainty in ESM projections and in particular to provide best estimates of TCRE and the related remaining carbon budget consistent with climate targets. The IPCC AR5 likely range of TCRE (0.8°C to 2.5°C warming for 1000 GtC) is so large that it severely limits its relevance for policymakers (see Figure 3). In striking contrast with equilibrium climate sensitivity (ECS), which has not shown significant progress in reducing uncertainty over the last 50 years<sup>106</sup>, we expect to deliver major advances in reducing uncertainty in carbon cycle feedbacks over the period of the CCiCC project. The crucial difference is that TCRE depends on the Transient Climate Response (TCR) and the

airborne CO<sub>2</sub> fraction, both of which being constrained by observations, in contrast to the multi-century adjustments that largely determine the ECS<sup>107</sup>.

CCiCC will use two methods to improve our confidence in climate and carbon projections.

First we will develop new emergent constraints on climate-carbon cycle feedbacks, making use of the large set of observations gathered in the project. The emergent constraint framework uses an ensemble of Earth system models to estimate the relationship between a modelled but observable variation in the climate system and a predicted future change. By combining the model derived emergent relationship with the observed variations and their uncertainty estimates, an emergent constraint on the predicted future change can be produced<sup>108</sup>. Building on our previous work<sup>109-111,35</sup>, we will further develop new emergent constraints on carbon processes using new observations (e.g. xCO<sub>2</sub>, SIF, terrestrial water storage, CFCs, SF<sub>6</sub>, etc.). We will also develop emergent constraints on new processes included in CMIP6+ ESMs. For example, we will explore the potential for emergent constraints on future carbon release from fire, using the observed biomass burning interannual variability<sup>76</sup> and historical trend<sup>112</sup>, and on permafrost carbon loss using the observed spatial distribution of permafrost and observed carbon storage<sup>109</sup>. These estimates will be particularly important for scenarios compatible to 1.5 and 2°C where the remaining carbon budget is very limited.

Second, we will use our large set of carbon cycle and related observations (e.g. water and energy cycle) to assess the CMIP6 ESMs skills at simulating the observational record. For constraining the simulated land carbon uptake, we will employ C-cycle benchmarking with the ESMValTool, including recent satellite-based estimates and reconstructions of global terrestrial water storage<sup>34</sup>, evapotranspiration<sup>111</sup>, SIF and other proxies for GPP, satellite and in situ atmospheric CO<sub>2</sub> measurements, as well as observational constraints related to nutrient limitation, wildfires, such as burned area<sup>47</sup> and permafrost processes<sup>74</sup>. For constraining the ocean carbon uptake, we will use observations of air-sea CO<sub>2</sub><sup>24</sup>, ocean interior carbon<sup>39</sup> and tracers (CFC-11, CFC-12, SF<sub>6</sub>) measurements, the seasonal cycle of the surface ocean carbon systems. In CCiCC, we will combine these skills with newly developed emergent constraints to further weight CMIP6 model projections, reducing uncertainty on future atmospheric CO<sub>2</sub>, carbon sinks (and associated impacts), and climate projections.

CCiCC will also develop new adaptive climate scenarios tailored to adequately support the Paris Agreement ultimate goal to limit warming to 1.5 to 2°C. These adaptive simulations, combined with CCiCC model skills assessments and new emergent constraints, will provide the optimum remaining carbon emissions consistent with the ambitions of the Paris Agreement.

#### *a) TCRE and carbon budgets in the context of the Paris Agreement*

One source of uncertainty in AR5 estimates of TCRE was the use of different methods to estimate it, involving either observations (with multiple uncertain forcings) or ESMs forced with 1%/per year increasing CO<sub>2</sub> and diagnosed emissions (in which forcing is known, but not clearly relevant to ambitious mitigation). Since AR5, further work has emerged documenting the scenario-dependence of the TCRE<sup>113,114</sup>, but uncertainties arising from very high cumulative emissions or long adjustment timescales are not necessarily relevant to limiting warming to well below 2°C in the second half of this century. Under CCiCC, we will focus on quantifying uncertainties in TCRE that are directly relevant to ambitious mitigation pathways by diagnosing it directly using ESMs from these scenarios in CMIP6. TCRE can be diagnosed from a multi-gas emission scenario using CO<sub>2</sub>-forcing-equivalent (CO<sub>2</sub>-fe) emissions. This is an old concept<sup>115</sup> whose effectiveness (and considerable advantages over the more widely-used CO<sub>2</sub>-equivalent emissions) for the analysis of ambitious mitigation scenarios was recently demonstrated<sup>37</sup>, allowing the concept of TCRE to be applied directly to multi-gas scenarios. CO<sub>2</sub>-fe emissions will be diagnosed from CMIP6 integrations, using the native CMIP6 carbon cycle models (diagnosing CO<sub>2</sub>-fe emissions requires expressing total anthropogenic as an equivalent concentration of CO<sub>2</sub> and then inverting the model's carbon cycle to diagnose the emissions required to generate this forcing as if it were entirely of CO<sub>2</sub> origin). A hypothesis that we will test is that the fractional uncertainties in the CO<sub>2</sub>-fe emissions budgets consistent with 1.5°C or 2°C of warming diagnosed in this way is lower than that those implied by of the full range of estimates of TCRE estimated from multiple methods and scenarios. If this hypothesis proves correct, we will argue that this lower range of uncertainty is more relevant to carbon budgets for ambitious mitigation than the TCRE defined as in AR5.

#### *b) Weighting models for more robust projections*

The reliability of projections from a large ensemble of models might be improved if models are weighted according to some measure of skill, or if only subsets of models are considered<sup>116</sup>. This process includes the development of techniques for the generation of probabilistic predictions by statistical processing of

ensemble integrations. The easiest approach to multi-model combination is to assign the same weight to each model. In this case, the spread between equally forced models at longer projection time scales is related to the total model uncertainty; however, this spread does not reflect systematic biases in the models. Alternatively, different weights are assigned to the individual models, with weights reflecting the respective skills or the confidence we put into them. The underlying assumption is that the reliability of a large ensemble can be improved giving greater weights to ‘better performing’ models. So far there is no consensus on what is the best method of combining the output of several climate models, thus none of these methods has yet won widespread acceptance. In WP3 we will compare projections from the un-weighted multi-model ensemble to different weighting schemes and test the robustness of weighting approaches considering both model performance and interdependence<sup>117,118</sup> while fully exploiting observations from WP1 and considering their uncertainties.

*c) Adaptive scenarios to meet the Paris Agreement ambition*

CCiCC will develop new climate scenarios tailored to support the Paris Agreement ultimate goal to limit warming to 1.5 to 2°C. AR5 or CMIP6 scenarios are not ideal to support to UNFCCC as they prescribe greenhouse gases emissions (or concentrations) at the outset, independent of the climate response. Hence, a model with a large TCRE would likely exceed the climate target while a model with a low TCRE would likely remain below, implying that it would have allowed slightly larger emissions. CCiCC will develop new adaptive scenarios where the anthropogenic emissions prescribed to the ESM are revised every 5 years, depending on the remaining warming before meeting a climate target, mimicking the periodic stocktake process. These adaptive simulations, combined with CCiCC models’ skills assessments and new emergent constraints, will constrain remaining carbon emissions consistent with the ambitions of the Paris Agreement.

**1.4.4 Improved process understanding and representation in ESMs**

**CCiCC has the ambition to significantly improve our understanding of land and ocean processes controlling the evolution of atmospheric CO<sub>2</sub> over the historical record, assessing their predictability in the near-term and their control on long-term projections via their interaction with the climate system.** Over the course of the 4 years of the project, CCiCC will consolidate the recent process-level developments in ESMS, and will be repeated on an annual basis, the sequence of (a) historical simulations, (b) confrontation against a growing set of observational constraints, (c) improved understanding of dominant processes at different time-scales, and d) further developments and parameterisations of carbon components in ESMs. This constant benchmarking against reality will force model developers to reassess their model’s skill continuously during the CCiCC project. This virtuous circle can only benefit our understanding of the key biogeochemical feedback processes in ESMs, improving our confidence in near-term predictions and long-term projections and their relevance for policymakers.

Likewise, CCiCC will attempt to predict the atmospheric CO<sub>2</sub> and carbon sinks for the coming year, using the first year of our decadal predictions. This will allow us to test in near-real time our capability to anticipate natural variability of the climate-carbon cycle system. Similarly to weather and seasonal forecasts, the systematic confrontation in near real time of model prediction to actual observations can only help improving processes representations and our predictability skills on annual to decadal time scales.

**1.4.5 Communicating our results to a broader audience, including policymakers and the larger public.**

**CCiCC aims to synthesise, and disseminate its scientific findings to foster a broader understanding of climate-carbon interactions and accurate interpretation in support of scientific assessments and policymaking.** In addition to the standard scientific dissemination of results (scientific publications and conferences) there is a pressing need for a wider contextualisation of the research findings to support scientific assessments such as IPCC, IPBES and the Global Carbon Budget. CCiCC will develop, use and promote ScienceBrief, an innovative ICT platform, unique of its kind, that helps scientists and people interested in science to keep up with rapidly-emerging scientific findings. ScienceBrief allows the scientific community to post and interpret new publications that support or contradict the current consensus (e.g., as defined by IPCC Assessment Reports). ScienceBrief Carbon Cycle is the first pilot of ScienceBrief, championed by CCiCC investigators with the active contribution as Editorial Board members from five lead authors of the IPCC AR6 (<https://sciencebrief.org/topics/carbon>). It will be launched in late 2018. We will use ScienceBrief to support the integration of CCiCC results with existing science, to help identify knowledge gaps, emerging consensus and new controversies, and to guide timely research.

As well as ScienceBrief, as explained in more details in section 2 –Impact–, during the entire lifetime of the project a range of actions and tools are envisaged with the goal of enhancing knowledge transfer targeting different audiences and positioning the project and its partners as Subject Matter Experts of reference in the topic. Emerging scientific consensus will be translated into usable formats for policymakers (e.g., fact sheets explaining main findings, carbon outlooks, ad hoc events and a policy brief) and into easy-to-grasp information for the larger-audience (e.g., communication content for platforms, animated infographic, explorable explanations, posters) with particular attention to the visualization of the quantitative content.

The ultimate goal of the communication and dissemination activities is to ensure the long-lasting impact of the project on society by creating usable knowledge and enhancing the interactions between scientists and stakeholders, which will help build trust and usage of the results.

A key output of CCiCC is to contribute to the Global Stocktake process of the UNFCCC. In addition to our contributions to AR6, this will involve holding side-events at the UNFCCC annual COP and SBSTA meetings. The Global Carbon Project has a well-established track record of well-attended and high profile events on which we can build, providing opportunities to discuss with both Parties and Observers how emerging science on the carbon cycle can best contribute to the stocktake.

## 2 Impact

### 2.1 Expected impacts

CCiCC will contribute to the four key impacts mentioned in the topic:

- supporting major international scientific assessments such as the IPCC;
- increase confidence in climate change projections;
- providing added-value to decision and policymakers; and
- sustaining Europe's leadership in climate science.

#### 2.1.1 *Support major international scientific assessments such as the IPCC*

*a) Development of appropriate support:* CCiCC partners have extensive experience in assessment reports, particularly the IPCC, and are aware of many of the challenges in performing assessments. A growing challenge is processing and assessing the expanding scientific literature, including literature that may emerge during the IPCC writing and review process. To concretely address this challenge, CCiCC will further develop the tool ScienceBrief in WP4 to prepare the project outputs, and associated literature, for scientific assessment. ScienceBrief links emerging literature to key assessment findings (key statements) to determine whether the literature supports, modifies or refutes a statement, and over time builds a case for improving key statements. This provides a practical tool for IPCC authors and reviewers. The further development of this tool will ensure that CCiCC can feed smoothly and directly into the IPCC AR6, a crucial factor given the strict AR6 timelines relative to the project timeline. Post-AR6, and for other relevant scientific assessments, ScienceBrief will provide a solid foundation from which to start the assessments.

*b) Involvement in IPCC:* The extensive experience and involvement of CCiCC partners in IPCC assessments will be important to support international scientific assessments. Previous experience helps to inform what information is needed to undertake assessments, while the current involvement ensures direct input into the assessment process. Both points are crucial to ensure input into AR6, with the literature deadline early in the CCiCC timeline. CCiCC involvement in IPCC assessments (as coordinating or lead authors) is as follows:

- Previous: IPCC SAR (Joos); IPCC TAR (Joos, LeQuéré); IPCC AR4 (Ciais, Cox, Friedlingstein, Le Quéré, Joos); IPCC AR5 (Bopp, Brovkin, Ciais, Cox, Eyring, Friedlingstein, Le Quéré, Doblas-Reyes); SREX (Seneviratne).
- IPCC AR6: the CCiCC consortium contributes 12 scientists in all three working groups and all special reports: WG1 (Brovkin, Cox, Eyring, Seneviratne, Zaehle, Doblas-Reyes), WG2 (Bopp), WG3 (Peters), SR1.5 (Allen, Seneviratne), SROCC (Frölicher, Gruber); SRCCL (Davin).

*c) Involvement in International Scientific bodies:* The high international standing of the CCiCC consortium will ensure our work is communicated across the main international science bodies closely tied to international assessments, contributing to on-going research, as well as engendering new studies. CCiCC partners include the chair of the WCRP/CMIP Panel (Eyring), co-chair of the WCRP/ Modelling Advisory Council (Doblas-Reyes), co-chair of Future Earth/AIMES (Brovkin), chairs of the WCRP/Grand Challenges ‘Carbon feedbacks in the climate System’ (Friedlingstein and Ilyina) and ‘Weather and climate extremes’ (Seneviratne), incoming member of the WCRP Joint Scientific Committee (Friedlingstein) and members of



WCRP Working Group on Coupled Modelling (WGCM) (Eyring, Friedlingstein). Moreover, CCiCC counts SSC members of key CMIP6-Endorsed Model Intercomparison Projects: ScenarioMIP (Eyring, Friedlingstein), AerChemMIP (Eyring), C<sup>4</sup>MIP (Friedlingstein, Bopp, Brovkin, Ilyina, Zaehle), LUMIP (Brovkin, Seneviratne), LS3MIP (Seneviratne), DCP (Doblas-Reyes) and OMIP (Bopp, Ilyina). CCiCC also includes former chairs and members of GCP (Le Quéré, Ciais, Friedlingstein, Peters), and the leadership team of the GCP Global Carbon Budget (Le Quéré, Peters, Friedlingstein, Sitch, Ciais).

### ***2.1.2 Increase confidence in climate change predictions and projections***

Climate projections assessed in IPCC AR5 had large uncertainty on carbon cycle feedbacks, in part due to the lack of observational constraints, leading to unconstrained climate-carbon feedbacks and an unacceptably broad range in policy relevant indicators such as the TCRE and remaining carbon budgets. CCiCC will aim to reduce these uncertainties, by confronting ESMs with novel observations over the last 60 years, with a focus on the recent past where observations are stronger. By focusing on short- to medium-term projects (1-10 years), the predictive skill of ESMs can be assessed, and future projections improved by emerging constraints and weighting. The ESMs used in CCiCC will include processes not fully included at the time of CMIP6 simulations, such as nitrogen and phosphorous limitation on land, permafrost carbon on land, high resolution physical transport in the ocean, and explicit upper trophic and bacterial degradation as well as variable stoichiometry in marine ecosystems, all potentially controlling the strength of carbon cycle feedbacks. The early stages of CCiCC will feed into improved understanding for AR6, but CCiCC will lay the foundations for the next generation of ESMs feeding into AR7 and informing the Paris Agreement's Global Stocktake process.

CCiCC will also produce and update new adaptive scenarios where emission pathways are revised every five years to be consistent with recent warming trends. The regularity is designed to link to the Paris Agreement's Global Stocktake process, and the methodology ensures that policy relevant indicators (e.g., required rates of mitigation, remaining carbon budgets) are consistent with the latest evolution and understanding of the climate system.

### ***2.1.3 Providing added-value to decision and policymakers***

CCiCC will provide added-value to decision and policymakers in two key ways. First, through improved science that feeds into the policy process (section 2.1.2 above), and second, through enhanced knowledge transfer. The enhanced knowledge transfer is managed in WP4 and covers 1) scientists, 2) decision and policymakers, and 3) the broader public. T4.2 of WP4 is specifically focussed on adding value to decision and policymakers. Our approach in T4.2 is to translate existing and the new knowledge (from CCiCC, but also other projects) into a language that facilitates an effective dialogue with decision and policymakers. Several tools will be used to achieve an effective dialogue. We will initially prepare decision and policymakers for the information to come by providing fact sheets on the core concepts to be investigated in CCiCC. Building on this, CCiCC findings will be translated into usable formats (e.g., executive summaries, policy brief), which also put the findings in context with other emerging literature. These targeted contents will be communicated in several formats (text, info-graphics, etc.). In addition, carbon outlooks will build on the annual release of the Global Carbon Budget to present annual and decadal forecasts developed in CCiCC. To ensure that fact sheets, executive summaries, and the chosen format is relevant, we will maintain close dialogue with decision and policymakers through our extensive networks to ensure interaction with scientists and allowing for bi-directional exchange of ideas.

### ***2.1.4 Sustain Europe's leadership in climate science***

CCiCC will include the main European climate modelling groups and the leading European groups on carbon cycle science. CCiCC will uniquely secure Europe's leadership in Earth System science by developing new observation-based constraints on carbon fluxes, building and using next generation ESMs developed in Europe. These ESMs with augmented representation of biogeochemical processes will provide an improved understanding of the carbon cycle and climate interactions for the contemporary, near-term predictions and long-term projections. CCiCC will also secure European leadership, developing the unique capability to perform near-term predictions from prescribed CO<sub>2</sub> emissions, and long-term projections following adaptive scenarios. CCiCC also has a near balanced mix of research institute and university based partners, training PhD students and postdoctoral level young scientists, thereby nurturing the next generation of European climate scientists.

## 2.2 Measures to maximise impact

Dissemination and exploitation activities are of high importance both during the project – to create visibility, influence and raise awareness within the stakeholder communities – as well as legacy after the project – to utilise the project results, find ways to further continue and advance the related research and pave the way for future exploitation of the project’s achievements. Our dissemination activities target a wide audience, with a strong focus on scientists (e.g., assessments), policy and decision makers, and the broader range of other interested audiences. The measures to maximize impact aim to:

- Enhance the uptake of CCiCC science in international reports
- Maintain the contribution of high quality EU science to this field
- Position the ScienceBrief platform among trusted science-based evidence providers
- Engage in trusted science-based evidence discussions with decision- and policy-makers
- Foster mutual learning between policymakers and scientists.

The dissemination, exploitation, and communication strategies are briefly discussed in this section as three distinct but complementary approaches:

The **dissemination strategy** aims to position the scientific results, tools and knowledge from the project to be usable by a range of stakeholders within science and society contributing to the development of relevant national, European, and International policies.

The **exploitation strategy** aims to provide a framework, so the scientific results produced within the project have continuity after the end of the project funding period.

The **communication strategy** aims to raise awareness, create visibility and support dissemination and exploitation by providing a strong visual identity, media tools and channels, as well as fostering linkages with other projects and programmes.

### 2.2.1 Dissemination and exploitation of results

The CCiCC team has extensive experience in interacting with high-level decision and policy makers, particularly building on the annual high-profile releases of the Global Carbon Budget and wide-ranging involvement in the IPCC process (see section 2.1.1). Interactions have been at the scientific level (e.g. IPCC), negotiations level (e.g. UNFCCC, SBSTA), with national policy makers (e.g. government ministries and departments), and with journalists. The dissemination, exploitation and communication strategies are coordinated through WP4, and are led by highly-experienced organizations with extensive experience in policy and decision makers’ engagement and dissemination: BSC (WP4 lead), CICERO (WP4 deputy lead), UEA (WP1 lead), UNEXE (coordinator) and UOXF. These institutions will be supported by the contribution of relevant partners to foster linkages with the scientific-driven WPs.

#### **Dissemination**

A range of dissemination tools will be used and will be tailored to the needs of the various stakeholders and audiences relevant for the project.

The identified actions for dissemination of the project’s results are the following:

- **CCiCC workshop for fast-track support to IPCC AR6:** This workshop will be organised with CCiCC’s IPCC lead authors to facilitate consultation with CCiCC researchers on how to address the issues raised on the ongoing draft and identify key issues for Post-AR6 assessments.
- **ScienceBrief platform:** This platform will be improved and used to disseminate scientific outputs from CCiCC -and other scientific activities- for incorporation into international scientific assessments.
- **Fact sheets:** We will present the main concepts to create a knowledge base to better understand the outcomes of CCiCC science.
- **Executive summaries:** We will ensure key project results are communicated in a format appropriate for decision and policymakers by preparing science summaries from relevant deliverables.
- **Carbon outlooks:** These outlooks will be released annually in partnership with the GCP Global Carbon Budget with focus on the forecasts of the full year carbon budget and an assessment of previous year’s forecasts.
- **Side-events for policymakers:** Events will be organised in parallel to major policy gatherings, such as international climate negotiations (e.g., UNFCCC COP and SBSTA side-events).
- **EU policymakers’ workshop:** This event will be organised in Brussels to promote the interaction between scientist and stakeholders.

- **Presentation at conferences, symposia, meetings:** CCiCC partners will attend key climate conferences (e.g. EGU General Assembly (annually), International Carbon Dioxide Conference in 2021) as well as upcoming workshops relevant to CCiCC science (eg. CMIP6 related workshop).
- **Policy brief:** We will present the most relevant results together with an overview of current policies on emissions and a set of policy recommendations towards the end of the project.
- **Publication of papers in high-profile journals:** We will target gold open-access dissemination in journals such as Nature Geoscience, Nature Climate Change, etc. Several partners also have additional institutional practices in place to comply with green open-access requirements, such as via institutional and organisational repositories of published papers (for example, Open Research Exeter, see <https://ore.exeter.ac.uk/repository>).

CCiCC will pro-actively collaborate with other projects and institutions to meet its dissemination objectives. An example will be the close collaboration with the highly successful annual release of the Global Carbon Budget or the synergies with the Global Carbon Atlas to disseminate fact sheets, infographics, etc. Effective coordination and communication with other national, European and international activities will be achieved through partners' involvement in relevant ongoing activities (See Table 2.1) and will build on recent and current EU funded initiatives involving CCiCC partners such as: CRESCENDO, EMBRACE, HELIX, VERIFY, C-CASCADES, EUCP, PRIMAVERA, APPLICATE, CarboChange, GreenCyclesII, etc.

**Table 2.1 Synergies with international committees and steering groups.**

Partner	International Project / International Committees
Friedlingstein (UNEXE)	Co-chair CMIP6/C4MIP, member CMIP6/ScenarioMIP Co-chair WCRP/Grand Challenge on carbon cycle Member of the GCP Global Carbon Budget core team Member WCRP/ Joint Scientific Committee (starting 01/2019) ScienceBrief Carbon Cycle co-Chair
Sitch (UNEXE)	Member of the GCP Global Carbon Budget core team Co- lead of TRENDY international land model intercomparison project
LeQuéré (UEA)	Lead, annual publication of the Global Carbon Budget Co-chair of the GCP Global Carbon Budget core team Ex-officio member, Global Carbon Project Member, UK Committee on Climate Change (advises the UK government) ScienceBrief Director
Bopp (ENS)	Member CMIP6/C4MIP and CMIP6/OMIP, Member IMBeR (Future Earth)
Ilyina (MPG)	Co-chair WCRP/Grand Challenge on carbon cycle Member CMIP6/C4MIP and CMIP6/OMIP
Brovkin (MPG)	Co-chair AIMES
Zaehle (MPG)	Member CMIP6/C4MIP
Seneviratne (ETHZ)	Co-chair CMIP6/LS3MIP, member CMIP6/LUMIP Co-chair WCRP Grand Challenge on Extremes
Doblas-Reyes (BSC)	Co-chair WCRP/WMAC, member CMIP6/DCPP, member EU-ENES HPC task force
Eyring (DLR)	Chair WCRP/CMIP panel Member WCRP/WGCM and Climate model diagnostic and metrics panel Member CMIP6/ScenarioMIP and CMIP6/AerChemMIP Member WCRP/Data Advisory Council's Observations for Model Evaluation
Joos (UBERN)	Member CMIP6/OMIP, PAGES Carbon Peat Working Group, PAGES Ocean Circulation and Carbon Cycling Working Group ScienceBrief Carbon Cycle co-Chair
Peters (CICERO)	Ex GCP SSC, Co-chair of the GCP Global Carbon Budget core team
Allen (UOXF)	Member CLIVAR/International Detection and Attribution Group
Ciais (CEA)	Member of EC Copernicus task force on carbon observing system Member of the GCP Global Carbon Budget core team

***Exploitation of results***

The models and tools created by CCiCC will continue to feed into and enhance European climate change research:

WP1 synthesis of carbon cycle observations can be used to keep evaluating future new developments of ESMs. New methods and metrics developed in WP1 and WP3 will be made available to the whole scientific community through the ESMValTool<sup>1</sup> a community diagnostics and performance tool for the evaluation of Earth System Models. The GCP Global Carbon Budget will be able to use CCiCC methodology to incorporate information derived from other elements (Oxygen and <sup>13</sup>C) to strengthen the reliability of future carbon budget estimates.

WP2 will release decadal predictions of atmospheric CO<sub>2</sub> and carbon sinks which will be delivered in time to inform the global stocktake in 2023 and the following ones after the end of the project. Most importantly, WP2 will also work towards establishing a semi-operational system providing annually next-year predictions of the climate-carbon system. The aim is to actively work during the project to find the appropriate platform to release these predictions also after the project. A possible platform, for instance, would be the multi-model decadal forecast exchange initiative<sup>2</sup> led by the MetOffice.

WP3 will develop new emergent constraints on the biogeochemical cycles also made available to the community via the ESMValTool. Further, WP3 will develop new methodologies and climate simulations following the concept of adaptive scenarios, providing a theoretical framework for climate projections in line with the Paris Agreement ambitions.

WP4 will contribute to promote and position ScienceBrief<sup>3</sup> as a coordinated activity, building consensus around Carbon cycle scientific statements relevant for IPCC post-AR6 assessments. Further, WP4 aims to increase the understanding of the carbon cycle, and its uncertainties, amongst policy and decision makers, and the general public.

CCiCC will build on previous and successful activities such as the mentioned Global Carbon Project, ScienceBrief and ESMValTool. Equally, all the results of CCiCC incorporated to these initiatives will be fully exploited after the end of the project. CCiCC is committed to continue research after the end of the project and to continue the exploitation of the results produced within the project. We also have the ambition to strengthen the CCiCC network to expand the research agenda in climate-carbon cycle interactions resulting in future potential funding opportunities.

***Research Data Management***

The project will generate data including observational products for the global carbon cycle, historical, near term and long-term ESM simulations. We will preserve and make this data available in accordance with the EC's Open Research Data pilot. An open data policy will ensure transparency of data and models generated within CCiCC. The Coordinator will be responsible for the management of the research data throughout the life of the project, supported by the PI from each partner. Individual researchers will be responsible for creating the supporting documentation, which will be written at the time the data is created. Documentation will be regularly checked for accuracy and consistency. Version control will be used. This will include a version control table on the front page of each document produced. Our data standards will ensure that all new data generated by CCiCC is compliant with the data standards established in the community, such as CMOR format. Each partner, using their own data centre, will store the original data locally. A subset of these data will be centralised on the University of Exeter network drive, which provides secure, backed up network storage. Once the project is complete and any IP has been protected, selected data will be archived in the University's Institutional Repository, Open Research Exeter (ORE).

***Personal data and GDPR compliance***

CCiCC will pay special attention to the personal data and will gather explicit consent to collect and manage this information. For internal communication, the personal data of project partners will be needed to ensure the collaboration and normal functioning of the project in all work packages. For the dissemination of the research results, personal data from stakeholders will be used to facilitate user engagement and maximise the dissemination of the project outcomes. We will obtain consent to keep participant contact details, which will be used to invite them to take part in future research or to tell them about the results of the project. Personal

<sup>1</sup> <https://www.esmvaltool.org/>

<sup>2</sup> <https://www.metoffice.gov.uk/research/climate/seasonal-to-decadal/long-range/decadal-multimodel>

<sup>3</sup> <https://sciencebrief.org/>

data might be collected through different types of actions such as: project mailing lists, website contact form, carbon outlooks subscription, online surveys, and e-mail contacts with stakeholders interested in CCiCC events. The personal data managed in this project are only related to professional information (name and surnames, position, institution and contact information). Besides professional information, during the events planned along the project lifetime pictures and videos could be taken, always with the informed consent of the people recorded. Sensitive personal data will not be requested (i.e. membership in a religious or political group, sexual orientation, etc.).

### ***Knowledge management and protection***

CCiCC will follow the guiding principles of Horizon 2020 on Intellectual Property (IP) management. The precise details for how IP will be handled (including details of IP ownership, access rights to any Background and Foreground IP for the execution of the project and the exploitation of results, the protection of intellectual property rights (IPRs) and confidential information etc.) will, as is normal practice, be formulated in the Consortium Agreement. Other important components for the good management of IP rights will be directly handled by WP5 and the technology transfer offices of the partner institutions. This Consortium Agreement will be signed by all partners before the project start date. The management support team (MST) and the General Assembly (GA) will monitor the potential exploitable results of the partners to safeguard timely data, knowledge and information generated in the project will any attached rights including protection of IP.

### **2.2.2 Communication strategy**

Our communication activities aim to increase the visibility of CCiCC project and our external communication strategy will draw on the principles outlined in the H2020 Guidance Document 'Communicating EU research and innovation guidance for project participants'.

Our outline communication plan, below, will be formalised in the Communication, Dissemination and Exploitation Plan (CDEP) to define the goals and objectives of communication and to provide a full framework for the development of communication tasks during the lifetime of the project detailing target audiences, communication tools and channels, key messages and practical information such as branding project style, logo, guide, templates, etc. This plan will be a live document revised and updated at least twice during the project lifetime.

All dissemination and communication activities will be monitored and followed-up to maximize their impact and reported at the end of the project. Table 2.2 presents the initial communication and dissemination plan.

The dissemination actions listed above will be complemented and enhanced by communication channels and tools described here:

- **Project webpage:** A user friendly website with easy navigation will be set up for both public and consortium member's access. The website will be actively maintained during the lifespan of the project. It will give different audiences access to the project's facts and figures, published periodic activity reports, a summary page on progress and achievements and also to downloadable publishable presentations, leaflets and PDF files of journal publications as well as to press releases and other media outputs.
- **Project brochure and leaflets:** These PR materials, both printed and particularly on-line, will be created for the wider, non-specialized scientific community and stakeholders. They will be created and distributed to partner's institutions, EC and at dissemination events. These could eventually include also PDF versions of the policy brief, science summaries, etc.
- **Frequently Asked Questions (FAQ):** On the CCiCC webpage there will be a FAQ board, where an initial set of questions will be posted. Any question arisen during engagement activities will be transformed in a new question in the FAQ page.
- **Web based explorable explanation:** this interactive application will rely strongly in the visualisation of quantitative information and it will serve as supporting material for researchers to present the project to EU officers and other stakeholders. It will have a user-friendly interface and modern appealing graphic design, thus, it should be equally effective for dissemination to the general public as well.
- **Social media tools (Twitter, LinkedIn, YouTube):** Instead of putting resources into specific CCiCC social media accounts, we will build on the existing networks of CCiCC participants and use the hashtag #CCiCC when relevant.
- **Press releases and media tailored material:** Press releases will be written and circulated to relevant media list whenever there is a newsworthy topic. Initially, press releases will be written in English although translated versions (Spanish, French, German) may be created by project's partners to target national media.

Table 2.2 CCiCC communication and dissemination activities by target audiences

Target audience	Activities	Objective	WP. Task
<b>CCiCC consortium</b>	<ul style="list-style-type: none"> <li>• Project portal to share files</li> <li>• E-mail updates/ mailing lists</li> <li>• General Assembly</li> </ul>	<ul style="list-style-type: none"> <li>• Monitoring against work plan</li> <li>• Facilitate internal communication</li> <li>• Share knowledge</li> <li>• Detect and address internal risks</li> <li>• Maximise impact and dissemination</li> </ul>	5.1
<b>Scientific community</b>	<ul style="list-style-type: none"> <li>• Scientific publications</li> <li>• Presentations at conferences</li> </ul>	<ul style="list-style-type: none"> <li>• Share knowledge</li> <li>• Dissemination of scientific outcomes</li> </ul>	4.1
<b>International scientific assessments</b>	<ul style="list-style-type: none"> <li>• Collaboration with IPCC authors</li> <li>• Sciencebrief platform</li> </ul>	<ul style="list-style-type: none"> <li>• Maximise impact and exploitation</li> <li>• Foster maximum societal benefits</li> </ul>	
<b>EU decision and policy makers</b>	<ul style="list-style-type: none"> <li>• Fact sheets, leaflets, executive summaries, policy brief</li> <li>• Carbon outlooks</li> </ul>	<ul style="list-style-type: none"> <li>• Position the project partners as Subject Matter Experts of reference</li> <li>• Share practical implications of the scientific results</li> </ul>	4.2 4.3 4.4
<b>Intergovernmental organisations</b>	<ul style="list-style-type: none"> <li>• Workshops, Presentations at conferences</li> <li>• Web explorable explanation</li> <li>• Face to face meetings</li> </ul>	<ul style="list-style-type: none"> <li>• Maximise impact and exploitation</li> <li>• Foster maximum societal benefits</li> </ul>	
<b>Other Stakeholders</b>	<ul style="list-style-type: none"> <li>• Fact sheet, executive summaries</li> <li>• Carbon outlooks</li> <li>• Web explorable explanation</li> <li>• Social media activity</li> </ul>	<ul style="list-style-type: none"> <li>• Position the project and its partners as Subject Matter Experts of reference</li> <li>• Maximise impact and exploitation</li> <li>• Foster maximum societal benefits</li> </ul>	4.2 4.3 4.4
<b>General public</b>	<ul style="list-style-type: none"> <li>• Fact sheets, Science summaries</li> <li>• Outreach activities</li> <li>• Social media activity</li> <li>• Project website, FAQ</li> <li>• Web explorable explanation</li> </ul>	<ul style="list-style-type: none"> <li>• Ensure visibility of the climate-carbon topic</li> <li>• Ensure the topic is reliably communicated</li> <li>• Share practical implications of the scientific results</li> </ul>	4.3
<b>Media</b>	<ul style="list-style-type: none"> <li>• Press releases</li> <li>• Op-eds and other contents</li> <li>• Direct communication</li> <li>• Social media activity</li> <li>• Fact sheets, Science summaries</li> </ul>	<ul style="list-style-type: none"> <li>• Ensure broad visibility of the project</li> <li>• Position the project partners as Subject Matter Experts of reference for journalists</li> </ul>	4.3 4.4
<b>Other projects and initiatives in the topic</b>	<ul style="list-style-type: none"> <li>• Project website</li> <li>• Leaflet, executive summaries</li> <li>• Workshops, Presentations at conferences</li> <li>• Social media activity</li> </ul>	<ul style="list-style-type: none"> <li>• Promote clustering</li> <li>• Share knowledge</li> <li>• Maximise impact and exploitation</li> <li>• Find synergies with other initiatives to co-organise events and actions</li> </ul>	4.1 4.2 4.4 5.1
<b>EC Project officer and Policy officer</b>	<ul style="list-style-type: none"> <li>• General assembly</li> <li>• Periodic reports</li> <li>• Fact sheets, policy brief, executive summaries</li> <li>• Workshops</li> </ul>	<ul style="list-style-type: none"> <li>• Ensure EC is fully informed of overall project progress</li> </ul>	4.2 4.3 4.4 5.2

### 3 Implementation

#### 3.1 Work plan — Work packages, deliverables

CCiCC is organised in five work packages. WP1 to WP3 are scientific WPs, each addressing one overall scientific objective of CCiCC. WP4 is devoted to synthesis and dissemination of the outcomes of the whole project, while WP5 is devoted to the project management. The choice of having three relatively large science WPs was driven by the wish to ensure efficiency and close interactions between the project partners. Therefore, each work package is divided into a comprehensive set of tasks, with, in most cases, specific subtasks. Each WP involves several partners, has well defined goals, and has clear linkages with the other WPs (see Figure 4, section 1.3, and project Gantt chart below). Given the broad ambition of each WP, we assigned two WP leaders (a WP lead and a deputy lead), each task having a lead partner identified.

**Table 3.1a: List of work packages**

WP No	Work Package Title	Lead Participant No	Lead Participant Short Name	Person-Months	Start Month	End month
1	Understanding the contemporary carbon cycle	2	UEA	275.1	1	48
2	Predicting the carbon cycle and climate for the global stocktake to the horizon of 2030	4	MPG	155	1	48
3	Projecting the required mitigation effort over the 21st century	9	UBERN	250.4	1	48
4	Synthesis, dissemination, and policy dialogue	6	BSC	113.1	1	48
5	Management	1	UNEXE	43	1	48
			Total person-months	836.6		

	WP1					WP2				WP3				WP4				WP5			
	T1.1	T1.2	T1.3	T1.4	T1.5	T2.1	T2.2	T2.3	T2.4	T3.1	T3.2	T3.3	T3.4	T4.1	T4.2	T4.3	T4.4	T5.1	T5.2		
Year 4	48			D1.5					D2.4			D3.4		D4.1			D4.5			48	
	47																				47
	46																				46
	45				D1.4																45
	44																				44
	43																				43
	42			D1.3					D2.3		D3.3										42
	41																				41
	40								M2.4									D4.2			40
	39																	M4.3			39
38																				38	
37			M1.4																	37	
Year 3	36	D1.1	D1.2		M1.5				D2.2		D3.1									36	
	35																				35
	34																				34
	33																				33
	32																				32
	31								M2.3												31
	30										D3.2	M3.3	M3.4								30
	29																				29
	28																				28
	27																				27
26																				26	
25																				25	
Year 2	24		M1.3					D2.1			M3.1			M4.2						24	
	23																				23
	22																				22
	21																				21
	20																				20
	19																				19
	18										M3.2								M5.3		18
	17							M2.1													17
	16							M2.2													16
	15																				15
14																				14	
13																				13	
Year 1	12																		D5.2		12
	11																				11
	10																				10
	9																				9
	8																				8
	7																			D4.4	7
	6																			D4.3	6
	5																			D5.1	5
	4																			M5.2	4
	3																			M5.1	3
2																				2	
1																				1	
	T1.1	T1.2	T1.3	T1.4	T1.5	T2.1	T2.2	T2.3	T2.4	T3.1	T3.2	T3.3	T3.4	T4.1	T4.2	T4.3	T4.4	T5.1	T5.2		
	WP1					WP2				WP3				WP4				WP5			

CCiCC project Gantt chart with WP tasks length (grey cells), timing of deliverables and milestones, and tentative timing of annual meetings (green cells).



Table 3.1b: Work package description

<b>Work package number</b>	1			<b>Lead beneficiary</b>							UEA	
<b>Work package title</b>	<b>Understanding the contemporary carbon cycle</b>											
<b>Participant number</b>	1	2	3	4	5	6	7	8	9	10	11	12
<b>Short name of participant</b>	UNEXE	UEA	ENS	MPG	ETHZ	BSC	DLR	UBREMEN	UBERN	CICERO	UOXF	CEA
<b>Person months per participant</b>	45	43.4	10	46	35	9.5	12	20	25	3	0	26.2
<b>Start month</b>	1			<b>End month</b>			48					

### Objectives

The objective of WP1 is to make a step-change in our quantitative understanding of the carbon cycle over the historical period, and to improve the same models that will be used for near-term predictions and long-term projections of climate-carbon interactions. This will be achieved by developing new methods, using new observations and data products to constrain estimates of the land and ocean carbon fluxes and their variability. These new constraints will be combined with model simulations of the land and ocean carbon sinks over the past 120 years to improve our understanding of underlying processes. We focus particularly on the response of carbon fluxes to anthropogenic CO<sub>2</sub>, seasonal to decadal climate variability, and climatic extremes. Specifically, we will:

- develop new observational-based constraints of the variability and trends of the land and ocean CO<sub>2</sub> sinks and their underlying processes;
- determine the origin and cause(s) of the large and unexplained global carbon budget imbalance (B<sub>IM</sub>) identified through the Global Carbon Budget annual synthesis, and reduce the B<sub>IM</sub> by 50%;
- provide new model simulations over the 1900-present using improved models of the land and ocean carbon cycle, evaluated with new metrics that provide insights into the origin and causes of the B<sub>IM</sub>;
- make a step-change in our quantitative understanding of nutrient limitations, permafrost and wildfires on land, and mesoscale transport, biological export, and internally and externally-induced ocean variability;
- attribute the observed variability in land and ocean CO<sub>2</sub> fluxes to underlying climatic and non-climatic drivers.

### Description of work

#### Work package lead Corinne Le Quéré (UEA), deputy lead Stephen Sitch (UNEXE)

WP1 will provide, and make freely available, new observational constraints on the processes responsible for the trends and variability in the land and ocean CO<sub>2</sub> fluxes, using both observations that integrate land and oceans (T1.1) and observations of specific processes (T1.2) (see Table 1.1). Datasets, along with estimates of uncertainty, from T1.1 and T1.2 will be provided and contribute to the ESMValTool<sup>13</sup>, adding a recommended and agreed set of process-oriented diagnostics and performance metrics to enhance the evaluation of the carbon cycle and its climate interactions (T1.4). WP1 will produce new model simulations for the land and ocean CO<sub>2</sub> fluxes using state-of-the-art models (T1.3), and evaluate these model simulations (T1.4) with available observational constraints from T1.1 and T1.2. T1.3 and T1.4 will be repeated every year of the project, delivering land and ocean C-budget to the GCB annual updates, and incorporating new datasets from T1.1 and T1.2 as they become available, therefore working to improve the GCB annual budget and not just update it, as is currently the case. Annual evaluation (T1.3) includes the land and ocean models from CMIP6 and their new and evolving generation (CMIP6+) that represent additional processes like permafrost, nutrient limitations, wildfires, diffuse light and ozone effects and land cover change; mesoscale circulation and explicit representation bacterial processes, trophic interactions, and variable stoichiometry in the ocean (Table 1.2). Model evaluation will guide further model improvement

and development available for the following year. Finally, factorial simulations will be conducted to identify the climatic and non-climatic drivers for the trends and variability in CO<sub>2</sub> fluxes (T1.3). The attribution analysis T1.5 will be conducted twice, once at the start of the project with the current set of land and ocean models from CMIP6, and again at the end of the project, with the improved and evaluated new generation of carbon cycle models including consolidated new process representations.

**T1.1: New observational constraints on the global carbon cycle (M1-M36)** UEA (lead), ETHZ, UBREMEN, UBERN, CICERO, CEA.

Task 1.1 will develop new observational constraints on the combined global and regional land and ocean CO<sub>2</sub> fluxes to support quantitative understanding. Integrated constraints will provide independent information on the partitioning of land and ocean fluxes, and help determine the origins and causes of the carbon budget imbalance. The first set of constraints will apply the global carbon budget approach to atmospheric oxygen (O<sub>2</sub>) and to carbon isotopes. The second set of constraints will be based on new satellite XCO<sub>2</sub> column retrieval.

**T1.1.1: Global O<sub>2</sub> and Atmospheric Potential Oxygen (APO) Budgets** UEA, CICERO

We propose to establish the atmospheric budget for O<sub>2</sub> and for APO since 1991, when the first O<sub>2</sub> measurements began, to provide additional constraints on the ocean and land responses to climatic drivers on semi-decadal time-scales. We will combine existing and new atmospheric observations of O<sub>2</sub> from multiple stations including continuous measurements to infer the atmospheric O<sub>2</sub> growth rate, and combine this with the CO<sub>2</sub> growth rate to infer the APO growth rate. We will build the global budgets of O<sub>2</sub> and APO consisting of their atmospheric growth rate, the known contribution of fossil combustion, and the residual ocean+land fluxes (for O<sub>2</sub>) and ocean fluxes (for APO). The contribution of fossil combustion will be estimated using the fossil fuel emissions from the Global Carbon Budget<sup>2</sup>, accounting for the different O<sub>2</sub> combustion rates associated with different types of fuel (coal, oil, gas). We will also estimate the O<sub>2</sub> and APO changes driven from land-use change, assuming the O<sub>2</sub>/CO<sub>2</sub> ratio of biospheric exchanges. The uncertainties will be propagated considering uncertainties in all fluxes and ratios, as well as an assessment of the oceanic heat flux to O<sub>2</sub> fluxes and their uncertainties<sup>49</sup> with updated heat flux estimates using Argo floats. We will analyse the resulting trends and variability, including the changes in seasonal duration, considering the uncertainties in all estimates. The resulting observational-based global O<sub>2</sub> and APO fluxes and their uncertainties will be used in T1.4 to evaluate net fluxes from global land and global ocean as simulated by models over multiple time scales, identify the origin of the global carbon budget imbalance (B<sub>IM</sub>) and infer underlying processes where possible.

**T1.1.2: <sup>13</sup>C observations and the global budget of <sup>13</sup>C: independent constraint on carbon sink variability and future projections** UEA, ETHZ, UBERN, CICERO, CEA

We will establish the atmospheric budget of <sup>13</sup>C(CO<sub>2</sub>) over the industrial period and investigate spatial and temporal trends in the seasonal cycle of <sup>13</sup>C and its amplitude, to provide independent constraint on decades-to-century trends in the land and ocean carbon sinks. Isotopic data will be applied together with results from forced isotope-enabled land and ocean model simulations, performed in T1.3 and evaluated in T1.4, in a probabilistic Bayesian Monte Carlo framework<sup>62</sup> to establish the <sup>13</sup>C-based carbon budget. <sup>13</sup>C data from the atmosphere (NOAA/ESRL data), the ocean<sup>51</sup>, tree rings<sup>53</sup>, leaves<sup>54</sup>, and ice cores<sup>52</sup> will be used. The distribution of C<sub>3</sub> and C<sub>4</sub> plants and crops, featuring very different <sup>13</sup>C signatures, will be explicitly considered for <sup>13</sup>C flux computations. Uncertainties will be propagated as in T1.1.1. The compiled <sup>13</sup>C data and its uncertainty will be used in T1.4 for model evaluation.

**T1.1.3: Satellite-based atmospheric CO<sub>2</sub> dataset** UBREMEN.

We will generate satellite-derived column-averaged dry-air CO<sub>2</sub> mole fraction (xCO<sub>2</sub>) data to be used in Task 1.4 for ESM evaluation and Task 3.1 to develop emergent constraints. The product will be monthly and global, at 2 by 2° spatial resolution, but with gaps due to clouds and incomplete sampling of the satellites. It will cover at least the 2003-2017 time-period, and will be extended during the project. It will be based on the merging of an ensemble of existing latest version individual satellite Level 2 products (SCIAMACHY, GOSAT, OCO-2). The data will also contain an estimate of the xCO<sub>2</sub> uncertainty defined as standard error of the average including single sounding noise and potential seasonal and regional biases.

**Task 1.2: New and improved data-based products (M1-M36)**, MPG (lead), ETHZ, CEA.

We will provide new and extended data-based products for ocean and land carbon, to evaluate specific processes in T1.4 and support subsequent model improvement. We will build on statistical and machine learning methods to interpret observations and adapt the resulting observation-based products to the specific

needs to guide and improve process representations in ESMs.

**T1.2.1: Neural Network-based air-sea CO<sub>2</sub> flux** MPG

We will apply a 2-step neural network approach<sup>24</sup> to reconstruct the air-sea CO<sub>2</sub> flux based on the large collections of surface ocean CO<sub>2</sub> measurements from SOCAT<sup>119</sup>. New CO<sub>2</sub> data from the Argo program will also be used to improve data coverage, particularly in the Southern Ocean. This will provide an improved estimate of the mean and seasonal to decadal variability of the ocean carbon sink, to be used for model evaluation in T1.4.2. Additionally, an improved representation of the uncertainty of the air-sea exchange will be provided accounting both for the uncertainty derived from the kinetic gas transfer term (using a variety of gas transfer formulations) and the uncertainty derived from the neural network data interpolation. The latter will be established (a) using a random subsampling or bootstrapping approach, (b) with synthetic data using internally consistent output from an ocean model simulation and (c) using alternative observational data interpolation approaches.

**T1.2.2: Ocean Interior based estimates of the ocean carbon flux and storage** MPG, ETHZ

We will employ the extended multiple linear regression (eMLR(C\*)) method<sup>120</sup> and a newly developed ocean interior interpolation method for dissolved inorganic carbon on the basis of neural networks to estimate the change in the ocean carbon stock over the last few decades using ocean interior observations collected by the GO-SHIP and related programs<sup>39</sup>. This will provide a strong 3-D constraint on the time-integrated ocean CO<sub>2</sub> sink over 1994 through ~2020, to be used for models evaluation (T1.4.2) and process attribution (T1.5.2). To estimate the uncertainties of these estimates, we will use an ensemble approach, where the uncertainty associated with the choices that one needs to make to build a statistical model is determined through defining a set of plausible assumptions/parameter values and then creating an ensemble of estimates from this set. We will also use classical error propagation methods and Monte Carlo techniques. The typical uncertainty associated with these different products is around ±20%.

**T1.2.3: Observation-based land water fluxes** ETHZ

We will develop observation-based estimates of land water fluxes and water storage, which will be used as validation constraints for land carbon exchanges, as these are strongly tied to plant transpiration and soil water stress. Land water mass estimates are available from GRACE from 2002<sup>41</sup>, with a statistical extension available for the whole 20<sup>th</sup> century<sup>42</sup>. In addition, we will also use compiled observational datasets of evapotranspiration<sup>43</sup>. Similar to the reconstruction of air-sea CO<sub>2</sub> fluxes, the land water products will also include their spatio-temporal uncertainty estimates. The derived land water and evapotranspiration datasets will be used for the evaluation of land carbon-water interaction (T1.4.2), particularly on interannual to decadal time scales, for attribution of drivers (T1.5.2), as well as for new emergent constraints in WP3.

**T1.2.4: New constraint on land gross carbon uptake from atmospheric COS and plant fluorescence observations** CEA

We will develop a new framework to evaluate GPP of the land carbon models, which will support a better quantitative understanding of the processes responsible for CO<sub>2</sub> variability on land. Recent measurements of atmospheric COS, combined with existing atmospheric CO<sub>2</sub> measurements, provide new large-scale (i.e. continental) and seasonal constraints on GPP<sup>46</sup>, while ice core COS data provide further constraints on the 20<sup>th</sup> century GPP enhancement<sup>121</sup>. Additionally, SIF data from satellite observations (OCO-2 and GOME2) bring complementary constraint at finer spatial and temporal scales<sup>45</sup>. Uncertainty associated to the COS diagnostic will make use of different estimates of the 'leaf relative uptake' of COS versus CO<sub>2</sub>, a critical parameter in the COS budget. For SIF, we will use the range of the different satellite products as a measure of the uncertainty. We will combine these two constraints, and provide a new framework to evaluate the GPP simulated by the ensemble of CCiCC land models (T1.4.2).

**T1.2.5: Machine-learning based forest net CO<sub>2</sub> flux data** CEA

We will develop observation-based estimates of forest net CO<sub>2</sub> flux (NBP) based on machine learning algorithms applied to flux towers including climate, remote sensing, GPP and a global age distribution of forests accounting for land management. This product will provide a new observation based estimate of the forest NBP and its spatial distribution. The spatial patterns of forest NBP will be provided as an average over the last decade at 0.5 by 0.5° spatial resolution, including uncertainty in the training dataset from FLUXNET sites and the up-scaling method, using different climate and FLUXNET based GPP products<sup>44</sup>. Uncertainties on decadal mean NBP will be estimated by using a leave one out cross validation procedure for the training dataset of eddy covariance<sup>44</sup>. This new product will be used in T1.4.2 for evaluation of the simulated land C sink. In addition, Vegetation Optical Depth (VOD) data from the SMOS mission in the L-band will be provided as calibrated above-ground biomass (AGB) maps for the period of 2010 to 2018 for

evaluation of simulated biomass (T1.4.2). Random uncertainties will be estimated from the standard deviation from different reference calibration maps of above ground biomass (AGB) used to convert L-VOD into AGB.

**Task 1.3. Simulating the global carbon cycle from 1900 to 2020** (M9-M42) ETHZ (Lead), UNEXE, UEA, ENS, MPG, BSC, UBERN, CEA

In T1.3, a series of model simulations will be performed using the latest CMIP6+ model improvements and forcing on an annual basis. This includes historical simulations with the land and ocean carbon models, forced by the observed atmospheric conditions of the 120 years. The uncertainty associated with the atmospheric forcing will be investigated by using different reconstructions of the atmospheric state. T1.3 includes also historical simulations with the CCiCC ESMs in emission-driven mode. The results from all simulations will be carefully evaluated in T1.4 using the constraints from T1.1 and T1.2. Also a set of factorial historical experiments will be conducted, where different forcings (e.g., atmospheric CO<sub>2</sub>, nitrogen deposition, climate change) are selectively turned on or off, forming the basis for attribution of processes driving the land and ocean carbon sinks in T1.5.

**T1.3.1: Historical simulations of the land carbon cycle** UNEXE, MPG, BSC, UBERN, CEA

The land carbon models will be forced over the period 1700-2020, with historical observed atmospheric CO<sub>2</sub> from a global network of monitoring stations, changing climatology (6-hourly JRA model reanalysis aligned with CRU observation-based monthly climatology from 1900), land-use and land cover changes (LUH2 as used in CMIP6), and derived nitrogen deposition, fertiliser and manure application, following the TRENDY protocol<sup>122</sup>. At least one model will explore C-cycle uncertainty associated with applying alternative historical climate forcing (e.g. using precipitations from WFDEI), and the impact of diffuse light effects (e.g. Mt Pinatubo eruption), on the unexplained carbon budget imbalance (B<sub>IM</sub>) in T1.4. The following land carbon models (with host ESM in parenthesis) will participate using their CMIP6+ configuration (see Table 1.2): JULES, ORCHIDEE (IPSL-ESM), LPX (BERN3D-LPX), LPJ-GUESS (EC-Earth ESM), JSBACH (MPI-ESM). ORCHIDEE and LPX-BERN also include the modelling of <sup>13</sup>C for the land atmosphere fluxes. Multiple single-forcing simulations will be made for the attribution analysis in T1.5. Single forcing variables include, atmospheric CO<sub>2</sub>, land-use change, nitrogen (deposition, fertiliser, manure application) and climate (trends, variability and extremes).

**T1.3.2: Historical simulations of the ocean carbon cycle** UEA, ENS, MPG, ETHZ, BSC

The ocean models will follow the CMIP6 OMIP protocol and be forced by variable winds and buoyancy fluxes (heat and water fluxes) from reanalysis data, and with prescribed atmospheric CO<sub>2</sub>. At least one ocean model will be used in a high-resolution, eddy-permitting configuration, for a shorter 30-year simulation, with a physical transport model that represents the mesoscale eddy response explicitly. The following ocean models (with host ESM in parenthesis) will participate using their CMIP6+ configuration (see Table 1.2): NEMO-PlankTOM10 at two resolutions, PISCES (IPSL ESM), HAMOCC (MPI-ESM), POP2 (NCAR-CESM2), TOPAZ (GFDL-ESM), PISCES (EC-Earth). The simulations will be initialised from fully spun-up pre-industrial state, except for the high-resolution NEMO-PlankTOM10 which will be initialised from observations<sup>64</sup>. Internally and externally-induced variability will be assessed by: (1) using the NEMO-PlankTOM10 (low-resolution) and POP2 (NCAR-CESM2) to test externally-forced variability using multiple forcing reanalysis products including CORE2 and JRA and sea-ice-driven freshwater forcing, and (2) using the NEMO-PlankTOM10 (low-resolution) to quantify variability triggered by internal conditions by using different initial conditions based on observations, including inorganic carbon using ocean interior carbon observations from T1.2.2. In addition to the standard historical simulations, all groups will run factorial single-forcing simulations for the attribution analysis in T1.5. Single forcing variables include climate, winds, atmospheric CO<sub>2</sub>.

**T1.3.3: Historical simulations of the Earth's carbon cycle with ESMs** ENS, MPG, BSC, UBERN, CEA

The ESM simulations will follow the CMIP6 historical protocol<sup>123</sup> with prescribed CO<sub>2</sub> emissions from fossil fuel combustion, land-cover changes, and the other radiatively active constituents as prescribed for CMIP6. The following CMIP6+ ESMs will conduct these simulations: IPSL-ESM, EC-Earth ESM, MPI-ESM, GFDL ESM2M and NCAR CESM2. The NCAR CESM2.0 and IPSL-ESM models include the cycling of <sup>13</sup>C. These simulations will be evaluated in T1.4, but also serve as initial conditions for future scenario simulations in T3.4

**Task 1.4. Model evaluation** (M13-M48) CEA (lead), UNEXE, UEA, MPG, ETHZ, DLR, UBERN

Land and ocean model simulations will be evaluated using both established observations and benchmarking methods used for coupled models in ESMValTool<sup>124</sup> (land, ocean and atmosphere evaluation), as well as the

new observations and data-driven products, proposed in T1.1 and T1.2. We will perform a comprehensive evaluation of simulations described in T1.3, for forced land and ocean carbon models (T1.3.1, T1.3.2) and CMIP6+ ESMs (T1.3.3), to evaluate model performance, to improve process understanding, and guide model improvement. We will assess models in reproducing regional to global trends in the carbon sink (including improvements compared to published versions<sup>2</sup>), the response to internal climate variability and climate extremes (e.g. ENSO, volcanic eruptions etc.) and compare CMIP6, and CMIP6+ model versions. From these evaluations, specific recommendations for model improvements and potentially also observational strategies will be derived.

**T1.4.1: Land/Ocean model evaluation using established observations and benchmarks** UNEXE, ENS, MPG, CEA

Existing evaluation packages will be used to get a first order evaluation of all participating land and ocean models. A key objective is to assess skills of CMIP6 vs the latest CMIP6+ model versions, and to identify model deficiencies. Key model parameters will be revised to improve model skill along the 4 years of the project. The observations already included in the evaluation packages include site level and grid-based data-driven estimates of LAI, evapotranspiration, GPP as well as above ground biomass, soil carbon stocks, ocean CO<sub>2</sub> concentration (pCO<sub>2</sub>), and ocean chlorophyll concentration and derived productivity. We will also use atmospheric inversions of NBP combined with observed climate variability to constraint the seasonal and interannual climate sensitivity of land carbon models<sup>125</sup>. Additionally, we will use other observations, currently not included in ESMValTool, to define a more comprehensive set of benchmarks. Among them we will include burned areas from wildfire, biomass and soil carbon turnover rates, permafrost extend, as well as results from field manipulation experiments (e.g. CO<sub>2</sub> fertilization response using Free Air CO<sub>2</sub> Enrichment sites). The model evaluation will account for the assessed observation uncertainty.

**T1.4.2: Land/Ocean model evaluation using new observations and new benchmarks** MPG, ETHZ, CEA

We will use the new observations from T1.1 and the improved data based products from T1.2 to develop new benchmarks and evaluation metrics. The global budgets of O<sub>2</sub> and APO (T1.1.1) will be used to evaluate the net land and ocean fluxes, especially their amplitude over several time scales to provide insight on the origin of the global carbon budget imbalance. APO will also be used to assess physical and biological processes in the ocean. The dataset of <sup>13</sup>C observations compiled in T1.1.2 (ocean, tree ring, leaves, etc.) will be used for evaluation of the <sup>13</sup>C enabled carbon models. Trend in atmospheric <sup>13</sup>C, diagnosed from simulated land and ocean <sup>13</sup>C net fluxes will be compared to ice-core <sup>13</sup>C observations. For the land, we will also include i) new constraints from land water fluxes (T1.2.3) to evaluate the simulated water cycle and its control on the inter-annual variability in carbon fluxes, ii) the new framework to evaluate simulated GPP using COS and SIF data (T1.2.4) and iii) data-driven estimates of forest net CO<sub>2</sub> flux and above-ground biomass from satellite VOD data (T1.2.5). For the ocean, the model simulated inventories of natural and anthropogenic CO<sub>2</sub> for 1994, 2007, and ~2020 (vertical and horizontal spatial patterns) together with the spatio-temporal variability of the air-sea CO<sub>2</sub> fluxes will be evaluated using both data-driven air-sea flux estimates (T1.2.1) and ocean interior based products (T1.2.2).

**T1.4.3: Incorporate results from new benchmarks in ESMValTool** DLR

In this task, the protocols to include observations and their uncertainty from T1.1 and 1.2 that have been tested and validated in T1.4.2 will be incorporated as routine diagnostics into the ESMValTool, if their performances prove to inform uncertain processes in carbon cycle models. The new metrics will be coded in ESMValTool and thus be available to other land and ocean simulations as part of international comparison programmes. A specific focus will be placed on the estimates of observational uncertainty from CCiCC products in integrated measures of performance and by using multiple datasets for comparison<sup>48</sup>.

**T1.4.4: Evaluating the global carbon budget imbalance using new integrated observational constraints** UEA, UNEXE, ETHZ, UBERN

Using results from T1.1 and model simulations from T1.3, we will examine the B<sub>IM</sub> in model simulations, using the new constraints for the land+ocean fluxes based on O<sub>2</sub> and <sup>13</sup>C data, and for the ocean fluxes based on APO. We will use the combination of new atmospheric tracers to analyse the imbalance as a function of time (seasonal to decadal) and relate the imbalance to the land and/or oceanic origin, where possible regionally, and to variability in climate and underlying drivers, such as temperature, wind and rainfall. We will assess if specific processes (e.g. high-resolution ocean model simulations) lead to improvements in the imbalance of some of these elements, and identify which evaluation metrics constrain best the models that produce the smallest B<sub>IM</sub>. We expect the combination of imbalance from multiple tracers to be particularly powerful at providing insights into the origin of the CO<sub>2</sub> imbalance, and therefore

lead to its subsequent resolution. If justified by the analysis, we will reassess the  $B_{IM}$  using a smaller set of models that perform best given the existing and new evaluation metrics. We will also quantify what is the smallest possible  $B_{IM}$  given the uncertainty in the various observations.

**Task 1.5. Attribution of changes in the contemporary carbon cycle (M19-M48)** UNEXE (lead), UBERN, UEA, MPG, ETHZ, CEA

This task will attempt to quantify the contributions of different environmental drivers (e.g. climate, CO<sub>2</sub>, land-use, nitrogen deposition) to historical and contemporary carbon sinks. This will be achieved by comparing the factorial model simulations (T1.3) with the latest observational data. We will apply detection & attribution (D&A) methods, which has been so successful in attributing the causes of global warming to natural and anthropogenic factors. We will use the factorial single-forcing model simulations to attribute the spatio-temporal changes in land and ocean carbon sinks to drivers. This will also inform WP3 on the development of the most appropriate emergent constraints, by demonstrating where particular drivers are dominant and therefore where univariate emergent constraints are most likely to exist.

**T1.5.1: Observed changes in the contemporary carbon cycle** UNEXE, UEA, MPG, ETHZ, UBERN, CEA

We use the new observational constraints derived in T1.1 and 1.2 along with existing datasets to provide a summary of the observed changes in the contemporary carbon cycle. The D&A analysis will use information on hydrological changes (including precipitation, river runoff, gridded evapotranspiration products, terrestrial water storage), biomass (VOD), leaf area (MODIS), NBP from atmospheric inversions, CO<sub>2</sub> seasonal cycle at the global network of monitoring stations (NOAA) area burnt (GFED), water-use efficiency (tree-ring and eddy flux data), N-cycle changes (fertiliser and deposition), air-sea CO<sub>2</sub> fluxes, and long-term changes in the ocean carbon inventory (GO-SHIP). Datasets will be selected that are long enough (>10years) to see changes at the semi-decadal timescale to also inform on  $B_{IM}$  (T1.4.4).

**T1.5.2: Attribution of biogeochemical changes** UNEXE, UEA, MPG, ETHZ, UBERN, CEA

The single forcing simulations of T1.3 will be analysed using Principal Component Analysis to reveal the unique spatio-temporal fingerprint of each driver. The D&A approach involves finding, for each model, a linear combination of these patterns which optimally fits the observational constraints provided by T1.5.1. We will attribute the pattern of greening trends to processes and forcing variables (climate, CO<sub>2</sub>, land-use). We will attribute observed changes in the seasonal cycle amplitude (high latitude ecosystems; variables amplitude increase at different stations) and changing land sensitivity to interannual variability. Attribution analysis will also focus on the effect of N cycle changes (fertiliser and deposition) on the regional land carbon balance, and evaluating their realism using observed C-N sensitivities as well as ancillary evaluation of simulated N cycle trends. Finally, we will attribute changes in the land water cycle, evapotranspiration, soil moisture and river runoff to gain a more complete understanding of the coupled land carbon and water cycles. Likewise for the ocean, we will attribute the temporal and spatial patterns in CO<sub>2</sub> fluxes and inorganic carbon distribution (particularly vertical profiles) to forcing variables (winds, buoyancy fluxes, CO<sub>2</sub>), and elucidate the role of biological export and internal and external induced variability.

### Deliverables

**D1.1** Global O<sub>2</sub> and APO budget for 1991-2018 time-period using observations and models (UEA, R,PU, M36)

**D1.2** Isotopic-constrained atmospheric carbon budget and sink flux estimates (UBERN, R,PU, M36)

**D1.3** Report on the benchmarking and evaluation of simulated carbon budgets (CEA, R,PU, M42).

**D1.4** Report on the factorial attribution analysis (UNEXE, R,PU, M45).

**D1.5** Report on the reduction of the global carbon budget imbalance (UEA, R,PU, M48)

### Milestones

**M1.1** New data constraints with uncertainty estimate for ocean carbon fluxes (MPG, M24).

**M1.2** New data constraints with uncertainty estimate for land carbon fluxes (CEA, M24).

**M1.3** Updated land water storage data for land carbon constraints (ETHZ, M24)

**M1.4** Last set of historical simulations performed with CMIP6+ carbon cycle models (ETHZ, M37)

**M1.5** Enhanced ESMValTool version with new CCiCC observation diagnostics (UBREMEN, M36)

<b>Work package number</b>	2			<b>Lead beneficiary</b>						MPG			
<b>Work package title</b>	<b>Predicting the carbon cycle and climate for the global stocktake to the horizon of 2030</b>												
<b>Participant number</b>	1	2	3	4	5	6	7	8	9	10	11	12	
<b>Short name of participant</b>	UNEXE	UEA	ENS	MPG	ETHZ	BSC	DLR	UBREMEN	UBERN	CICERO	UOXF	CEA	
<b>Person months per participant</b>	4	0	23	42	0	66	0	0	0	0	4	16	
<b>Start month</b>	1			<b>End month</b>			48						

### Objectives

The objective of this WP is to develop the capability of 3 European ESMs to predict the near-term evolution of carbon sinks, atmospheric CO<sub>2</sub>, and climate in response to future emissions consistent with the Nationally Determined Contributions adopted by the countries that adhered to the Paris Agreement on climate. To achieve this goal the following specific objectives are to:

- improve understanding of processes driving predictability of climate-carbon cycle system on decadal timescales;
- perform an extensive assessment in retrospective mode of the current predictive skill of 3 ESMs over 1-to-10 years for the land and ocean carbon sinks and for atmospheric CO<sub>2</sub>;
- perform emission-driven decadal predictions of atmospheric CO<sub>2</sub>, global carbon cycle and climate response, providing unique predictions of the outcome of NDCs in time for the UNFCCC 2023 global stocktake;
- inform evolving ambition by providing a methodology to attribute the future evolution of atmospheric CO<sub>2</sub> to NDCs vs natural variability.

### Description of work

#### Work package lead Tatiana Ilyina (MPG), deputy lead Raffaele Bernardello (BSC)

In this WP we will first enhance our understanding of the mechanisms driving decadal predictability of the global carbon cycle by performing process-oriented predictions in a perfect model framework (T2.1). Next we will produce a reconstruction of the recent past (T2.2) to provide initial conditions for retrospective near-term predictions that will allow the quantification of the predictability of 3 European modelling systems (T2.3). Finally, in T2.4 we will provide original emission-driven predictions of the near-future evolution of atmospheric CO<sub>2</sub> comparing a future in which emissions follow a middle of the road scenario with one in which emissions follow NDCs ambitions. This will enable us to anticipate and explain the near-term evolution of atmospheric CO<sub>2</sub> increase and climate response in time for the first global stocktake in 2023. Analysis in this WP will rely on initialized prediction systems based on both CO<sub>2</sub> concentration-driven simulations and the newly developed CO<sub>2</sub> emission-driven simulations. The work within this WP will strengthen the predictive skill of the climate-carbon system in three major European ESM-based prediction systems. Moreover, this is the first step forward towards semi-operational climate-carbon predictions.

#### Task 2.1. Assessment of the potential predictability of carbon sinks and of their main drivers (M1-M24) BSC (lead), ENS, MPG, CEA

Potential predictability is here assessed in a perfect model framework, i.e. using multi-century pre-industrial control simulations and ensembles of decadal simulations starting from slightly perturbed conditions of the control simulations. The potential predictability is assessed by the duration over which a simulated variable starting from perturbed initial conditions follows the same evolution as the one starting from unperturbed initial conditions. To improve our understanding of the processes driving the low-frequency variability of global carbon cycle we will also estimate the contribution of the specific regions to the potential

predictability of the climate-carbon system.

### **T2.1.1 Potential predictability of carbon sinks** BSC, ENS, MPG, CEA

We will select 5 starting dates from the multi-century preindustrial control simulations of the 3 ESMs (using CO<sub>2</sub> concentration-driven model configurations), and will run for each starting date a 15-member ensemble of 10 years, with slightly perturbed initial conditions. Starting dates will be selected from the preindustrial control to cover a variety of climate modes. Potential predictability of the land and ocean carbon sinks will be assessed using these simulations and inter-compared across models.

### **T2.1.2 Potential Predictability: processes, drivers and key regions** MPG, BSC

We will re-run the same predictions described in Sub-Task 2.1.1 but in a pacemaker setup focusing on the key regions that determine the variability of surface carbon fluxes. In such pacemaker experiments, only the regions of interest will be subject to perturbed initial conditions (as in T2.1.1), enabling us to quantify the impact of such hot spot regions on the potential predictability of atmospheric CO<sub>2</sub>. This variability hotspot includes for instance, the North Atlantic, the Southern Ocean, or the equatorial Pacific. Such simulations will enable us to assess the regional vs. global effects on the carbon cycle and the pathways in the climate-carbon system through which the variability drivers are expressed.

### **Task 2.2 Generation of initial conditions for retrospective near-term predictions (M1-M16)** BSC (lead), ENS, MPG, CEA

The generation of initial conditions involves assimilation of observations. We will test several options that we will evaluate using observation-based products from WP1. At the moment the three groups follow different procedures (described below). As carbon cycle prediction is a new field that builds upon an existing system of climate predictions, techniques for carbon cycle initialization have to be coherent with the techniques already used for physical variables. However, we will design at least one common procedure to be tested by all three groups. The characteristics of such common procedure will be defined after analysing the results from the standard procedure from each group. The reconstructions will cover the period from 1958 to present.

#### **Strategy for model initialization:**

**BSC (EC-Earth)** will start an ocean only NEMO-LIM3-PISCES experiment using fields (physical and biogeochemical) coming from the CMIP6 historical simulation. This ocean-only simulation will be forced with reanalysis atmospheric forcing and will combine together 3D ocean nudging of temperature and salinity<sup>126</sup> and an Ensemble Kalman Filter for the sea-ice<sup>127</sup>. Ocean biogeochemical fields will be computed by PISCES in response to the constrained ocean physics. The land vegetation fields will be produced offline by LPJ-GUESS (starting from year 1958 of the CMIP6 historical) using the same atmospheric forcing used for the ocean. The datasets used for the oceanic data-assimilation and atmospheric forcing will be re-analyses from the ECMWF (European Centre for medium Range Weather Forecasts): ORAS4 and ERA40 / ERA-interim covering the period 1958-present.

**MPG (MPI-ESM)** will start an assimilation run from year 1958 of the historical simulation. For the MPI-ESM ocean component MPIOM, 3D temperature and salinity anomalies are restored towards the ECMWF ocean reanalysis system 4. For the atmosphere component ECHAM6, full-field temperature, vorticity, divergence, and surface pressure are restored towards ECMWF ERA40 and ERA-Interim reanalysis data in order to avoid model drift. As both the land and ocean biogeochemical processes slowly adjust to the new model physical states due to data restoring, several decades of a spin-up type simulation are foreseen.

**ENS and CEA (IPSL-ESM)** start an assimilation run from year 1958 of the historical simulation using the full ESM. To avoid any large drifts due to the assimilation procedure, the assimilation within the IPSL-ESM consists in restoring to SST (and potentially SSS, surface winds) temporal anomalies constructed using ocean reanalysis/ocean observations. As for BSC and MPG, the restoring does not include ocean and land carbon cycle data.

### **Task 2.3. Assessment of actual predictability with retrospective near-term predictions (M17-M36)** MPG (lead), ENS, BSC, CEA

We will perform a series of ESM-based retrospective decadal predictions with starting dates every year over the 1981-present period. These predictions will be initialized from a realistic state of climate and carbon stocks, obtained from the reconstructions produced in Task 2.2. For each starting date we will generate 15 ensemble members by either using initial conditions with 1-day lag centered on the starting date or by randomly perturbing sea surface temperature. All time-series of predicted anomalies will be computed for each member/model separately by removing the bias at each forecast time while prediction averages will be



calculated afterwards. This bias-correction procedure and skill score evaluation will be applied to surface temperature as well as air-sea and air-land CO<sub>2</sub> flux and atmospheric pCO<sub>2</sub> (in the case of the CO<sub>2</sub> emission-driven predictions, T2.3.3). The work required has been distributed among three subtasks.

**T2.3.1 Predictability of the carbon cycle using CO<sub>2</sub>-concentration-driven ESMs and carbon reconstructions** ENS, MPG, BSC, CEA

We will quantify the predictive skills of CO<sub>2</sub> concentration-driven ESMs against the best-performing reconstruction from T2.2. We will use model fields calculated in the assimilation run as a proxy to quantify the predictive skill.

**T2.3.2 Predictability of the carbon cycle using CO<sub>2</sub> concentration-driven ESMs and carbon observations** ENS, MPG, BSC, CEA

Quantification of the predictive skills of CO<sub>2</sub> concentration-driven ESMs against available observations will be performed regarding variations in the air-sea and air-land CO<sub>2</sub> fluxes (using the observation-based products from WP1), and surface temperature (using an independent data set not used for the reconstruction). Here, we will interact with WP1 in assessing uncertainties in models and observational products. The outcome of this task will be an assessment of the predictability of the carbon cycle.

**T2.3.3 Predictability of the carbon cycle using CO<sub>2</sub> emission-driven ESMs** ENS, MPG, BSC, CEA

Here we will use ESMs driven by CO<sub>2</sub> emission to determine the predictive skill for atmospheric CO<sub>2</sub> and assess the role of land and ocean carbon sink variability. Analogous to T2.3.2 we will assess the predictive skill of the climate-carbon system against the available observational products (air-sea flux, land carbon fluxes, etc.).

**Task 2.4. Decadal predictions of future atmospheric CO<sub>2</sub> over the stocktake period following future climate change scenarios** (M18-M48) ENS (lead), UNEXE, MPG, BSC, CEA, UOXF

We will perform original decadal forecasts, with ESMs initialised with present-day state of the carbon and climate system. ESMs will be driven by CO<sub>2</sub> emissions using the Global Carbon Project (GCP) CO<sub>2</sub> emission prediction for next year, merged with emissions reductions following the NDCs for the following decade. Emissions of other radiatively active gases and aerosols will be assumed to follow a SSP1 sustainable scenario<sup>128</sup>. With these decadal forecasts, we will assess the impact of NDCs emissions on atmospheric CO<sub>2</sub>, carbon sinks and climate response, also quantifying the uncertainty (15 ensembles, 3 ESMs). We will use the simulated atmospheric CO<sub>2</sub> from these experiments to detect the timing of CO<sub>2</sub> emissions peak (accounting for the natural variability of the climate-carbon system).

The ensemble ESMs forecast will be repeated the last 3 years of the CCiCC project, with the year 1 forecast providing a semi-operational system for predictions of next-year atmospheric CO<sub>2</sub>, and exploited for dissemination (WP4). Lastly, we will perform additional ESMs decadal forecasts, using SSP2-4.5 CO<sub>2</sub> and non-CO<sub>2</sub> emissions as a baseline middle-of-the-road scenario, to assess in the NDCs simulations the skills to detect the expected changes in atmospheric CO<sub>2</sub> and climate due the implementation of the Paris Agreement.

**Deliverables**

**D2.1** Assessment of carbon cycle potential predictability for 3 CCiCC ESMs (BSC, R, PU, M24)

**D2.2** Assessment of predictability of atmospheric CO<sub>2</sub> and C sinks for 3 CCiCC ESMs (MPG, R, PU, M36)

**D2.3** Report on predictions of next year atmospheric CO<sub>2</sub> (BSC, R, PU, M42)

**D2.4** Prediction of atmospheric CO<sub>2</sub>, carbon sinks and climate for the next decade (ENS, R, PU, M48)

**Milestones**

**M2.1** Completion of simulations in perfect model framework (BSC, M18)

**M2.2** Reconstruction of initial conditions for retrospective and future predictions (BSC, M16)

**M2.3** Completion of retrospective predictions and computation of bias correction (MPG, M31)

**M2.4** Completion of future decadal predictions for NDC and baseline scenario (ENS, M40)

<b>Work package number</b>	<b>3</b>			<b>Lead beneficiary</b>							UBERN		
<b>Work package title</b>	<b>Projecting the required mitigation effort over the 21<sup>st</sup> century</b>												
<b>Participant number</b>	1	2	3	4	5	6	7	8	9	10	11	12	
<b>Short name of participant</b>	UNEXE	UEA	ENS	MPG	ETHZ	BSC	DLR	UBREMEN	UBERN	CICERO	UOXF	CEA	
<b>Person months per participant</b>	41.4	0	23	18	14	9	37	19	38	9	30	12	
<b>Start month</b>	1			<b>End month</b>			48						

### Objectives

The objective of this WP is to deliver observationally-constrained estimates of 21<sup>st</sup> century cumulative carbon emissions consistent with the Paris Agreement aims at limit warming to 1.5°C. This will be achieved by developing novel emergent constraints on the land and ocean carbon cycle, by weighting individual Earth system model projections with these emergent constraints and additional observations, and by ultimately delivering policy-relevant, adaptive CO<sub>2</sub> emission pathways consistent with the Paris Agreement ambitions. Specifically, we will :

- reduce uncertainty in carbon and climate projections through developing observation-based constrains of key biogeochemical dynamics and feedback processes;
- reassess TCRE using novel CMIP6 and CMIP6+ simulations, and overshoot scenarios including non-CO<sub>2</sub> greenhouse gases;
- develop observational-constrained estimates of 21<sup>st</sup> century cumulative CO<sub>2</sub> emissions consistent with the ambitions of the Paris Agreement to limit warming to 2°C or to 1.5°C;
- deliver policy-relevant, adaptive CO<sub>2</sub> emissions pathways, fully consistent with the Paris Agreement, accounting for Earth system feedbacks, and methodologies for updating them in the light of the evolving response.

### Description of work

#### Work package lead **Thomas Frölicher (UBERN)**, deputy lead **Veronika Eyring (DLR)**

WP3 will develop emergent constraints on the carbon cycle to obtain observation-based improved understanding of the carbon cycle dynamics in order to reduce uncertainty on TCRE and carbon cycle feedbacks (T3.1), and to provide origin weighting of multi-model and large ensemble climate projections (T3.3). The magnitude and robustness of the TCRE will be assessed using ESMs simulations accounting for non-CO<sub>2</sub> greenhouse gases forcing (T3.2) and also for overshoot scenarios. Novel 21<sup>st</sup> century climate adaptive scenarios will be performed where emissions are revised on a 5 year basis to ensure that global warming remains below 1.5°C or 2°C, providing our best estimate on the associated remaining carbon budget (T3.4). WP3 will use standard scenario from CMIP6, novel observations from WP1 and additional model simulations with CMIP6+ ESMs with improved representation of key biogeochemical processes.

#### **Task 3.1 Emergent constraints for carbon and biogeochemical feedbacks (M1-M48)** ETHZ (lead), UNEXE, ENS, DLR, UBREMEN, UBERN, CEA

We will develop and apply emergent constraints on the carbon cycle using a wide range of observational products. A particular focus will be placed on considering observational uncertainty and assessing the robustness of the constraints across different ensembles (e.g. CMIP5 versus CMIP6) and scenarios. The emergent constraints will be further tested towards the end of the project with extended data from WP1, and the new adaptive simulations performed under T3.4 with the CMIP6+ ESMs. All diagnostics will be implemented in the ESMValTool for further use in T3.2 and 3.3.

##### **T3.1.1 Emergent constraints on land carbon processes** ETHZ, UNEXE, DLR, UBREMEN, CEA

Several constraints will be assessed for the land carbon cycle. One focus will be on the land water cycle

based on the extended datasets produced in WP1 (T1.2), including new satellite-based estimates and reconstructions of global terrestrial water storage (TWS)<sup>34</sup> and evapotranspiration<sup>41,43</sup> and new constraints on gross land carbon uptake using atmospheric COS and SIF data. Emergent constraints on tropical and extra-tropical response to CO<sub>2</sub> (CO<sub>2</sub> fertilization effect), CO<sub>2</sub> emissions from tropical wildfires, and response of mid and high latitude carbon to climate change (climate-carbon feedback) including constraints on permafrost carbon loss will be developed using the temporal (e.g. growth rate, seasonal cycle amplitude) as well as spatial (e.g. latitudinal) patterns of satellite data of CO<sub>2</sub> (T1.1.3). The potential of using present-day spatial variability as emergent constraint for future dynamic will also be investigated, as recently done for permafrost extension<sup>109</sup>.

### ***T3.1.2 Emergent constraints on ocean carbon processes*** ENS, ETHZ, UBERN

For the ocean carbon uptake, CFC-11, CFC-12 and SF<sub>6</sub> distribution in CMIP6 historical and future simulations will be assessed to develop emergent constraints for ocean carbon uptake with a focus on the Southern Ocean and North Atlantic, where the model uncertainty in the CMIP5 models were largest<sup>129</sup>. In addition, the seasonal cycle of the surface ocean carbon systems, as the source of an emergent constraint for future ocean carbon uptake and for ocean biological productivity will be used. Further constraints will be explored based on the level of interannual to decadal variability of the ocean carbon uptake determined in WP1.2, as well as the changes in the seasonality<sup>38</sup>. The emergent constraints will be further extended to biological carbon export and the biological carbon pump. Parameterization ensemble simulations, conducted with Redfield and variable stoichiometry versions of the PISCES ocean biogeochemical model<sup>130</sup> will be performed to identify the mechanistic controls on carbon export emergent relationships and inform model development.

### **Task 3.2 TCRE reassessment including non-CO<sub>2</sub> emissions and overshoot scenarios (M1-M30)** UOXF (lead), UNEXE, ETHZ, DLR, UBERN, CICERO

#### ***T3.2.1 Assessment of TCRE*** UNEXE, DLR, UBERN, UOXF

The transient climate response to cumulative carbon emissions (TCRE) will be assessed in CCiCC and CMIP6 simulations providing an initial revision of the previous CMIP5 TCRE estimate. Focus will be given to CMIP6 scenarios with stabilizing and/or declining greenhouse gas concentrations and emissions (i.e. overshoot scenarios from ScenarioMIP<sup>131</sup>), but also to the new CCiCC adaptive scenarios performed under T3.4. We will work on both the climate and carbon cycle components of TCRE. The constraints on the climate response involve differential responses to different forcing agents, land-sea contrast, meridional profile of surface warming and vertical profile of ocean warming; while the constraints on the carbon cycle will involve factors controlling the rates of change in CO<sub>2</sub> airborne fraction and land/ocean carbon storage. The magnitude and timescales dependences of the land and ocean carbon feedbacks will be assessed in available CMIP6 simulations (1%CO<sub>2</sub>/year, biogeochemically and radiatively coupled from C4MIP<sup>132</sup>). Drivers of changes in the TCRE relationship will be assessed and emergent constraints included in the ESMValTool. The potential for regional TCRE constraints will be explored by combining global-scale constraints on the carbon cycle and regional-scale constraints for regional forcing and feedback processes.

#### ***T3.2.2 TCRE and non-CO<sub>2</sub> forcing*** ETHZ, DLR, CICERO, UOXF

An enhanced methodology that applies the TCRE concept to non-CO<sub>2</sub> emissions expressed as cumulative CO<sub>2</sub>-forcing-equivalent emissions<sup>37</sup> will be extended and developed. Building on this new concept, CO<sub>2</sub>-forcing-equivalent emissions will be diagnosed from a broad range of CMIP5/6(+) simulations and scenarios. The new method will be included in the ESMValTool. The path dependencies for regional responses when accounting for non-CO<sub>2</sub> forcings, e.g. through biogeophysical effects of land use<sup>133</sup> will also be explored.

### **Task 3.3 Observationally constrained estimates of CO<sub>2</sub> projections and fluxes (M13-M42)** DLR (lead), UNEXE, ETHZ

To improve the reliability of projections from a large ensemble of models such as the CMIP6 simulations, weights reflecting the respective skills or the confidence we put into them will be assigned to individual models. The underlying assumption is that the reliability of a large ensemble can be improved giving greater weights to 'better performing' models. We will then compare projections from the un-weighted multi-model ensemble to different weighting schemes and test the robustness of weighting approaches considering both model performance and interdependence<sup>117,118</sup> while fully exploiting observations from WP1 and considering their uncertainties. Specifically, using a multiple diagnostic regression method<sup>134,135</sup>, we will develop a formal process-oriented statistical model to weight CO<sub>2</sub> flux projections based on their ability to reproduce key processes of the historical carbon cycle and climate, from observation analysed in WP1 and

from new emergent constraints developed in T3.1. We will compare this method to a weighting scheme similar to Knutti et al<sup>117</sup> and to the unweighted multi-model mean. In addition, targeted weights for specific processes will also be investigated in coordination with T3.1, in particular in the case where models are shown to have systematic biases, such as the controls of water availability and droughts on land carbon exchanges<sup>34</sup>.

**Task 3.4 Exploration of adaptive CO<sub>2</sub> scenarios meeting the Paris Agreement climate ambitions** (M18–M48) UBERN (lead), UNEXE, ENS, MPG, BSC, CICERO, UOXF, CEA

CMIP6 scenarios, with emissions pathways prescribed a priori, regardless of the simulated climate response, are not ideal tools to ensure consistency with the Paris Agreement ambitions to limit warming to 1.5°C to 2°C. We go beyond this limitation by exploring adaptive CO<sub>2</sub> scenarios with the CCiCC models, also accounting for Earth system feedbacks. In these scenarios, CO<sub>2</sub> emissions will be revised every 5 years in order to ensure global warming remain below a predefined temperature target pathway. Adaptive scenarios allow adapting the mitigation effort along the way, according to the realized warming to date<sup>136</sup>, similarly to what would probably happen in the real world. We will explore different adaptive scenarios, compliant with the NDCs ambitions, allowing or preventing from small overshoot to occur, also accounting for the effect of non-CO<sub>2</sub> forcing. For consistence with the decadal predictions done in WP2, the NDC compliant scenarios for the first 15 years (up to 2030) will be provided from WP2 (T2.4). From 2030 onward, we will implement the new adaptive scenarios, with emissions being revised every 5 years. Such new simulations with adaptive scenarios will be first performed with a reduced complexity model to test our method, before being implemented in the CMIP6+ CCiCC ESMs. A key challenge in the development of adaptive mitigation algorithms will be that short-lived climate pollutants affect temperature trajectories much more rapidly than CO<sub>2</sub>, this will be accommodated using the CO<sub>2</sub>-forcing-equivalent emissions concept developed in T3.2.

**T3.4.1 Proof of concept**, UBERN, CICERO, UOXF

Simulations with adaptive scenarios will be first performed with the Bern3D-LPX reduced complexity model in order to test adaptive control methods ensuring (a) continuity in emissions and (b) absence of numerical oscillations in the emissions. We will test adaptive control methods (e.g. using a feedback control approach<sup>136</sup>), the frequency of emissions revisions (5 years), and the method to diagnose the warming to date (ex. estimating the global human-induced warming<sup>137</sup>). We will test these methodologies on scenarios aiming to always remain below 1.5°C or 2°C, as well as on scenarios with some level of overshoot of these targets.

**T3.4.2 Adaptive scenarios with CCiCC ESMs** UNEXE, ENS, MPG, BSC, UBERN, CEA

The adaptive scenarios following the methodology developed in T3.4.1 will be performed with CCiCC ESMs. The temperature and carbon cycle trajectories simulated by the ESMs will be used to intercompare among the models the land and ocean carbon sinks and to calculate the cumulative carbon emissions for the respective temperature scenarios, providing our best estimate and uncertainty of the future CO<sub>2</sub> emissions compatible with the Paris Agreement long-term temperature goals. The new emergent constraints developed in T3.1 and the weighting schemes developed in T3.3 will be used here to further refine these estimates.

**Deliverables**

**D3.1** Report on emergent constraints for carbon processes and biogeochemical feedbacks (ETHZ, R, PU, 36)

**D3.2** Report on TCRE assessment including non-CO<sub>2</sub> emissions and observational constraints (UOXF, R, PU, 30)

**D3.3** Report on the robustness of different weighting schemes for CO<sub>2</sub> projections (DLR, R, PU, 42)

**D3.4** Report on adaptive scenarios compatible with the Paris Agreement LTTG (UBERN, R, PU, 48)

**Milestones**

**M3.1** New set of emergent constraints implemented in the ESMValTool GitHub repository (DLR, M24)

**M3.2** New TCRE framework including non-CO<sub>2</sub> emissions available (UOXF, M18)

**M3.3** Weighting methods for CO<sub>2</sub> projections available (DLR, M30)

**M3.4** Temperature trajectories for adaptive scenarios with reduced complexity models (UBERN, M30)

<b>Work package number</b>	4			<b>Lead beneficiary</b>							BSC		
<b>Work package title</b>	Synthesis, dissemination and policy dialogue												
<b>Participant number</b>	1	2	3	4	5	6	7	8	9	10	11	12	
<b>Short name of participant</b>	UNEXE	UEA	ENS	MPG	ETHZ	BSC	DLR	UBREMEN	UBERN	CICERO	UOXF	CEA	
<b>Person months per participant</b>	10.6	16	0	3	2	46.5	2	2	1	26	4	0	
<b>Start month</b>	1			<b>End month</b>			48						

### Objectives

The objective of WP4 is to assess, synthesise, and disseminate CCiCC scientific findings to foster a broader understanding of climate-carbon interactions and accurate interpretation in support of scientific assessments and policymaking. WP4 builds on findings from WPs 1, 2 and 3 and the knowledge generated, elaborating it to make the information easy to access, and transferring it to targeted stakeholders using tailored techniques. The main objectives are to:

- develop novel communication, dissemination and engagement activities and foster a broad range of activities, to facilitate knowledge transfer and support international scientific assessments such as IPCC, IPBES, GCP, WMO State of the Climate, UNEP Emissions Gap Report, and similar assessments;
- ensure accurate interpretation by policymakers of scientific findings in the context of the UNFCCC Paris Agreement;
- broaden the public understanding of the carbon cycle and of the risks of climate-carbon interactions for enhancing climate change;
- increase visibility of CCiCC and its outcomes in Europe and beyond to support Europe's leadership in climate science.

### Description of work

#### Work package lead Isadora Jiménez (BSC), deputy lead Glen Peters (CICERO)

WP4 will consist of 4 tasks, each aiming a specific audience. T4.1 will provide the knowledge transfer of CCiCC science to IPCC and other international scientific assessments. T4.2 will target decision and policymakers, while T4.3 will target the broader audience (general public and media). T4.4 will manage the project's general communication and dissemination activities.

**Task 4.1: Knowledge transfer to support major international scientific assessments (M1-M48), UEA (lead), UNEXE, BSC, MPG, ETHZ, DLR, UBREMEN, UBERN, CICERO, UOXF**

CCiCC will aim to provide direct support to international assessments. Given the strict deadlines, the first priority of this task will be to contribute to IPCC AR6. CCiCC will build on the ScienceBrief platform specifically aimed at synthesising the rapidly-evolving science on the global carbon cycle to support major international activities such as IPCC, IPBES but also GCP, UNEP or WMO periodic assessments.

**T.4.1.1: Supporting IPCC AR6** UNEXE, UEA, MPG, ETHZ, BSC, DLR, UBREMEN, CICERO, UOXF

This task will focus on a fast-track support to IPCC AR6 during the first year of CCiCC. This will be done through an expert workshop at the CCiCC kickoff meeting on climate-carbon feedbacks that will include two elements. First, we will organise a discussion with the CCiCC IPCC lead authors of AR6 to facilitate a consultation with all CCiCC researchers on how to better contribute to AR6, address the issues raised on the on-going AR6 drafts (WG1 First Order Draft will be reviewed in spring 2019), and identify key issues that will unlikely be resolved by AR6 and can be addressed within CCiCC. Second, we will use ScienceBrief to harvest the latest scientific finding by engaging the CCiCC researchers and the broader community in the submission of recently published papers ahead of the kick-off meeting, and we will provide an overview of the results to the group at the expert workshop.

**T4.1.2 Improving ScienceBrief user experience and reach** UNEXE, UEA, UBERN

This task will conduct an evaluation of the ScienceBrief Carbon Cycle pilot (conducted in 2018-2019 prior to CCiCC), and use the results to improve the user experience and therefore enhance their involvement and the reach of the platform. The evaluation will be done through a quantitative and qualitative analysis, i.e., by considering the number of users and submissions, and success of their interactions with the website. We will conduct a survey targeting all (platform) contributors, as well as interviews with key users from the stakeholder communities (including policymakers and media groups). The anticipated developments include: the (addition of) visual graphics of the carbon cycle and the inclusion of a carbon news channel. Besides, linkages with other ScienceBrief topics are envisaged, such as the emerging topic on Science to support the Paris Agreement (also a pilot on ScienceBrief), and with external relevant assessments such as IPBES and the annual Global Carbon Budget updates. As IPCC AR6 approaches its publication date, we will work with IPCC authors to develop an update of the carbon cycle statements that are posted on ScienceBrief, therefore ensuring the platform is always up-to-date, includes all results from CCiCC, and serves the next IPCC cycle AR7 and beyond.

**T4.1.3 Supporting post-AR6 and other international assessments** UNEXE, UEA, BSC, CICERO

We will present CCiCC results at conferences and workshops at national, EU, and international levels, in particular at the annual conference of the European Geophysical Union (EGU). We will work on engaging the broad community in contributing to ScienceBrief, particularly early career researchers, as ScienceBrief will provide them with a unique opportunity to contribute to IPCC assessments. The use of ScienceBrief will enable natural linkages between assessments to be made, particularly IPCC, IPBES, and GCP which share common interests, for example in carbon stocks and cumulative emissions.

**Task 4.2: Providing added value to decision and policymakers** (M1-M48) CICERO (lead), UNEXE, UEA, BSC

T4.2 will engage with decision and policymakers to add value by translating the emerging scientific consensus (T4.1) into usable formats.

**T4.2.1: Fact sheets and knowledge base contents**, UNEXE, UEA, BSC, CICERO

CCiCC will generate many scientific publications. To facilitate decision and policymakers to use this knowledge, we will utilise different communication approaches. We will develop at least three fact sheets presenting the main concepts to understand the outcomes of CCiCC science. This will build the knowledge base of project users – from fellow scientists to policymakers – and build trust and encourage close engagement with CCiCC results. Some potential topics include: the carbon cycle and its uncertainties, new observations of the carbon cycle, decadal predictions versus long-term projections, emergent constraints and carbon cycle feedbacks, remaining carbon budgets for climate targets.

**T4.2.2: Policy brief and executive summaries** UNEXE, UEA, BSC, CICERO

Towards the end of the project we will provide a policy brief presenting 1) the most relevant results of the project regarding anthropogenic emissions and climate-carbon interactions; 2) an overview of the current policies on emissions and climate implications, and 3) a set of policy recommendations based on the two previous points. In addition, based on project publications and public deliverables we will produce at least three science summaries. These pieces of information will highlight the relevant results and translate them for use by decision and policy makers. This task will also include contributions to the Global Carbon Budget, UNEP Emissions Gap Report, and WMO State of the Climate, and similar.

**T4.2.3: Carbon outlooks** UNEXE, UEA, BSC, CICERO

Key CCiCC outcomes will be published as “carbon outlooks” in partnership with the high-profile annual Global Carbon Budget. They will be released every autumn of the project duration (from 2020 to 2023). The focus will be on the carbon budget for the recent years (T1.4) and the forecast for the coming year (T2.4), including an assessment of past performances. This activity will be a collaborative effort with the Global Carbon Budget to ensure broad outreach. Each year the activity will be supported by a news story on the CCiCC website.

**T4.2.4: Events organised by CCiCC** UNEXE, UEA, BSC, CICERO

We will organize (or co-organize with GCP, when applicable) events to communicate key findings to policymakers and hear their perspectives and wishes. This will preferably be held during the UNFCCC inter-sessional meetings in Bonn (SBSTA, May/June each year) or Conference of the Parties (COP, November/December each year), where CCiCC investigators have been invited to present on multiple occasions in the past. We will also organise (or-co-organise) briefings for EU and national policymakers

around emerging topics, particularly those outputs of T4.2.1 and 4.2.2. In particular, we will organise (or co-organise) a workshop in Brussels targeting EU policymakers toward the end of the project. Emerging topics from CCiCC that are relevant for stakeholders will be at the centre of the discussion. This will help the interaction between scientists and stakeholders allowing for bi-directional exchange of ideas. We will seek and foster networking and collaboration with other initiatives and projects related to the topic.

**Task 4.3. Climate-carbon interactions for the broad audiences** (M1-M48) BSC (lead), UNEXE, UEA, CICERO

Selected material from T4.1 and 4.2 will be further adapted for a general audience and used to create outreach pieces in diverse formats (e.g. opinion editorials, interviews, videos, info-graphics) in addition to social media actions leveraging the existing profiles of researchers in the project. This task will also continually assess and communicate material emerging outside the project, but of relevance to the project audiences.

**T4.3.1: Media coverage** UNEXE, UEA, BSC, CICERO

We will work with CCiCC contacts in large news agencies (e.g. Nature News, CarbonBrief, Vox, Associated Press) to identify emerging news stories and encourage their media coverage through press releases or direct contact with journalists.

**T 4.3.2: Communications content for platforms** UNEXE, UEA, BSC, CICERO

We will produce attractive content in different formats (posts, interviews, opinion editorials, videos, infographics, social media content, etc.). This will vary in length and content, depending on the targeted audience and expected understanding by the broader community. Content will be created in close collaboration with the participants of other WPs. The material will also put CCiCC findings into the context of other research in the area. This activity will build on the project “Rapid Response for Energy and Climate Policy” that has undertaken similar activities at CICERO.

**T4.3.3: Animated infographic about the carbon cycle** BSC

This visualization will be made as a short animated video (30’ sec to 1 min), and as a static poster, reusing content for both media. The poster will be more suitable for press releases, reports, supporting material for presentations, and even conferences, while the animated video will work best as a standalone explanation of the project in YouTube, website, etc., but also as supporting material in live presentations.

**T 4.3.4: Web based explorable explanation of the outcomes of the project** BSC

This interactive application will start with an intro from the previous infographic, and then guide the users through the project results and simulations, while providing the context to understand the project: challenges, motivations, and outcomes. Explorable explanations are one of the best ways to communicate scenario-based predictions, as interaction allows the users to ingrain the response of the underlying models to different changes. Both T4.3.3 and T4.3.4 tasks will rely strongly on the visualization of quantitative information.

**Task 4.4. Communication and dissemination management** (M1-M48) BSC (lead), UNEXE, CICERO

This task will manage general communication tasks such as the creation and periodic revision of a communication, dissemination and user engagement plan; the creation of a recognizable visual identity for all project materials; design of a website and set up of social media; production of online and printed PR materials; and support media liaison for the project.

**T4.4.1: Visual identity** BSC

A coherent and recognizable visual identity will be designed to be used in all project materials. This task includes the following work: design of visual identity (including design elements, logo, colours and fonts), design of templates for letters, presentations, reports and newsletters.

**T4.4.2: Website** UNEXE

A website will be designed to contain and offer the project description and its various outputs like public reports, general information, and news and dissemination material.

**T4.4.3: Communication, Dissemination and Engagement Plan** UNEXE, BSC, CICERO

An outline of the Communication, Dissemination and User Engagement Plan (CDUEP) is provided in section 2.2 “Measure to maximize impact” and will be further developed at the start of the project. The document will provide detailed information about the activities planned along the lifetime of the project. The document will offer an overview of key messages, detailed target audiences, communication platforms and activities, as well as practical information such as branding of the project, logo, templates, etc. It will

also provide a full framework for communication and stakeholder engagement activities detailing target stakeholders, effective mechanisms for engagement and temporal implementation plan of the communication and engagement activities. Key Performance Indicators (KPI) for each dissemination and engagement activity will be defined and reported ensuring the traceability of the WP activities that are not listed under a particular Deliverable or Milestone. This plan will be a living document revised twice during the project at the time of the periodic reporting.

**T4.4.4: Communication and PR materials** UNEXE, BSC

We will produce roll-ups, a poster and a project brochure in physical formats to give visibility to the project following the visual identity defined in T4.4.1. The project will focus on the use of online material (T4.3) and try to minimize the use of papers.

**Deliverables**

**D4.1** ScienceBrief Carbon Cycle updated with IPCC AR6 results and CCiCC publications, with platform update informed by evaluation (UEA, DEC, PU, M48)

**D4.2** Web based explorable explanation (BSC, DEC, PU, M40)

**D4.3** Visual identity and project website available (UNEXE, DEC, PU, M7)

**D4.4** Communication, Dissemination and Engagement Plan (CDEP) (BSC, R, PU, M8)

**D4.5** Summary report on the communication, dissemination and engagement activities (BSC, R, PU, M48)

**Milestones**

**M4.1** Workshop on IPCC AR6 key issues on climate-carbon interactions (UNEXE, M3)

**M4.2** Evaluation of ScienceBrief Carbon pilot, recommendations for further developments (UEA, M24)

**M4.3** Workshop in Brussels (CICERO, M39)



<b>Work package number</b>	5			<b>Lead beneficiary</b>							UNEXE		
<b>Work package title</b>	<b>Project Management</b>												
<b>Participant number</b>	1	2	3	4	5	6	7	8	9	10	11	12	
<b>Short name of participant</b>	UNEXE	UEA	ENS	MPG	ETHZ	BSC	DLR	UBREMEN	UBERN	CICERO	UOXF	CEA	
<b>Person months per participant</b>	32	1	1	1	1	1	1	1	1	1	1	1	
<b>Start month</b>	1			<b>End month</b>				48					

### Objectives

The management of CCiCC will be provided by the Management Support Team (project coordinator and project manager), supported by the UNEXE EU research team for the legal and financial aspects of the project.

The objectives of this work package are to:

- provide appropriate management of project partners to ensure that the project objectives are achieved on time and at the requested high quality;
- organise the projects meetings such as the annual General Assemblies, and the project governance and advisory meetings;
- provide the requested scientific, administrative, financial and contractual coordination at project level, including all contractual reporting to the European Commission;
- ensure effective relation and communication with the European Commission;
- provide efficient communication between all project partners and with the project External Advisory Board (EAB);
- represent the project towards external parties when needed or when suggested by the European Commission;
- ensure active and beneficial collaboration with relevant other EU projects and international bodies such as IPCC, UNFCCC, WMO, etc.

The Management Support Team will also devote a significant fraction of their project-funded time to external project dissemination. Person months allocated to this task, as well as the work involved, are detailed in WP4, to ensure regular interaction with the Synthesis, dissemination and policy dialogue WP.

### Description of work

#### Work package lead Pierre Friedlingstein (UNEXE)

WP5 will provide the management of the whole project, including reporting to the EC.

#### Task 5.1 Management (M1-M48) UNEXE (Lead), and all project partners

This task aims to ensure smooth running of the project, supervising progress and completion of each partner's tasks, in order to achieve the project objectives on time and to cost in the most efficient way. The Management Support Team (MST) will carry out the day-to-day management of the project, in liaison with the General Assembly (GA), the Executive Board (EB) and the External Advisory Board (EAB) (see section 3.2 for a detailed description of these boards). The MST will directly communicate with the European Commission (EC). Management involves the following main tasks:

- Establishing mechanisms for effective communication, time and resources management and scientific production within and across the project work packages. This will include development of project templates for WP reporting, maintenance of detailed WP-level Gantt charts, maintenance of online record of decisions and list of actions lists following virtual and face-to-face meetings.

- Scheduling, organising, chairing and taking actions from GA meetings (annual), in order to report on progress from past year, coordinate science and dissemination objectives for the coming year, and address any outstanding issues not resolved at the EB level.
- Scheduling, organising, chairing and recording actions from EB meetings (4 monthly) in order to support WP leaders and partners to achieve planned objectives, and address potential scientific issues.
- Scheduling, organising, chairing and taking actions from annual meeting with the EAB, in order to benefit from their advices on project science and dissemination.
- Collaborating with WP4 for the development and content provision of the public-facing project website, project identities and external visibility activities, also liaising from the UNEXE Press Office team;
- Facilitating the development of collaborations and interactions outside of the project (with EU projects funded under the same call, other EU funded projects, as well as with international programmes).
- Review of project dissemination materials and scientific publications to ensure quality and adherence to EC guidelines.
- Ensuring all reports, milestones, and deliverables are prepared and delivered on time and are of high quality.
- Managing and mitigating any risks that arise in the course of the project.
- Ensuring the project stays within budget and comply with all the audits and contractual obligations.

**Task 5.2 Reporting and interfacing with the European Commission (M1-M48) UNEXE (lead)**

The Coordinator will be ultimately responsible for the timely submission of periodic reporting on the scientific and financial progress of the project, as well as for direct interfacing with the European Commission (EC). This includes responsibility for submissions of the project Milestones and Deliverables as listed in Tables 3.1c and 3.2a respectively. The Coordinator will also be the main contact point for the EC for the project and related activities. This task will ensure appropriate follow-up of specific obligations deriving from the EC contract, in terms of reporting (finance and science), communication and general management procedures. It will inform the EC of project achievements and any deviations from the agreed plans. In case of major difficulties, it will instigate a dialogue with the EC in order to find an appropriate solution. The clear management structure described in section 3.2 will ensure efficient communication between all project partners, with the advisory board, and with the EC.

**Deliverables**

**D5.1** Project risk and quality assurance management plan (UNEXE, R, PU, M6)

**D5.2** Data Management Plan (UNEXE, R, PU, M12)

**Milestones**

**M5.1** Kick off meeting (UNEXE, M3)

**M5.2** Management framework and tools (UNEXE, M4)

**M5.3** Project monitoring completed (UNEXE, M18)

Table 3.1c: List of Deliverables

Deliverable (number)	Deliverable name	WP	Lead participant	Type	Dissemination level	Delivery date
D1.1	Global O <sub>2</sub> and APO budget for 1991-2018 time-period using observations and models	1	UEA	R	PU	36
D1.2	Isotopic-constrained atmospheric carbon budget and sink flux estimates	1	UBERN	R	PU	36
D1.3	Report on the benchmarking and evaluation of simulated carbon budgets	1	CEA	R	PU	42
D1.4	Report on the factorial attribution analysis	1	UNEXE	R	PU	45
D1.5	Report on the reduction of the global carbon budget imbalance	1	UEA	R	PU	48
D2.1	Assessment of carbon cycle potential predictability for 3 CCiCC ESMs	2	BSC	R	PU	24
D2.2	Assessment of predictability of atmospheric CO <sub>2</sub> and C sinks for 3 CCiCC ESMs	2	MPG	R	PU	36
D2.3	Report on predictions of next year atmospheric CO <sub>2</sub>	2	BSC	R	PU	42
D2.4	Prediction of atmospheric CO <sub>2</sub> , carbon sinks and climate for the next decade	2	ENS	R	PU	48
D3.1	Report on emergent constraints for carbon processes and biogeochemical feedbacks	3	ETHZ	R	PU	36
D3.2	Report on TCRE assessment including non-CO <sub>2</sub> emissions and observational constraints	3	UOXF	R	PU	30
D3.3	Report on the robustness of different weighting schemes for CO <sub>2</sub> projections	3	DLR	R	PU	42
D3.4	Report on adaptive scenarios compatible with the Paris Agreement LTTG	3	UBERN	R	PU	48
D4.1	ScienceBrief Carbon Cycle updated with IPCC AR6 results and CCiCC publications, with platform update informed by evaluation	4	UEA	DEC	PU	48
D4.2	Web based explorable explanation	4	BSC	DEC	PU	40
D4.3	Visual identity and project website available	4	UNEXE	DEC	PU	7
D4.4	Communication, Dissemination and Engagement Plan (CDEP)	4	BSC	R	PU	8
D4.5	Summary report on the communication, dissemination and engagement activities	4	BSC	R	PU	48
D5.1	Project risk and quality assurance management plan	5	UNEXE	R	PU	6
D5.2	Data Management Plan	5	UNEXE	R	PU	12

### 3.2 Management structure, milestones and procedures

Work Package 5 addresses project management and is designed to ensure the smooth operation of the project in terms of day-to-day management, decisions at the milestones, production of deliverables and liaison with the European Commission. The project management procedures, including IPR issues and decision-making procedures will be formalized in the Consortium Agreement, which all partners will sign prior to the signature of the Grant Agreement. The aim is to achieve:

- A management structure that incorporates scientific, technical and partner coordination as well as issues of normal business operation;

- Procedures that respect the dedicated research commitment of the entire team;
- Rapid and efficient decision making close to the responsible level of execution;
- Reliable and trusted agreements to protect intellectual properties of all partners and encourage sharing and collaboration.

### 3.2.1 Overall management structure

The main components of the management structure of CCiCC are:

- The **Coordinator**, who will lead the project and be the intermediary between the consortium and the European Commission and be supported by a **Management Support Team (MST)** to ensure the overall day-to-day project management and administration, in close collaboration with the Work package leads.
- The **General Assembly (GA)**, the overarching decision-making body which is responsible for the project's major strategic, scientific and technological policies.
- The **Executive Board (EB)** implements the decisions taken by the GA and monitors and ensures the project's overall progress, and consists of the Project Lead and the WP leads.
- The **Work Package Leaders** ensure the day-to-day project management and administration of each work package.
- The **External Advisory Board (EAB)**. Each EAB member will adhere to and sign specific terms of reference at the start of the project, including confidentiality clauses when relevant.

#### The Coordinator and Management Support Team (MST)

The Project Coordinator is UNEXE, represented by Prof Pierre Friedlingstein as Project Lead. The Coordinator's primary role is to represent the Consortium to the European Commission (EC) and to take overall responsibility for ensuring that the project meets its objectives. The Project Coordinator is responsible for project coordination including the scientific and technical quality-control of deliverables, as well as the planning, administrative and strict financial follow-up of the project.

The Project Coordinator will be responsible for:

- organising and chairing the GA and EB and ensuring that any relevant issues are brought to the attention of these governing bodies;
- ensuring smooth operation of the project: work plan maintenance, project progress monitoring, analysis of the results, identification of problems and consequences for future research;
- overseeing the preparation and quality of the project's progress reports and deliverables;
- submitting all required progress reports, deliverables and financial statements to the EC;
- communicating all relevant project information to the EC and acting as intermediary between the EC and the project partners;
- handling payments to the partners and transferring sums in a timely manner, in line with the provisions of the Consortium Agreement and the decisions of the GA;
- organising meetings of the External Advisory Board;
- management of risk and challenges during the course of CCiCC;
- promotion of the Consortium's activities for the potential cooperation with similar initiatives/projects.

**The Management Support Team** will be composed of Prof Pierre Friedlingstein (UNEXE) and of a project manager employed by UNEXE. Support from UNEXE professional services teams including a dedicated EU team consisting of experienced specialists in the management and financial delivery of EU projects, Legal and IP specialists will be available to the MST.

The MST will be in charge of day-to-day project management, administration, and logistics across the project, including:

- Communication of all information in connection with the project to the Commission;
- Preparation of the project deliverables and delivery to the Commission, after validation by the EB;
- Day to day co-ordination of the project; monitoring project planning and progress,;
- Communication within the project, to partners, governing bodies, users, and the general public;
- Organisation of meetings and internal reviews;
- Preparation of the quality control, data management and documentation plan;

- Co-ordination and collaboration with other EU-funded or other international projects;
- Overall administrative and financial management,
- Management of consortium-level legal and ethical issues
- Liaising with the EAB and preparing their meetings

The Project Manager will assist the Project Coordinator in the day-to-day monitoring of the project, supporting communication with project partners and the project governing bodies, keeping track of project deadlines, issuing reminders to project partners, checking on follow-up of planning schedule, etc. S/he will maintain the internal project communication instruments, providing mailing lists, online resources for files sharing, and setting up teleconferences and webex meetings as needed. S/he will assist the Project Coordinator in the preparation of the deliverables, milestones and periodic reporting to be submitted to the Commission. The Project Manager will also assist the Project Coordinator with finance reporting and in any financial actions between the Commission and the project partners.

### **The General Assembly (GA)**

The GA is the overall decision-making body of the consortium and will include one representative from each partner. The GA will be chaired by the project coordinator and supported by the Management Support Team. The GA will be responsible for validating the major decisions concerning the project. It is the decision-making body for any issue concerning the proper operation of the consortium and will resolve any project disputes arising between partners that cannot be resolved at a lower level. Any partner may request discussion and vote by the PGB on any decision taken previously by the EB or the MST, which could be contrary to its interests.

The matters to be acted upon by the General Assembly include:

- Strategic orientation of the project;
- The Consortium work plan and plans for using and disseminating knowledge;
- The Consortium budget and financial allocation of the EU's contribution between research and dissemination activities on the one hand, and between the beneficiaries on the other;
- Annual validation of the realised expenditure in accordance with the budget;
- Changes in the Consortium membership;
- Determination of a defaulting partner;
- Any major reallocation of budget between partners;
- Any alterations to the Consortium Agreement;
- The acceptance of new beneficiaries as well as any exclusion of beneficiaries;
- Any premature completion or termination of the project;
- Adherence of the Consortium to Open Access requirements and appropriate data management.

**Decision-making:** The GA's decisions will require 2/3 of the members to be present to be quorate and require a 2/3 majority vote. The decision and problem resolving process will be defined in detail in a Consortium Agreement, which will be signed by all beneficiaries prior to the start of the project.

**Frequency of Meetings:** In addition to an initial kick-off meeting, the GA will be held once a year, unless intermediate meetings are in the interests of the project. In such a case, the GA will be convened by the Coordinator or when requested by at least 50% of the assembly's members. The MST will operate the GA's secretariat.

### **The Executive Board (EB)**

The Executive Board (EB) is in charge of the day-to-day management of CCiCC scientific progress of the project, ensuring it stays in line with its scientific objectives and providing early warning of potential scientific or technical issues, allowing implementation of appropriate measures to reduce the risk of delay or delivery of the project objectives. The EB will be the body where discussions will take place and decisions will be made with respect to the work undertaken within and between work packages. The EB is chaired by the Coordinator and comprises all the WP leaders and deputies. Major decisions or recommendations made by the EB which change either the scientific or financial direction of the project must be agreed upon by the GA.

The EB responsibilities include:

- Report on progress of their WPs at four-monthly meetings and through short written reports;
- Providing progress reports on the delivery of the project to the GA;
- Review the project deliverables prior to their submission;

- Consider recommendations from the External Advisory Board (EAB);
- Propose any necessary or beneficial changes of the project budget/membership to the GA;
- Propose and implement the competitive selection procedure for new contractors;
- Make proposals to the GA for any change in consortium membership;
- Lead the proper conduct of the project to maximise outputs and impacts.

The MST will provide support to the EB for these tasks and to write technical and financial reports.

**Decision-making:** The EB's decisions require 2/3 of the members to be present to be quorate and require a 2/3 majority vote. Each member represented on the EB will have one vote. In case both the WP leader and its deputy are present, only the vote of the WP leader will count.

**Frequency of Meetings:** the EB will meet every 4 months (unless intermediate meetings are in the interest of the project) either physically or by phone/video conference in order to review project progress, consider any risks related to the WPs and, as required, identify solutions and/or alternative options. The EB will work interactively using a dedicated project intranet and audio-visual tools maintained and provided by the Management Support Team. At least one meeting per year will be face-to-face, organised at the same time as the annual General Assembly.

### Work Package Leaders and their Teams

The WP teams are composed of one WP leader, a deputy leader and several other partners (Table 3.2.1). The activities of each WP are subdivided into Tasks that will be conducted by one or more of the Partners. The overall organisation of the Tasks will be supervised by the individual WP leader who will be responsible for the following activities:

- Organising regular internal communication between the WP Participants for Task-related information, documents, planning and deliverables;
- Sending technical, administrative and financial reports (including the Progress and Final Reports) to the Project Coordinator;
- Producing the WP-related deliverables and their submission to the Project Coordinator according to schedule;
- Conducting the initial evaluation of the scientific and technical content of the deliverables;
- Providing the content for the Progress and Final Reports;
- Identifying, in a timely fashion, any potential risk or conflict, any delay or difficulty that might alter the quality and/or the achievement of deliverables, and inform the Project Coordinator and Project Manager;
- Resolving as far as possible any conflict within the Work Package.

The WP team members will be responsible for the following activities:

- Participating in regular internal communication with the WP Leader;
- Delivering the sub-task results and administrative and financial reports to the WP Leader on schedule;
- Providing the content for the Progress and Final Reports;
- Informing their WP leader of any potential risk or conflict or any delay or difficulty that might alter the quality and/or the achievement of deliverables.

**Table 3.2.1 WP leads and deputy lead**

<b>WP1 lead</b>	Corinne LeQuéré (F)	UEA
<i>WP1 deputy lead</i>	Stephen Sitch (M)	UNEXE
<b>WP2 lead</b>	Tatiana Ilyina (F)	MPG
<i>WP2 deputy lead</i>	Raffaele Bernardello (M)	BSC
<b>WP3 lead</b>	Thomas Frölicher (M)	UBERN
<i>WP3 deputy lead</i>	Veronika Eyring (F)	DLR
<b>WP4 lead</b>	Isadora Jimenez (F)	BSC
<i>WP4 deputy lead</i>	Glen Peters (M)	CICERO
<b>WP5 lead</b>	Pierre Friedlingstein (M)	UNEXE

### The External Advisory Board (EAB)

The EAB will be composed of 6 to 8 experts in the field, covering a wide range of expertise on climate and

carbon cycle science, oceanic and land expertise, modelling and observation, science and dissemination (Table 3.2.2). The central role of the EAB is to provide an external, independent critical evaluation of the work done in CCiCC. The EAB will:

- Advise on the project scientific work plan and outcomes
- Advise on the project dissemination and interface with users
- Provide a perspective and advice on potential links with on-going international activities relevant to CCiCC
- Suggest potential new developments and actions to further increase CCiCC scientific outputs and dissemination.

The EAB will be invited to attend the CCiCC Annual General Assembly, and will be asked to provide feedback and advice during the follow-up EAB meeting. The EAB will submit a written report to the MST within the following 2 weeks. The MST will distribute the EAB report to the project consortium and will propose responsive actions if necessary.

**Frequency of Meetings:** The EAB will meet annually, physically (preferred option) or remotely. The project's budget includes a line to cover the travel and subsistence costs of EAB members invited to attend project meetings and events. Each EAB member will be required to sign a confidentiality agreement. The Consortium Agreement will fix in detail the governance rules and procedures for the EAB.

**Table 3.2.2 External Advisory Board composition**

ClaudiaTebaldi (F)	NCAR, Boulder USA	Climate modelling, scenarios
Pep Canadell (M)	GCP, Canberra, Australia	Global carbon cycle, IPCC
Mat Williams (M)	University of Edinburgh, UK	Land carbon cycle, observations
Martin Heimann (M)	Univ. Helsinki, Finland	Global carbon cycle
Leo Hickman (M)	CarbonBrief, London, UK	Communication & outreach
Michio Kawamiya (M)	Jamstec, Yokohama, Japan	Ocean carbon cycle, ESM
Kirsten Zickfeld (F)	Simon Fraser Univ. Canada	Climate modelling, TCRE

### Project gender balance

In the current project structure, 4 of the 5 WPs are led (3) or co-lead (1) by women and approximately 37% of the key personnel involved are female (see section 4). The Project Coordinator along with the Management Support Team will gather statistics and monitor the number and role of women within CCiCC and take actions if needed.

Gender issues will be tackled by CCiCC through the following actions:

- Fostering equal opportunities policies that encourage the recruitment of women at equal scientific or technical merit.
- Implementing actions (working-time flexibility, setting of e-conference tools to limit travels and organising predictable travels and meetings) to support male and female researchers with children or other dependants.
- Ensuring that meeting programs, high profile presentations (keynote talks at conferences) are planned from a gender balance perspective.

CCiCC will endorse the principles of the European Charter for Researchers and Code of Conduct for the Recruitment of Researchers.

### 3.2.2 Appropriateness of the organisational structure and decision making mechanisms

The consortium consists of 12 partners from 6 different EU member states thus it requires an experienced Project Coordinator to successfully manage all of the technical, financial, legal and administrative aspects. Aside from the organisational structure defined in the previous section, which will ensure an efficient project performance, several processes are highlighted below:

**Management guidelines:** Management guidelines will be set up at the beginning of the project and will provide all project partners with practical information on project implementation (including a full contact list and a project time line) and templates for project deliverables and reports. The objective of these guidelines is to ensure top-quality project outcomes (meetings, reports, deliverables, dissemination material, etc.) and a common understanding of all project procedures and tools.

**Project document repository:** A secured intranet system will be implemented at the start of the project and will be restricted to the CCiCC members. This tool will act as a repository for all project documents, such as contractual documents, minutes of meeting, working documents shared within partners, etc. It is intended to foster collaboration between CCiCC partners at all levels: WPs, governance bodies, advisory groups, etc.

**Web conference tool:** Virtual meetings will have an important role in ensuring good information flow within the project and enabling frequent collaboration within the CCiCC governance bodies and within and between WPs, while minimising travel costs and CO<sub>2</sub> emissions. The MST will provide a tool for GA, EAB and EB meetings and ensure that the web meetings' minutes are uploaded to the intranet for access by all consortium members.

**Quality Assurance:** Measurable and verifiable results are defined in the workplan in connection with deliverables and milestones. All draft deliverables will be subject to internal quality review before they are accepted as deliverables for submission to the EU. The review process will be two-stage. The first stage will comprise a review carried out by the Executive Board. The second stage of quality review will be carried out by the project coordinator. Only once deliverables have passed both stages of review will they be deemed suitable for submission to the EU. A quality assurance plan will be produced as a deliverable of the project.

**Consortium Agreement:** A Consortium Agreement (CA) will be signed before the project commences. The University of Exeter coordinates several H2020 project and has therefore substantial experience in developing Consortium Agreements. The CA will be based on the DESCAs model and will include:

- The organisation of the consortium, including resolutions of issues, as described above.
- The financial distribution on the basis of each participant's effort and activity type.
- Procedures for changes in the consortium composition.
- IPR and exploitation, including definition of the background brought by all participants
- Rights and rules for joint ownership, access rights to project results for participants and 3rd parties
- Rights and rules for managing appropriate dissemination, respecting ownership and potential confidentiality/embargo.

### 3.2.3 Innovation Management

The major outputs of this project will be novel data products and model simulations that will be made available to the scientific community. The MST and the EB will monitor the publications and public disclosures of the partners to safeguard the timely distribution of knowledge to the scientific community with any need for protection of IP rights. The nature of the project is such that we do not foresee a need for IP protection. However the EB will review any internal or external opportunity for exploiting the project results when such opportunity arises and an expert from the IP department of UNEXE may advise the partners if necessary during the course of the project should any foreground IP need to be protected. Background IP will remain the property of the project partners.

**Table 3.2a: List of milestones**

Milestone number	Milestone name	WP	Due date	Means of verification
M1.1	New data constraints with uncertainty estimate for ocean carbon fluxes	1	24	Data quality validated
M1.2	New data constraints with uncertainty estimate for land carbon fluxes	1	24	Data quality validated
M1.3	Updated land water storage data for land carbon constraints	1	24	Data quality validated
M1.4	Last set of historical simulations performed with CMIP6+ carbon cycle models	1	37	Simulations available
M1.5	Enhanced ESMValTool version with new CCiCC observation diagnostics	1	36	Software available
M2.1	Completion of simulations in perfect model framework	2	18	Data available
M2.2	Reconstruction of initial conditions for retrospective and future predictions	2	16	Simulations available



M2.3	Completion of retrospective predictions and computation of bias correction	2	31	Simulations available
M2.4	Completion of future decadal predictions for NDC and baseline scenario	2	40	Simulations available
M3.1	New set of emergent constraints implemented in the ESMValTool GitHub repository	3	24	Software available
M3.2	New TCRE framework including non-CO <sub>2</sub> emissions available	3	18	Software available
M3.3	Weighting methods for CO <sub>2</sub> projections available	3	30	Software available
M3.4	Temperature trajectories for adaptive scenarios with reduced complexity models	3	30	Simulations available
M4.1	Workshop on IPCC AR6 key issues on climate-carbon interactions	4	3	Minutes available
M4.2	Evaluation of ScienceBrief Carbon pilot, recommendations for further developments	4	24	Evaluation results available
M4.3	Workshop in Brussels	4	39	Minutes available
M5.1	Kick off meeting	5	3	Minutes available
M5.2	Management framework and tools	5	4	Data available
M5.3	Project monitoring completed	5	18	Report available

### 3.2.4 Critical risks and risk mitigation measures

The overall responsibility for the risk management of CCiCC will reside with the Project Coordinator supported by all members of the Consortium and the Advisory Board. Risk Management will consist of the identification of risk; its assessment; and response. Risk identification will be a proactive Task for the entire CCiCC Team as well as within the framework of the WP activities. The EB will be responsible for the assessment and the response. Their risk assessment will qualify the potential impact(s) on CCiCC, ranking the risk according to low, medium, or high likelihood and minor, moderate or major impact on project delivery. The response to these various risks will be graded in proportion to their degree.

- **Minor risks** can be addressed by the Project Coordinator/Project Manager/WP Leaders;
- **Moderate risks** need to be carefully addressed by the EB and the relevant Partners. Continued forward monitoring and possibly additional adjustments will be necessary;
- **High risks** need to be carefully addressed by the EB, with support by all Partners, potentially also involving the EAB. An agreed upon strategy will be put in place to solve the issue with on-going monitoring, possibly followed by additional measures during which the Project Officer will be consulted.

The critical risks relating to CCiCC project implementation and the associated risk mitigation measures are listed in **Table 3.2b**. A risk management plan will be prepared as a deliverable of the project.

**Table 3.2b: Critical risks for implementation**

Description of risk (indicate level of likelihood: Low/Medium/High)	Work packages involved	Proposed risk-mitigation measures
Delay in recruitment (Low)	All	All partners have extensive experience in running national and EU projects, and hence have a very strong track record of staff recruitment. Open positions will be advertised widely via jobs mailing lists (e.g. climlist, metjobs), via our

		own network, and posted on partners and project website. In addition we will share the pool of applicants across all partners.
WP leader unavailable (sickness, travel, changed position / circumstances) (Low)	All	Each WP has a leader and deputy leader to reduce this risk
Difficulties in reducing the $B_{IM}$ . The risk of achieving no reduction in the $B_{IM}$ is Low, while the risk of achieving reductions of less than 50% (the aspiration of WP1) is Medium	WP1	Hypotheses have already been formulated in the proposal on processes that need improvements that could be responsible for the $B_{IM}$ (e.g. land variability associated with water availability and fires, ocean variability associated with small-scale physical transport, external and internally-forced variability). These hypotheses will evolve with the annual updates and related improvements in models. Risks are also reduced by the introduction of $O_2$ , APO, and $^{13}C$ budget, which will provide independent constraints on the land and ocean partitioning of the $B_{IM}$ and the underlying processes. Finally, the detailed evaluation of the models in T1.4 based on existing and new observations will provide key information to select models based on their performance, which should lead to reductions in the $B_{IM}$ .
Not delivering predictions for 2020-2030 (Medium)	WP2	Predictions for the next decade depend on the timely computation of bias correction (M2.3). If a delay in reaching this milestone is foreseen additional resources will be devoted to T2.3.
Difficulties in reducing the uncertainty on TCRE. The risk of achieving no reduction in the TCRE uncertainty is Low, while the risk of achieving reductions of less than 50% (the aspiration of WP3) is Medium	WP3	We will use ESMs with much improved processes in comparison to AR5/CMIP5, such as nitrogen limitation, permafrost and wildfires in the land components, and variably stoichiometry and high-resolution physics in the ocean components. We will make use of new observations to constrain these new processes and the land and ocean carbon fluxes over the historical period and will in parallel develop new emergent constraints to reduce the uncertainty on climate-carbon feedbacks in the future. Finally, the use of models performances to weight projections should also contribute to a reduction of TCRE uncertainty.
Delays in supporting the IPCC AR6 because literature cut-off dates too close to the beginning of CCiCC project (Medium)	All	A workshop for fast-track support to IPCC AR6 is scheduled at Month 3 (M4.1). It will bring together IPCC lead authors and CCiCC researchers to highlight priorities and key challenges, aligning efforts accordingly. Moreover, the extensive experience and involvement of CCiCC partners in IPCC assessments process will ensure smooth advancements. If selected for funding, the project needs to start as early as possible to reduce this risk. With delays, the proposed workshop can be held in Month 1 with some additional funding costs.
Difficulties to engage stakeholders (Low)	WP4	Dissemination and communication strategies have been carefully planned. Additionally, CCiCC benefits on the one hand of partners with solid reputation among scientific stakeholders (covering high-responsibility roles in various panels, projects etc.), and on the other hand of partners with science communication experience to involve society (from policymakers to citizens). Many project participants (and their institutions) have extensive networks, and this risk has been minimised by the selection of relevant project partners.

### 3.3 Consortium as a whole

CCiCC will bring together 12 academic partners from seven European countries, with the strongest expertise on global carbon cycle and climate system both from the observation and modelling side. CCiCC will combine unique expertise on:

- observations and synthesis of global atmospheric satellite CO<sub>2</sub> (UBREMEN), atmospheric O<sub>2</sub> and <sup>13</sup>C (UEA, UBERN), ocean surface and interior carbon (MPG, ETHZ), oxygen and isotopes (UEA, MPG, ETHZ, UBERN), remote sensing-based land surface hydrology (ETHZ), atmospheric-based land surface productivity (UNEXE, MPG, CEA);
- global modelling of land (UNEXE, MPG, BSC, UBERN, CEA), ocean (UEA, ENS, MPG, ETHZ, BSC, UBERN) and full Earth System (ENS, MPG, BSC, UBERN, UOXF, CEA);
- realisation of ESM simulations in the context of CMIP5 and CMIP6 (ENS, MPG, BSC, CEA)
- analysis and intercomparison of simulations of the global carbon cycle (UNEXE, UEA, ENS, MPG, ETHZ, UBERN, CEA)
- evaluation of carbon cycle models (UNEXE, UEA, ENS, MPG, ETHZ, UBERN, CEA), climate models (MPG, BSC, UOXF, DLR, UNEXE, UBERN, ENS, CEA)
- development of evaluation tools such as ESMValTool (UNEXE, DLR, UBREMEN, MPG, CEA)
- emergent constraints on the carbon cycle and climate system (UNEXE, ENS, ETHZ, DLR, UBREMEN, CEA)
- emission scenarios and climate response (UNEXE, ENS, MPG, UBERN, CICERO, UOXF, CEA)
- synthesis, dissemination and interaction with policymakers and end-users (UNEXE, UEA, BSC, CICERO, UOXF, CEA).

The consortium is a balanced mix of leading European process-parameterization developers in land and marine biogeochemistry, all working closely with physical model development scientists at each of the modelling centres. The strong involvement of European experts on land and atmospheric, land and ocean carbon observations, synthesis and use for process understanding, together with model developers will ensure a process-based ESM evaluation and improvement.

The consortium has seven research institutes, and five university-based partners, all with demonstrated experience in the training of PhD students and postdoctoral level young scientists, nurturing the next generation of European, which we view as an important aspect of the project.

The ESM groups in the CCiCC consortium are all experienced in executing major international coordinated simulations (such as for CMIP5 and CMIP6) and delivering data in a structured manner (CMOR format) onto the Earth System Grid Federation (ESGF). Further many of the partners are already working together successfully in current H2020 projects on ESM development (CRESCENDO, PRIMAVERA) or greenhouse gases budgets (VERIFY), and have a long history of working together in past project, such as the H2020 HELIX, C-CASCADES, and the FP7 EMBRACE, CarboChange, GeoCarbon, GreenCyclesII and COMBINE projects.

The CCiCC consortium also includes a number of groups (BSC, UEA, CICERO, CEA, UNEXE) with extensive experience in science communication directed towards key groups such as policymakers, but also general interested public, and academic disciplines. Particularly relevant here, the consortium has more than 10 years of experience in delivering the science and communication on the annual global carbon budgets in the context of the UNFCCC activities. This will ensure CCiCC will maintain a high-quality activity in communication/dissemination with both policy and public arenas (see WP4).

As detailed in section 2.1 the consortium includes numerous past or current IPCC authors, as well as members of WCRP programs and Future Earth core projects, including the CMIP panel chair (Eyring, DLR). The consortium also includes leaders of six Model Intercomparison Projects (MIPs) that are part of CMIP6 and its contribution to the IPCC AR6 (see Table 2.1). This type of representation will ensure CCiCC science is well represented at international levels and being informed of international plans in global carbon and Earth system science.

Two of the ESMs used and improved in CCiCC are originally developed by two major US Earth system modelling centres (GFDL and NCAR), ensuring strong interactions with these groups and the US ESM community.

Our External Advisory Board (EAB) is deliberately of international dimension and trans-disciplinary, covering areas such as Earth observations, carbon cycle and climate process understanding, ESM

development and evaluation, science-policy advice and science communication.

We believe the CCiCC consortium contains the necessary expertise to realize our ambitious science objectives, while also being sufficiently cross-disciplinary to successfully interact with major complementary areas of Earth system science and maintain a high-quality dialogue with both policymakers and the public. Furthermore, the consortium will ensure CCiCC science influences Earth system science well beyond the conclusion of the project; through the training of Early Career Scientists, the improved understanding of the contemporary carbon cycle perturbation and the provision of key state-of-the-art Earth system near-term predictions and long-term projections in support of the Paris Agreement.

### 3.4 Resources to be committed

**Table 3.4a: Summary of staff effort**

	WP1	WP2	WP3	WP4	WP5	Total Person-Months per Participant
1/UNEXE	45	4	41.4	10.6	32	133
2/UEA	43.4	0	0	16	1	60.4
3/ENS	10	23	23	0	1	57
4/MPG	46	42	18	3	1	110
5/ETHZ	35	0	14	2	1	52
6/BSC	9.5	66	9	46.5	1	132
7/DLR	12	0	37	2	1	52
8/UBREMEN	20	0	19	2	1	42
9/UBERN	25	0	38	1	1	65
10/CICERO	3	0	9	26	1	39
11/UOXF	0	4	30	4	1	39
12/CEA	26.2	16	12	0	1	55.2
<b>Total Person Months</b>	<b>275.1</b>	<b>155</b>	<b>250.4</b>	<b>113.1</b>	<b>43</b>	<b>836.6</b>

**Table 3.4b: ‘Other direct cost’ items (travel, equipment, other goods and services, large research infrastructure)**

Not applicable to any CCiCC partners

## References

- 1 IPCC. in *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Summary for Policymakers.* (ed T.F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley) 1-29 (Cambridge University Press, 2013).
- 2 Le Quéré, C. *et al. Earth Syst. Sci. Data* **10**, 405-448, (2018).
- 3 Melillo, J. M. *et al. Nature* **363**, 234-240, (1993).
- 4 Sarmiento, J. L. *et al. Nature* **393**, 245-249, (1998).
- 5 Friedlingstein, P. *et al. Geophys. Res. Lett.* **28**, 1543-1546, (2001).
- 6 Joos, F. *et al. Science* **284**, 464-467, (1999).
- 7 Sarmiento, J. L. & LeQuere, C. *Science* **274**, 1346-1350, (1996).
- 8 Arora, V. K. *et al. J. Clim.* **26**, 5289-5314, (2013).
- 9 Friedlingstein, P. *et al. J. Clim.* **19**, 3337-3353, (2006).
- 10 Friedlingstein, P. *et al. J. Clim.* **27**, 511-526, (2014).
- 11 Jones, C. D. *et al. J. Clim.*, (2013).
- 12 Allen, M. R. *et al. Nature* **458**, 1163-1166, (2009).
- 13 Matthews, H. *et al. Nature* **459**, 829-832, (2009).
- 14 Gregory, J. M. *et al. J. Clim.* **22**, 5232-5250, (2009).
- 15 Ciais, P., *et al.* in *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (ed T.F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley) Ch. 6, 465-570 (Cambridge University Press, 2013).
- 16 Siegenthaler, U. & Oeschger, H. *Tellus B* **39B**, 140-154, (1987).
- 17 Tans, P. P. *et al. Science* **247**, 1431-1438, (1990).
- 18 Rödenbeck, C. *et al. Biogeosciences* **12**, 7251-7278, (2015).
- 19 Raupach, M. R. *et al. Proceedings of the National Academy of Sciences of the United States of America* **104**, 10288-10293, (2007).
- 20 Frölicher, T. L. *et al. Global Biogeochemical Cycles* **27**, 239-251, (2013).
- 21 Mercado, L. M. *et al. Nature* **458**, 1014-1017, (2009).
- 22 Le Quéré, C. *et al. Science* **316**, 1735-1738, (2007).
- 23 Piao, S. *et al. Global Change Biology* **19**, 2117-2132, (2013).
- 24 Landschützer, P. *et al. Science* **349**, 1221-1224, (2015).
- 25 Kirtman, B., *et al.* in *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (ed T.F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley) Ch. 11, 953-1028 (Cambridge University Press, 2013).
- 26 Marotzke, J. & Forster, P. M. *Nature* **517**, 565, (2015).
- 27 Conway, T. J. *et al. Journal of Geophysical Research - Atmospheres* **99**, 22831-22855, (1994).
- 28 Keeling, C. D. *et al. Nature* **375**, 666-670, (1995).
- 29 Peters, G. P. *et al. Nature Climate Change*, (2017).
- 30 Rogelj, J. *et al. Nature Climate Change* **6**, 245-252, (2016).
- 31 Jones, C. D. *et al. Environmental Research Letters* **11**, 095012, (2016).
- 32 Goodwin, P. *et al. Nature Geoscience* **11**, 102-107, (2018).
- 33 Cox, P. M. *et al. Nature* **553**, 319, (2018).
- 34 Humphrey, V. *et al. Nature* **560**, 628-631, (2018).
- 35 Wenzel, S. *et al. Nature* **538**, 499-501, (2016).
- 36 Fuglestad, J. *et al. Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences* **376**, (2018).
- 37 Jenkins, S. *et al. Geophys. Res. Lett.* **45**, 2795-2804, (2018).
- 38 Landschützer, P. *et al. Nature Climate Change* **8**, 146-150, (2018).
- 39 Talley, L. D. *et al. Annual Review of Marine Science* **8**, 185-215, (2016).
- 40 Olsen, A. *et al. Earth Syst. Sci. Data* **8**, 297-323, (2016).
- 41 Luthcke, S. B. *et al. Journal of Glaciology* **59**, 613-631, (2017).
- 42 Humphrey, V. *et al. Geophys. Res. Lett.* **44**, 2300-2309, (2017).
- 43 Mueller, B. *et al. Hydrol. Earth Syst. Sci.* **17**, 3707-3720, (2013).
- 44 Tramontana, G. *et al. Biogeosciences* **13**, 4291-4313, (2016).
- 45 Zhang, Y. *et al. BGD*, (2018).

- 46 Whelan, M. E. *et al. Biogeosciences* **15**, 3625-3657, (2018).
- 47 van der Werf, G. R. *et al. Earth Syst. Sci. Data* **9**, 697-720, (2017).
- 48 Lauer, A. *et al. Remote Sensing of Environment* **203**, 9-39, (2017).
- 49 Keeling, R. F. & Manning, A. C. in *Treatise on Geochemistry* Vol. 5.15 (eds H. Holland & K. Turekian) 385–404 (Elsevier, 2014).
- 50 ESRL. (2018).
- 51 Eide, M. *et al. Global Biogeochemical Cycles* **31**, 515-534, (2017).
- 52 Rubino, M. *et al. Journal of Geophysical Research: Atmospheres* **118**, 8482-8499, (2013).
- 53 Keller, K. M. *et al. Biogeosciences* **14**, 2641-2673, (2017).
- 54 Cornwell, W. K. *et al. Scientific Data*, (2016).
- 55 Müller, W. A. *et al. Journal of Advances in Modeling Earth Systems* **10**, 1383-1413, (2018).
- 56 Hazeleger, W. *et al. Climate Dynamics* **39**, 2611-2629, (2012).
- 57 Dufresne, J.-L. *et al. Climate Dynamics* **40**, 2123-2165, (2013).
- 58 Hurrell, J. W. *et al. Bulletin of the American Meteorological Society* **94**, 1339-1360, (2013).
- 59 Dunne, J. P. *et al. J. Clim.* **25**, 6646-6665, (2012).
- 60 Dunne, J. P. *et al. J. Clim.* **26**, 2247-2267, (2013).
- 61 Battaglia, G. & Joos, F. *Global Biogeochemical Cycles* **32**, 92-121, (2018).
- 62 Lienert, S. & Joos, F. *Biogeosciences* **15**, 2909-2930, (2018).
- 63 Harper, A. B. *et al. Geosci. Model Dev.* **11**, 2857-2873, (2018).
- 64 Le Quéré, C. *et al. Biogeosciences* **13**, 4111-4133, (2016).
- 65 Zaehle, S. *et al. Global Biogeochemical Cycles* **24**, GB1006, (2010).
- 66 Thomas, R. Q. *et al. Global Change Biology* **21**, 1777-1793, (2015).
- 67 Meyerholt, J. & Zaehle, S. *New Phytologist* **208**, 1042-1055, (2015).
- 68 Thomas, R. Q. *et al. Global Change Biology* **19**, 2986-2998, (2013).
- 69 Ahlstrom, A. *et al. Science* **348**, 895-899, (2015).
- 70 Jung, M. *et al. Nature* **541**, 516-520, (2017).
- 71 Wartenburger, R. *et al. Environmental Research Letters* **13**, 075001, (2018).
- 72 Koven, C. D. *et al. Proceedings of the National Academy of Sciences* **108**, 14769-14774, (2011).
- 73 Burke, E. J. *et al. Biogeosciences* **14**, 3051-3066, (2017).
- 74 Tarnocai, C. *et al. Global Biogeochemical Cycles* **23**, GB2023, (2009).
- 75 Koven, C. D. *et al. Biogeosciences* **12**, 5211-5228, (2015).
- 76 Chen, Y. *et al. Nature Climate Change* **7**, 906-911, (2017).
- 77 Bowman, D. M. J. S. *et al. Science* **324**, 481-484, (2009).
- 78 Ward, D. S. *et al. Atmos. Chem. Phys.* **12**, 10857-10886, (2012).
- 79 Aragão, L. E. O. C. *et al. Nature Communications* **9**, 536, (2018).
- 80 Mangeon, S. *et al. Geosci. Model Dev.* **9**, 2685-2700, (2016).
- 81 Yue, C. *et al. Geosci. Model Dev.* **7**, 2747-2767, (2014).
- 82 Hantson, S. *et al. Biogeosciences* **13**, 3359-3375, (2016).
- 83 DeVries, T. *et al. Nature* **542**, 215, (2017).
- 84 Rintoul, S. *et al. in Ocean Circulation and Climate* (ed G. Siedler et al) 271–302 (Academic Press, 2001).
- 85 Hogg, A. M. C. *et al. J. Clim.* **21**, 608-620, (2008).
- 86 Laufkötter, C. *et al. Biogeosciences* **13**, 4023-4047, (2016).
- 87 Kwiatkowski, L. *et al. Nature Climate Change* **7**, 355, (2017).
- 88 Bastos, A. *et al. Nature Communications* **7**, (2016).
- 89 Keller, K. M. *et al. Tellus B: Chemical and Physical Meteorology* **64**, 18738, (2012).
- 90 Andrews, O. *et al. Philosophical Transactions of the Royal Society A* **375**, (2017).
- 91 Sun, Q. *et al. Reviews of Geophysics* **56**, 79-107, (2018).
- 92 Bindoff, N. L., *et al. in Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (ed T.F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley) Ch. 10, 867-952 (Cambridge University Press, 2013).
- 93 Gedney, N. *et al. Nature* **439**, 835-838, (2006).
- 94 Zhu, Z. *et al. Nature Climate Change* **6**, 791, (2016).
- 95 Doblas-Reyes, F. J. *et al. Nature Communications* **4**, 1715, (2013).
- 96 Guemas, V. *et al. Quarterly Journal of the Royal Meteorological Society* **142**, 546-561, (2016).
- 97 Wouters, B. *et al. Geophys. Res. Lett.* **40**, 3080-3084, (2013).

- 98 Matei, D. *et al. Science* **335**, 76-79, (2012).
- 99 Séférian, R. *et al. Proceedings of the National Academy of Sciences* **111**, 11646-11651, (2014).
- 100 Yeager, S. G. *et al. Bulletin of the American Meteorological Society* **0**, null.
- 101 Li, H. *et al. Nature Communications* **7**, 11076, (2016).
- 102 Séférian, R. *et al. Geophys. Res. Lett.* **45**, 2455-2466, (2018).
- 103 Betts, R. A. *et al. Nature Climate Change* **6**, 806, (2016).
- 104 Boer, G. J. *Climate Dynamics* **36**, 1119–1133, (2011).
- 105 García-Serrano, J. & Doblas-Reyes, F. J. *Climate Dynamics* **39**, 2025-2040, (2012).
- 106 Charney, J. G., (National Academy of Science, 1979).
- 107 Hansen, J. *et al. Climate processes and climate sensitivity*, 130-163, (1984).
- 108 Hall, A. & Qu, X. *Geophys. Res. Lett.* **33**, L03502, (2006).
- 109 Chadburn, S. E. *et al. Nature Climate Change* **7**, 340, (2017).
- 110 Cox, P. M. *et al. Nature* **494**, 341-344, (2013).
- 111 Mystakidis, S. *et al. Global Change Biology* **22**, 2198-2215, (2016).
- 112 Mouillot, F. & Field, C. B. *Global Change Biology* **11**, 398-420, (2005).
- 113 Krasting, J. P. *et al. Geophys. Res. Lett.* **41**, 2520-2527, (2014).
- 114 Steinacher, M. & Joos, F. *Biogeosciences* **13**, 1071-1103, (2016).
- 115 Wigley, T. M. L. *Geophys. Res. Lett.* **25**, 2285-2288, (1998).
- 116 Weigel, A. *et al. J. Clim.* **23**, 4175-4191, (2010).
- 117 Knutti, R. *et al. Geophys. Res. Lett.* **44**, 1909-1918, (2017).
- 118 Sanderson, B. M. *et al. J. Clim.* **28**, 5150-5170, (2015).
- 119 Bakker, D. C. E. & Pfeil, B. (PANGAEA, 2018).
- 120 Clement, D. & Gruber, N. *Global Biogeochemical Cycles* **32**, 654-679, (2018).
- 121 Campbell, J. E. *et al. Nature* **544**, 84, (2017).
- 122 Sitch, S. *et al. Biogeosciences* **12**, 653-679, (2015).
- 123 Eyring, V. *et al. Geosci. Model Dev.* **9**, 1937-1958, (2016).
- 124 Eyring, V. *et al. Geoscientific Model Development* **9**, 1747-1802, (2016).
- 125 Rödenbeck, C. *et al. Biogeosciences* **15**, 2481-2498, (2018).
- 126 Guemas, V. *et al. Quarterly Journal of the Royal Meteorological Society* **141**, 580-597, (2015).
- 127 Massonnet, F. *et al. Journal of Geophysical Research: Oceans* **119**, 4168-4184, (2014).
- 128 Riahi, K. *et al. Global Environmental Change* **42**, 153-168, (2017).
- 129 Frölicher, T. L. *et al. J. Clim.* **28**, 862-886, (2015).
- 130 Aumont, O. *et al. Geosci. Model Dev.* **8**, 2465-2513, (2015).
- 131 O'Neill, B. C. *et al. Geosci. Model Dev.* **9**, 3461-3482, (2016).
- 132 Jones, C. D. *et al. Geosci. Model Dev.* **9**, 2853-2880, (2016).
- 133 Hirsch, A. L. *et al. Earth's Future* **6**, 396-409, (2018).
- 134 Karpechko, A. Y. *et al. Journal of the Atmospheric Sciences* **70**, 3959-3976, (2013).
- 135 Wenzel, S. *et al. J. Clim.* **29**, 673-687, (2016).
- 136 Jarvis, A. J. *et al. Climatic Change* **86**, 357-373, (2008).
- 137 Haustein, K. *et al. Scientific Reports* **7**, 15417, (2017).

## Section 4: Members of the consortium

### 4.1. Participants (applicants)

<b>Partner name: University of Exeter (UNEXE)</b>
Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal
<p>The University of Exeter is one of the leading universities in the UK, a member of the UK's Russell Group and ranked in the top 100 universities worldwide (Times Higher Education). UNEXE is a member of the prestigious Russell Group of UK research-intensive universities, and recipient of the Sunday Times University of the Year award for 2012-2013. It has more than 18 000 students, and more than 2000 academic staff. The University has a dedicated European office to advise and help with research management. UNEXE has strong experience in European Commission-funded research; the EU portfolio consisted of 158 projects in the European FP7 programme, leading on twelve large collaborative grants such as this one and 118 H2020 projects including leading on 63 projects, eight of which are large collaborative grants. The portfolio also includes 30 live ERC grants (including an ERC Advanced to Prof Cox) and 46 Marie Curie projects (33 of which they lead).</p> <p>Strategic commitment to interdisciplinary climate change research is demonstrated by recent investment of £6M and 18.5 new academic staff. Our world-class team of global change researchers (e.g. 6 lead authors of IPCC AR5) collaborate closely with the Met Office, making Exeter a centre of expertise for global biogeochemical cycling &amp; climate science.</p> <p>Current University plans include the development of a new Global Systems Institute uniting a trans-disciplinary group of researchers, educators and partners to look beyond single 'environmental' issues to a truly systemic view of coupled global changes in the human social and economic sphere and the biosphere. The University plans to invest in the GSI to recruit over 30 more academic posts and create a flagship building at its Exeter campus, built and operated using the highest sustainability principles. It will house 75 principal investigators and 375 researchers, research students and visiting fellows who will also have access to state-of-the-art learning spaces and facilities.</p> <p><b>Role in the project:</b> UNEXE will coordinate the CCiCC project, and contribute to all WPs. UNEXE will contribute to historical simulations and evaluation for the land carbon with the JULES model, and will lead Task 1.5 on the carbon sinks attribution. UNEXE will also contribute to WP3 analysis of carbon feedbacks and developments on new emergent constraints for land processes. UNEXE will have a strong involvement in CCiCC dissemination (WP4) and will be in charge of the project management (WP5)</p>
Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities
<p><b>Professor Pierre Friedlingstein (M)</b> [CCiCC Project Coordinator] is a UK Royal Society Wolfson Research Merit recipient; he is Chair in Mathematics of the Climate System in the College of Engineering, Mathematics and Physical Sciences. He has more than 25 years research experience in global carbon cycle and climate modelling and is author of over 150 peer-reviewed publications, including 40 in high-profile journals. He is a Highly Cited Researcher in Geosciences since 2014. He co-leads the coupled climate carbon cycle intercomparison project (C4MIP), part of the CMIP6 project, directly feeding in the IPCC 6<sup>th</sup> assessment report. He is the co-chair of the Grand Challenge "Carbon Feedbacks in the Climate System" under the World Climate Research Programme (WCRP). He is member of the Working Group on Climate Modelling (WGCM) of WCRP as is past member of Global Carbon Project (GCP). He has been actively involved in climate assessment through his participation in the Intergovernmental Panel on Climate Change (IPCC) since 1994. He was lead author for the IPCC Fifth Assessment Report for both Working group I and for the Synthesis Report. He is co-I of several EU projects on Climate and Earth System Science (CRESCENDO, EMBRACE, PAGE21, HELIX, LUC4C).</p>



**Professor Stephen Sitch (M)** [CCiCC Task 1.4 Leader] holds a Chair in Climate Change, with 25 years research experience in Earth System Science. He was principal developer of the LPJ model, the World's most highly cited Dynamic Global Vegetation Model (DGVM), and has been theme leader of community experiments, plant physiology, vegetation and disturbance of the Joint UK Land Environment Simulator, JULES, the land component of the UK Earth System Model (UKESM). He was contributing author for the last 3 IPCC reports. He co-leads TRENDY (with Prof Friedlingstein), the international activity providing land flux estimates from an ensemble of DGVMs for the Global Carbon Project's (GCP) annual carbon budget update, and GCP's Regional Carbon Cycle Assessment and Processes (RECCAP) phases 1 and 2. Prof Sitch is included in Thomson Reuters' 2014 list of the world's most influential scientific minds in environment and ecology and Highly Cited Researcher in Geosciences in 2017. He is co-I on several recent EU projects on Climate and Earth System Science (HELIX, and WP lead on LUC4C).

**Professor Peter Cox (M)** [CCiCC WP3] is Professor of Climate System Dynamics at the University of Exeter. His expertise is in the modelling of interactions between the land biosphere and climate change. Prof Cox led the team that carried out the first climate simulations to include the carbon cycle and vegetation as interactive components, and he has recently pioneered the development of emergent constraints on climate-carbon feedbacks. He is a lead author on the 4<sup>th</sup>, 5<sup>th</sup>, and forthcoming 6<sup>th</sup> Assessment Report of the *Intergovernmental Panel on Climate Change*, is a member of the UK *Defra Science Advisory Council*, and has been named as a *highly-cited author* in Geosciences by Thomson-Reuters 2014-2017. He is co-I of the EU CRESCENDO project and holds an ERC Advanced Grant ('ECCLES', 2017-2022).

**Leo de Sousa-Webb (M)** [CCiCC Project Manager] is a Training Manager within the STEMM Cluster at the University of Exeter, and member of the Climate Dynamics Research Group and Exeter Climate Systems (XCS). He is a Chemistry and Mineral Engineering graduate with 15-year experience in project management as a PRINCE2 practitioner, and managed or supported recent EU projects on Climate and Earth System Science (C-CASCADES, CRESCENDO, ECCLES, LUC4C and C-LEAK).

**Carolina Duran-Rojas (F)** [CCiCC Software engineer] joined the University of Exeter Climate System Group in September 2017 as a Software Engineer, providing support to JULES (Joint UK Land Environment Simulator) users at the University of Exeter and collaborating with scientist at the Met Office in developing the JULES model. Previously, she worked as a Statistics Tutor at the University of Exeter and at the Bath Spa University. She previously worked at the National Observatory of Mexico as a Support Astronomer, and as a post-doctorate at the Institute of Astrophysics of Andalusia located in Granada, Spain. In 2009, Carolina completed a PhD, a Master of Science in Astronomy in 2004 at the National Autonomous University of Mexico (UNAM) and a Degree in Physics and Maths at the University of Michoacan, Mexico.

5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content

1. Le Quéré, C., Andrew, R.M., Friedlingstein, P., Sitch, et al. (2018), Global Carbon Budget 2017, Earth System Science Data, vol. 10, no. 1, pp. 405-448.
2. Millar, R., Fuglestvedt, JS, Friedlingstein, P, Rogelj J, Grubb MJ, Matthews HD, Skeie RB, Forster PM, Frame DJ, Allen MR, Emission budgets and pathways consistent with limiting warming to 1.5 C (2017) Nature Geosciences, DOI: 10.1038/NGEO3031
3. Peters GP, LeQuéré C, Andrew RM, Canadell JG, Friedlingstein P, Ilyina T, Jackson RB, Joos F, Kosbakken JI, McKinley GA, Sitch S, Tans P (2017), Towards real-time verification of CO<sub>2</sub> emissions, *Nature Climate Change*, doi:10.1038/s41558-017-0013-9.
4. Chadburn, S.E., Burke, E.J., Cox, P.M., Friedlingstein, P., Hugelius, G., Westermann, S. An observation-based constraint on permafrost loss as a function of global warming (2017) *Nature Climate Change*, 7 (5), pp. 340-344. DOI: 10.1038/nclimate3262
5. Wenzel, S., Cox, P.M., Eyring, V., Friedlingstein, P. Projected land photosynthesis constrained by changes in the seasonal cycle of atmospheric CO<sub>2</sub> (2016) *Nature*, 538 (7626), pp. 499-501. DOI: 10.1038/nature19772

5 relevant previous projects or activities, connected to the subject of this proposal
<ol style="list-style-type: none"> <li>1. CRESCENDO, H2020 2015-2020 (Co-Is Friedlingstein and Cox), which will progress the next generation of European Earth Systems Models by improving the representation of key processes in the models; evaluating the scientific performance of these models; using the models to generate a new set of Earth system projects for the coming century and ensuring that the knowledge developed is communicated to key stakeholders.</li> <li>2. TCRE1.5, NERC 2016-2018 (PI Friedlingstein) which investigated the relationship between cumulative CO<sub>2</sub> emissions and global warming. In particular we assessed what is the carbon budget compatible with a warming of 1.5°C, as estimated by Earth System Models, but using the historical observational record as a way to constrain the relationship between cumulative carbon dioxide emissions and global mean warming. The project found that a remaining budget of about 250 GtC (approx. 23 years of current emissions) is compatible with a climate stabilisation under 1.5°C.</li> <li>3. ECCLES, ERC 2017-2022 (PI Cox), which is designed to produce significant reductions in the uncertainties associated with land-climate interactions, using the novel concept of Emergent Constraints - relationships between future projections and observable variations in the current Earth System that are common across the ensemble of ESMs.</li> <li>4. HELIX, FP7 2013-2017 (Co-Is Friedlingstein and Sitch), which assessed the potential impacts of climate change by developing a number of future scenarios of the natural and human world as a consequence of 1.5°C, 2°C, 4°C and 6°C global warming.</li> <li>5. LUC4C, FP7 2013-2017 (Co-Is Friedlingstein and Sitch) which sought to advance our fundamental knowledge of the climate change - land use change interactions, and develop a framework for the synthesis of complex earth system science into guidelines that are of practical use for policy and societal stakeholders.</li> </ol>
Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work
<p>The University of Exeter maintains its own cluster of Linux computer, including local data storage facility. has access the UBERN Linux Cluster and, maintains within the Oeschger Centre two one Petabyte data storage facility. UNEXE has access to JASMIN the UK High Performance Computing Infrastructure (<a href="http://www.jasmin.ac.uk/">http://www.jasmin.ac.uk/</a>) as well as the associated Centre for Environmental Data Analysis (CEDA) for storage of large datasets. This will allow UNEXE to perform model simulations (WP1 and WP3), and to store CCiCC key results for common analysis. The University of Exeter also has a Digital Team, responsible for the University's external-facing web and digital presences.</p>

<b>Partner name: University of East Anglia (UEA)</b>
Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal
<p>The University of East Anglia is one of the longest established interdisciplinary institutions of its kind in Europe. In the last assessment of universities in the UK (REF2014), the School of Environmental Sciences was ranked 1<sup>st</sup> in the UK for 'impact', with 88% of its research judged world leading or internationally excellent. The School has been awarded the Queen's Anniversary Prize for Higher and Further Education in 2017, for 50 years of ground-breaking environmental science at UEA. The Royal accolade from the Queen is the UK's most prestigious higher education award, demonstrating outstanding work at a world-class level. The School's researchers have expertise in climate data and analysis, particularly through its Climatic Research Unit (CRU), and physical and biogeochemical oceanic processes and observations.</p>

The Tyndall Centre at UEA is the headquarters of a network of UK universities founded in 2000. Researchers at the Tyndall Centre conduct cutting edge, interdisciplinary climate change research, and provide a conduit between scientists and policymakers. The Tyndall Centre has since 2000 significantly advanced the fundamental analysis of emission reduction from all major energy sectors, the understanding of climate impacts, risks, and adaptation options, the public perceptions of climate change, and the governance of climate negotiations and policymaking.

CCiCC work at UEA will be collaborative work between the School of Environmental Sciences and the Tyndall Centre.

**Role in the project:** UEA will lead WP1 on historical carbon budget, contribute the development on new observational constraints ( $O_2$ , APO and  $^{13}C$ ), perform, and evaluate historical simulations with the NEMO-PlankTOM10 ocean carbon model at standard and high-resolution, also contributing to the attribution analysis. UEA will have a strong involvement in WP4, in particular UEA chairs the ScienceBrief platform and will ensure its contribution to the project dissemination, in particular to IPCC and policy-makers.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Prof Corinne Le Quéré FRS (F)** [CCiCC WP1 co-lead and Task 4.1 lead] is Professor of Climate Change Science and Policy at UEA. She has more than 25 years of research experience in carbon cycle analysis and modelling, occupying previous research positions at Princeton University in the US, the Max-Planck-Institute for Biogeochemistry in Germany, and the British Antarctic Survey in the UK. She instigated and leads the annual updates of the 'Global Carbon Budget' bringing together contributions from over 100 scientists worldwide. She was a lead author in several reports of the Intergovernmental Panel on Climate Change (IPCC). She was elected Fellow of the Royal Society in 2016, and received several awards for her work, including the Blaise Pascal Medal of the European Academy of Sciences (2015) and the Grande Médaille Albert 1er de Monaco (2015). She conducts research on the interactions between climate change and the carbon cycle. She was the first to identify a potential weakening in the Southern Ocean carbon sink using atmospheric observations. She spearheaded the developments of the PlankTOM global biogeochemistry model, which initiated ecosystem modelling based on Plankton Functional Types to study interactions between marine biogeochemical cycles and climate change. She is Director of the Tyndall Centre for Climate Change Research until the end of 2018, when she will return to a Professorial post at UEA.

**Dr Andrew C. Manning (M)** [CCiCC Task 1.1] is Reader (Associate Professor) in UEA's School of Environmental Sciences and leads UEA's Carbon Related Atmospheric Measurement (CRAM) Lab. and Calibration Cylinder Filling Facility. He conducts research primarily on measuring and understanding the atmospheric variations of oxygen, which are driven by the same processes as variations in  $CO_2$ . He developed the world's first continuous, high precision atmospheric  $O_2$  analyser in the last 1990s, and he has led European and global atmospheric measurement intercomparison programmes for more than a decade. Dr Manning also has expertise in the measurement and analysis of a range of greenhouse gases and related atmospheric trace gases. He was contributing author in two IPCC Reports.

**Dr Anthony De-Gol (M)** [CCiCC Task 4.1] is Senior Research Associate in the Tyndall Centre, with expertise in computational physics. He has over 14 years of experience in computational modelling and the development of web-mobile applications to support research. He has developed the ScienceBrief web application that will be used to support CCiCC research.

**Dr Penelope Pickers (F)** [CCiCC Task 1.1] is Senior Research Associate in the Tyndall Centre with six years of experience in high precision atmospheric  $CO_2$  and  $O_2$  measurement and data analysis including shipboard atmospheric measurements.

**Ms Rebecca Wright (F)** [CCiCC Task 1.1] is completing a PhD on global ocean biogeochemistry modelling at UEA (with Le Quéré). She has 3 years of experience working with the NEMO-PlankTOM model that will be used in CCiCC.

5 relevant publications, and/or products, services (including widely-used datasets or software), or other

achievements relevant to the call content
<ol style="list-style-type: none"> <li>1. <b>Le Quéré, C., Andrew, R.M., Friedlingstein, P., Sitch, S., J. Pongratz, Manning A.C.</b> et al. (2018), Global Carbon Budget 2017, Earth System Science Data, vol. 10, no. 1, pp. 405-448.</li> <li>2. Peters, G. P., <b>Le Quéré, C., Andrew, R. M., Canadell, J. G., Friedlingstein, P., Ilyina, T., Jackson, R. B., Joos, F., Korsbakken, J. I., McKinley, G. A., Sitch, S., and Tans, P.</b> (2017). Towards real-time verification of CO<sub>2</sub> emissions, Nature Climate Change, 7, 848-850.</li> <li>3. <b>Pickers, P. A., Manning, A. C., Sturges, W. T., Le Quéré, C., Fletcher, S. E. M., Wilson, P. A., and Etchells, A. J.</b> (2017). In situ measurements of atmospheric O<sub>2</sub> and CO<sub>2</sub> reveal an unexpected O<sub>2</sub> signal over the tropical Atlantic Ocean, Glob. Biogeochem. Cycle, 31, 1289-130.</li> <li>4. <b>Le Quéré, C., E. T. Buitenhuis, R. Moriarty, S. Alvain, O. Aumont, L. Bopp, S. Chollet, C. Enright, D. J. Franklin, R. J. Geider, S. P. Harrison, A. Hirst, S. Larsen, L. Legendre, T. Platt, I. C. Prentice, R. B. Rivkin, S. Sathyendranath, N. Stephens, M. Vogt, S. Sailley, and S. M. Vallina</b> (2016). Role of zooplankton dynamics for Southern Ocean biomass and global biogeochemical cycles. <i>Biogeosciences</i>, <b>13</b>, 4111-4133.</li> <li>5. Shilong Piao, Mengtian Huang, Zhuo Liu, Xuhui Wang, <b>Philippe Ciais, Josep G. Canadell, Kai Wang, Ana Bastos, Pierre Friedlingstein, Richard A. Houghton, Corinne Le Quéré, Yongwen Liu, Ranga B. Myneni, Shushi Peng, Julia Pongratz, Stephen Sitch, Tao Yan, Yilong Wang, Zaichun Zhu, Donghai Wu and Tao Wang</b> (2018). Lower land-use emissions responsible for increased net land carbon sink during the slow warming period. <i>Nature Geoscience</i>, <a href="https://doi.org/10.1038/s41561-018-0204-7">https://doi.org/10.1038/s41561-018-0204-7</a>.</li> </ol>
5 relevant previous projects or activities, connected to the subject of this proposal
<ol style="list-style-type: none"> <li>1. Annual update of the Global Carbon Budget by the Global Carbon Project (UEA lead, with Exeter and CICERO)</li> <li>2. EMBRACE - Earth system Model Bias Reduction and assessing Abrupt Climate change – H2020 project, 2011-2015.</li> <li>3. VERIFY – Observation-based system for monitoring and verification of greenhouse gases – H2020 project, 2017 - 2021</li> <li>4. SONATA - Southern Ocean optimal Approach To Assess the carbon state, variability and climatic drivers – UK Natural Environment Research Council (NERC), 2017-2021</li> <li>5. OXYFLUX - Oxygen flux measurements as a new tracer for the carbon and nitrogen cycles in terrestrial ecosystems – ERC Göttingen-led project 2016-2021 with Manning and Pickers involved</li> </ol>
Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work
UEA developed the innovative web platform ScienceBrief.org, with funding from the UK NERC. ScienceBrief helps scientists to select new scientific evidence and incorporate it into existing scientific assessments. The IT infrastructure is in place and will be available for use by CCiCC.

<b>Partner name: Ecole Normale Supérieure (ENS)</b>
Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal
Ecole normale supérieure: Both a French grande école and a university, the Ecole normale supérieure ( <a href="http://www.ens.fr">www.ens.fr</a> ) provides in Paris, at the heart of the Quartier latin, excellent training through research, leading to various teaching and research professions, and contributes to train through research the senior executives of public administrations as well as of French and European companies. The ENS also defines and applies scientific and technological research policies, from a multidisciplinary and international perspective. Intellectual freedom, multidisciplinary in humanities and sciences, individual attention to

students, bountiful campus life, gathering students and professors from all disciplines, form the heart of the specificities of the Ecole normale supérieure. Since more than 2 centuries, the ENS prepares its students to the most various openings and the highest responsibilities, while being fully invested in the intellectual, scientific and cultural debates of its time – in particular through the multiplicity of the normaliens' engagement. The École normale supérieure welcomes in its [15 departments for training and research](#), 800 researchers and teacher researchers, 300 post-doctoral researchers and 600 doctoral students.

Within the department of Geosciences at the Ecole normale supérieure, the Laboratoire de Météorologie Dynamique at ENS (LMD-ENS) hosts ~50 researchers, post-doctoral researchers and doctoral students. It is member of the *Institute Pierre-Simon Laplace* (IPSL) that federates six large research centres, all localised in Paris and around, and studying environmental sciences. Its main objectives are to understand the evolution of the Earth's climate as well as the dynamical processes driving the fluid envelopes at the Earth surface. The research of LMD-ENS is clearly positioned at the same time on fundamental research on physical, chemical and biogeochemical processes, the dynamics and the physics of the atmosphere, ocean and the climate, and on finalized research, around particular questions relating to the anticipation of the global warming and its consequences. These scientific objectives are striven forward by the complementary approaches that goes from theory, observing, and modeling.

**Role in the project:** LMD-ENS will contribute to all WPs with enhanced contributions to WP2 and WP3. In WP2, LMD-ENS will focus on delivering and analysing decadal simulations performed with the IPSL Earth System Model (IPSL-ESM), specifically designed to study the predictability of the global carbon cycle. In WP3, LMD-ENS will focus on climate-carbon feedbacks and will develop new methods to constrain the evolution of the ocean carbon uptake in the coming decades and centuries.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Dr. Laurent Bopp (M)** [CCiCC Task 2.4 lead] is a Senior Research Scientist at the Centre National de la Recherche Scientifique (CNRS) and adjunct Professor at the Ecole normale supérieure (ENS). He conducts his research at the Laboratoire de Météorologie Dynamique, which is part of the Institut Pierre Simon Laplace (IPSL). His main research interests concern the links between climate change, marine biogeochemistry and ocean ecosystems. He is an expert in ocean biogeochemistry modeling and has been among the first to introduce marine biogeochemistry in climate models to study carbon-climate feedbacks and the impact of climate change on marine ecosystems. He was involved in the last IPCC report as a lead author; he is a member of the Scientific Steering Committee of IMBeR (Integrated Marine Biosphere Research) since 2014; he is also involved in the EU H-2020 CRESCENDO project (WP leader) on the next generation of Earth System models.

**Dr Juliette Mignot (F)** [CCiCC WP2] is a researcher at the Institut pour la Recherche et le Développement (IRD) and conducts her research at LOCEAN / IPSL. She is specialized in physical oceanography and climate variability. Her objectives are to better understand the climate low frequency variability and in particular the role of the ocean and of external forcings. She has worked on the decadal climate variability of the Atlantic, on decadal prediction and predictability assessment, on understanding and characterizing the role of salinity in the oceanic stratification. She uses several statistical tools and climate models. She has been one of the initiators of the decadal predictability activities at IPSL/LOCEAN. She is also a member of the steering committee of the IPSL modelling group.

**Dr. Patricia Cadule (F)** [CCiCC WP3] currently works at the Centre National de la Recherche Scientifique (CNRS) at which she leads the technical development of the next generation climate carbon coupled models (IPSL Earth System Model). Her research interests cover the modelling of carbon and nitrogen cycles, the benchmarking of biogeochemical models, the definition of emerging constraints, and the climate-carbon future interactions. She is involved in international (e.g. Coupled Model Intercomparison Project CMIP Phase 6) and European (e.g., CRESCENDO, ESA CMUG) projects, and leads the national (MGClimeX) collaborative project addressing climate change and its impact on society in the Caribbean region.

LMD-ENS will contribute to all WPs with enhanced contributions to WP2 and WP3. In WP1, LMD-ENS

<p>will focus on delivering and analysing simulations performed with the IPSL Earth System Model (IPSL-ESM), specifically designed to study the predictability of the global carbon cycle. In WP3, LMD-ENS will focus on climate-carbon feedbacks and will develop new methods to constrain the evolution of the ocean carbon uptake in the coming decades and centuries.</p>
<p>5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content</p>
<ol style="list-style-type: none"> <li>1. Kwiatkowski, L., Bopp, L., Aumont, A., Ciais, P., Cox, P.M., Laufkötter, C., Yue, L., Séférian, R. Emergent constraints on projections of declining primary production in the tropical oceans. <i>Nature Climate Change</i>, doi: 10.1038/nclimate3265, 2017.</li> <li>2. Bopp, L., Lévy, M., Resplandy, L., and Sallée, J.B, Pathways of anthropogenic carbon subduction in the global ocean. <i>Geophysical Research Letters</i> 42, doi:10.1002/2015GL065073, 2015.</li> <li>3. Seferian, R., Bopp, L., Gehlen, M., Swingedouw, D., Mignot, J., Guilyardi, E., and Servonnat, J. (2014). Multiyear predictability of tropical marine productivity. <i>Proceedings of the National Academy of Sciences</i> 111, 11646–11651.</li> <li>4. Mignot, J., García-Serrano, J., Swingedouw, D., Germe, A., Nguyen, S., Ortega, P., Guilyardi, E., and Ray, S. (2016). Decadal prediction skill in the ocean with surface nudging in the IPSL-CM5A-LR climate model. <i>Clim Dyn</i> 47, 1225–1246.</li> <li>5. Cadule, P., Friedlingstein, P., Bopp, L., Sitch, S., Jones, C.D., Ciais, P., Piao, S.L., and Peylin, P. (2010). Benchmarking coupled climate-carbon models against long-term atmospheric CO<sub>2</sub> measurements: <i>Global Biogeochemical Cycles</i> 24, n/a-n/a.</li> </ol>
<p>5 relevant previous projects or activities, connected to the subject of this proposal</p>
<ol style="list-style-type: none"> <li>1. CRESCENDO (641816): This H2020 project facilitates a coordinated European contribution to the <a href="#">6th Coupled Model Intercomparison Project</a> (CMIP6) where the climate research community compares a range of International Earth System Models using common sets of experimental protocols, to improve our knowledge of the Earth's climate processes and provide the best possible future projections to governments and decision-makers. CRESCENDO in particular better informs a number of key Model Intercomparison Projects (MIPs) where biogeochemical and aerosol components are of critical importance to delivering realistic future projections. Such components include: the terrestrial and marine carbon cycle, vegetation processes, permafrost, atmospheric chemistry and aerosols.</li> <li>2. EUCP (European Climate Prediction System Project, 776613) : This H2020 project has the following four objectives: 1. Develop an innovative ensemble climate prediction system based on high-resolution climate models for Europe for the near-term; 2. Use the climate prediction system to produce consistent, authoritative and actionable climate information; 3. Demonstrate the value of this climate prediction system through high impact extreme weather events in the near past and near future; 4. Develop, and publish, methodologies, good practice and guidance for producing and using authoritative climate predictions for the 1-40 year timescale.</li> </ol>
<p>Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work</p>
<p>N/A</p>

**Partner name: Max-Planck-Gesellschaft zur Förderung der Wissenschaft e.V. (MPG), represented by the Max-Planck-Institutes for Meteorology (MPI-M) and Biogeochemistry (MPI-BGC)**

Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal

The **Max Planck Society (MPG)** is Germany's most successful research organization established in 1948. Max Planck Institutes focus on research fields that are particularly innovative, or that are especially demanding in terms of funding or time requirements. The MPG contributes to the project with two of its institutes:

#### **Max Planck Institute for Meteorology (MPI-M)**

MPI-M (<http://www.mpimet.mpg.de>) is dedicated to fundamental climate research. The overall mission of MPI-M is to understand how chemical, physical, and biological processes, as well as human behavior contribute to the dynamics of the Earth system, and specifically how they relate to global climate changes. MPI-M develops a state-of-the-art MPI Earth System Model (MPI-ESM), which includes components dealing with the atmosphere (ECHAM), ocean and sea ice (MPIOM), land surface & biosphere (JSBACH), and oceanic biogeochemistry processes (HAMOCC). MPI-M acts as the focal point of climate research in Germany since 30 years, also contributing to integrated assessment studies and socio-economic/climate interactions. MPI-M is committed to make MPI-ESM available to the scientific community in Europe and elsewhere and to inform decision-makers and the public on questions related to Climate Change and Global Change. MPI-M manages an International Max Planck Research School (IMPRS) for Earth System Modeling, which hosts approximately 50 PhD students.

**MPI-M** develops MPI-ESM and uses it to understand and project climate and carbon cycle dynamics, in particular under anthropogenic forcings. The MPI-ESM is used in the sixth phase of the coupled model intercomparison project (CMIP6) in concerted action with many other world leading climate centres, including groups developing other European ESMs (e.g., EC-Earth, IPSL-CM, UKESM). A strength of the MPI-M team is in joint efforts of land, ocean, and atmospheric departments on linking processes and feedbacks in the Earth System.

#### **Max Planck Institute for Biogeochemistry (MPI-BGC)**

The MaxPlanck-Institute for Biogeochemistry (MPI-BGC) belongs to the key research institutes worldwide in biogeochemical Earth system science. Its research mission is the investigation of global biogeochemical cycles and their interaction with the climate system. The institute combines strong observational expertise (in-situ and remote sensing greenhouse gas observations, vegetation-atmosphere fluxes, etc.) with local to global scale biosphere and atmosphere modelling (e.g. carbon cycle). Currently the institute has a total staff of about 230 from more than 25 different countries. In cooperation with the local university, it manages the International Max Planck Research School (IMPRS) for global Biogeochemical Cycles, hosting almost 60 PhD students.

**Role in the project:** MPG will co-lead WP2 and contribute to all WPs. In WP1, MPG will lead T1.2 on development of new data-based products for global carbon evaluation. MPG will perform and evaluate historical simulations with the MPI-ESM and its offline land and ocean components, also contributing to the attribution analysis. With the MPI-ESM, MPG will perform the simulations and analyse the decadal prediction of the carbon cycle in WP2, and contribute to the work on adaptive scenarios in WP3. MPG will contribute to WP4 on synthesis and dissemination, supporting the IPCC assessment.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Prof Victor Brovkin (M)** [CCiCC WP1&3] leads a scientific group on Climate-Biogeosphere Interactions in the Land in the Earth System Department at MPI-M. His research is focused on analysis of biogeophysical and biogeochemical feedbacks between vegetation, carbon cycle, and climate using Earth System models. He contributes as an Editor to the carbon cycle chapter of the IPCC WGI Assessment Report 6. His group is actively involved into development of the MPI-ESM land surface model, JSBACH, with a main contribution to modelling of long-term processes (vegetation and soil carbon dynamics, permafrost).

**Dr Tatiana Ilyina (F)** [CCiCC WP2 co-lead] is head of the Ocean Biogeochemistry group within the Ocean in the Earth System Department at MPI-M and co-chairs the World Climate Research Program's Grand Challenge on Carbon Feedbacks in the Climate System together with Prof. Friedlingstein. Her research interests span the areas of uptake and storage of carbon by the ocean and their variability, carbon-climate feedbacks, ocean acidification, evolution of the oxygen minimum zones in past, present, and future climates. Her recent research focus has been on understanding the origins of variability and predictability of the ocean carbon sink with the aim of improving predictive skill of climate-carbon cycle models.

**Dr. Peter Landschützer (M)** [CCiCC Task 1.2 lead] Dr. Landschützer is an expert in the ocean carbon cycle, in particular in analysing observations of the surface ocean partial pressure of carbon dioxide (pCO<sub>2</sub>) and the resulting air-sea exchange of CO<sub>2</sub> between the ocean and the atmospheres. His combined knowledge of ocean observations, big data mining, machine learning and numerical modelling led to the discovery that the ocean carbon sink is more variable on decadal timescales than previously recognised mainly by model studies. The observation-based pCO<sub>2</sub> and air-sea CO<sub>2</sub> flux fields of Dr. Landschützer are used by several groups, e.g. by the Global Carbon Project for the annual Global Carbon Budget.

**Dr. Sönke Zaehle (M)** [CCiCC WP1&3] is an expert in land surface and land biogeochemical model, in particular in the interactions of the terrestrial nitrogen and phosphorus cycles with the carbon cycle, and has significantly contributed to the understanding of the relevance of nitrogen effects on global land-climate feedbacks. His expertise ranges from the development of novel process formulation, the systematic testing of models with various data streams from ecological monitoring and manipulation to atmospheric inversions and remotely sensed data. He is actively contributing to the Global Carbon Project's annual Global Carbon Budget.

5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content

1. **Brovkin, V.**, Boysen, L., Arora, V., Boisier, J., Cadule, P., Chini, L., Claussen, M., Friedlingstein, P., Gayler, V., van den Hurk, B., Hurtt, G., Jones, C., Kato, E., de Noblet-Ducoudré, N., Pacifico, F., Pongratz, J. & Weiss, M. (2013) Effect of anthropogenic land-use and land cover changes on climate and land carbon storage in CMIP5 projections for the 21st century. *Journal of Climate*, 26, 6859-6881.
2. Li H., **Ilyina T.**, Müller W.A., Sienz F. (2015) Decadal predictions of the North Atlantic CO<sub>2</sub> uptake. *Nature Communications*, doi: 10.1038/ncomms11076.
3. **Ilyina T.**, Six K.D., Segschneider J., Maier-Reimer E., Li H., Núñez-Riboni I. (2013) The global ocean biogeochemistry model HAMOCC: Model architecture and performance as component of the MPI-Earth System Model in different CMIP5 experimental realizations. *J. Adv. Model. Earth Syst.*, 5(2): 287-315.
4. **Landschützer, P.**, Gruber, N., Haumann, F. A. Rödenbeck, C. Bakker, D. C. E., van Heuven, S. Hoppema, M., Metzl, N., Sweeney, C., Takahashi, T., Tilbrook, B. and Wanninkhof, R. (2015) The reinvigoration of the Southern Ocean carbon sink, *Science*, 349, 1221-1224.
5. **Zaehle S.**, Jones C.D., Houlton B., Lamarque J.-F., Robertson E. (2015) Nitrogen Availability Reduces CMIP5 Projections of Twenty-First-Century Land Carbon Uptake. *Journal of Climate*. 28(6):2494–2511. doi:10.1175/JCLI-D-13-00776.1.

5 relevant previous projects or activities, connected to the subject of this proposal

1. H2020 project CRESCENDO (Improvement of Earth System Models)
2. Marie Curie ITN C-CASCADES (Carbon Cascades from Land to Ocean)
3. German BMBF project MiKlip (Decadal predictions)
4. Marie Curie ITN GREENCYCLES II (Global Biospheric Feedbacks)
5. ERC consolidator grant QUINCY (Global Nutrient Carbon-Cycle interactions and climate feedbacks)

Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work



**MPI-M:** To satisfy the extensive computational needs of the MPI-M and MPI-BGC, the institutes built strategic partnership with the German Climate Computing Centre (DKRZ), the German collaborator of the Earth System Grid Federation (ESGF). The MPI-M has for a long time benefited from a close integration of its systems with those of DKRZ, offering the MPI-M seamless access to the DKRZ-managed machines such as Bull machine "mistral", the supercomputer with a peak performance of 3.14 Petaflops consisting of approx. 3,000 compute nodes, 100,000 compute cores, 240 Terabytes of memory, and 54 Petabytes of disk. "Mistral" is used for CMIP6 simulations.

**MPI-BGC** departments share a number of excellent central facilities (e.g. laboratory analyses including state-of-the-art isotope work, central IT services, etc.) providing outstanding assistance for conducting research projects. All central service groups are integral parts of MPI-BGC, located in-house and dedicated almost exclusively to support MPI-BGC research. In terms of computational resources for modeling activities, the MPI-BGC hosts a high-performance computing cluster (with over 1500 CPU's of 2.3GHz) that are regularly upgraded, and also provides access to state-of-the-art supercomputers hosted by the German Climate Computing Center (DKRZ) in Hamburg.

## Partner name: ETH Zurich

Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal

The Swiss Federal Institute of Technology (ETH) was founded in 1855 and is the leading Swiss university in the areas of natural sciences and engineering, with about 20,000 students and 6000 staff. Currently, it is ranked 7<sup>th</sup> worldwide according to the 2018 QS world university ranking. Moreover, according to the Nature Index 2018, ETHZ is the world's top ranked university in the field of Earth and Environmental Sciences. The Institute of Atmospheric and Climate Science (IAC) at ETH Zurich has long and wide-ranging expertise in atmospheric physics, climate research, hydrometeorology and biosphere-climate interactions. IAC includes seven professorships and a staff of about 130 researchers, technicians and Ph.D. students. The Institute for Biogeochemistry and Pollutant Dynamics (IBP) encompasses eight professorships and nine associated research groups. With approximately 100 PhD students and 20-30 postdocs, IBP works in a highly interdisciplinary manner on the advancement of the understanding of natural biogeochemical cycles and processes in natural and man-made environments and potential responses to human activity and global change.

**Role in the project:** ETHZ will mainly be involved in WP1 and WP3, leading Tasks 1.3 and 3.1. In WP1, ETHZ will be contributing to the development of new observational constraints for the ocean interior and for the land water cycle. ETHZ will perform, and evaluate historical simulations of the ocean carbon cycle, also contributing to the attribution analysis. In WP3, ETHZ will lead the task T3.1 on development of new emergent constraints, and contribute to the assessment of TCRE and future projections.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Sonia Seneviratne (F)** [CCiCC Task 3.1 lead], professor and chair of the Land-Climate Dynamics research group, is an expert in land-atmosphere and biosphere-climate interactions, extremes research, land water control on plants and land carbon exchange, land water observations, low-emissions scenarios, and land surface and climate modelling. She is currently a Coordinating Lead Author of the IPCC 6<sup>th</sup> assessment report and a Lead Author of the IPCC Special Report on 1.5°C global warming. She is also a co-chair of the World Climate Research Program (WCRP)'s Grand Challenge on Extremes, and from 2014 to 2018, she was the co-chair of WCRP's Global Energy and Water Cycle Exchange project (GEWEX). She has published more than 150 scientific articles, of which more than 20 in high-impact journals. Since 2014 she has been listed as highly cited researcher by Thomson Reuters and Clarivate Analytics. In 2014, she received the *Macelwane medal of the American Geophysical Union*, and was elected AGU fellow.

**Nicolas Gruber (M)** [CCiCC Task 1.3 lead] professor and chair of the Environmental Physics research

<p>group, is an expert on the global cycles of carbon and other biologically essential elements and their interaction with the climate system. He combines the analysis of observations with modelling studies to better quantify, for example, the role of the ocean in the global carbon cycle. He is currently a lead author for the IPCC Special Report on the Ocean and Cryosphere, and chaired the international joint IMBER/SOLAS working group on ocean carbon between 2008 and 2016. He has authored or co-authored more than 160 publications, including 20 in the top impact journals. Further, he wrote together with Jorge Sarmiento the textbook “Ocean Biogeochemical Dynamics” that has become a standard text in the field. In recognition of his outstanding contribution to Marine Sciences, Dr. Gruber received the <i>Rosenstiel Award</i> from the University of Miami in 2004. In 2012 he was elected <i>fellow of the American Geophysical Union</i>. He is member of several international research boards and serves as review editor for the <i>Science Magazine</i>.</p> <p><b>Edouard Davin (M)</b> [CCiCC WP1&amp;3] is senior scientist in the Land-Climate Dynamics group. He investigates the role of the terrestrial biosphere in the climate system, including the terrestrial carbon cycle, with a focus on human-induced land cover changes and land management impacts. He has expertise in using complex coupled climate models and improving the representation of land processes in these models. He is currently a Lead Author of the IPCC Special Report on Climate Change and Land.</p> <p><b>Vincent Humphrey (M)</b> [CCiCC WP1&amp;3] is a postdoctoral researcher in the Land-Climate Dynamics group. He has expertise in satellite measurements of the land water cycle, statistical reconstructions of land water datasets, as well as in carbon-water interactions on land.</p>
<p>5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content</p>
<ol style="list-style-type: none"> <li>1. <b>Humphrey, V.</b>, J. Zscheischler, P. Ciais, L. Gudmundsson, S. Sitch, and <b>S.I. Seneviratne</b>, 2018: Sensitivity of atmospheric CO<sub>2</sub> growth rate to observed changes in terrestrial water storage. <i>Nature</i>.</li> <li>2. Mystakidis, S., <b>S.I. Seneviratne</b>, <b>N. Gruber</b>, and <b>E.L. Davin</b>, 2017: Hydrological and biogeochemical constraints on terrestrial carbon cycle feedbacks. <i>Environmental Res. Lett.</i>, 12, 014009</li> <li>3. <b>Seneviratne, S.I.</b>, J. Rogelj, R. Séférian, R. Wartenburger, M.R. Allen, M. Cain, R.J. Millar, K.L. Ebi, N. Ellis, O. Hoegh-Guldberg, A.J. Payne, C.-F. Schleussner, P. Tschakert, R.F. Warren, 2018: The many possible climates from the Paris Agreement's aim of 1.5°C warming. <i>Nature</i>. 558, 41-49.</li> <li>4. <u>Landschützer, P.</u>, <b>N. Gruber</b>, et al., The reinvigoration of the Southern Ocean carbon sink, <i>Science</i>, 349(6253), 1221-1224, doi:10.1126/science.aab2620, 2015.</li> <li>5. <b>Gruber, N.</b>, P. Landschützer, and N. Lovenduski, The variable Southern Ocean carbon sink, <i>Annu. Rev. Mar. Sci.</i>, 11, doi: 10.1146/annurev-marine-121916-063407, 2019.</li> </ol>
<p>5 relevant previous projects or activities, connected to the subject of this proposal</p>
<ol style="list-style-type: none"> <li>1. European Research Council (ERC) Consolidator Grant “DROUGHT-HEAT”, 2014-2019 [S.I. Seneviratne]</li> <li>2. H2020 CRESCENDO Project, 2015-2020 [S.I. Seneviratne, E.L. Davin]</li> <li>3. Coordinating Lead Author of IPCC 6<sup>th</sup> Assessment Report (Extremes chapter) [S.I. Seneviratne], Lead Author of IPCC Special Report on Climate Change and Land [E.L. Davin], Lead Author of IPCC Special report on Ocean and Cryosphere [N. Gruber]</li> <li>4. FP 7 Carbones, FP7 EPOCA, FP 7 ITN Marie Curie Greencycles II [N. Gruber: Participant]</li> <li>5. FP 7 CarboChange: [N. Gruber Core Theme leader], FP 7 GeoCarbon [N. Gruber, Component leader], FP 8 ITN Marie Curie C-Cascades: [N. Gruber: Executive Team]</li> </ol>
<p>Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work</p>
<p>Collection of land water cycle and ocean datasets in the Land-Climate Dynamics and the Environmental Physics groups (&gt;120 Terabytes), including a reconstruction of land water storage over the time period 1900-2018 and a reconstruction of the ocean carbon sink 1980-2017.</p>

## Partner name: Barcelona Supercomputing Center – Centro Nacional de Supercomputación (BSC)

Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal

The **Barcelona Supercomputing Center-Centro Nacional de Supercomputación (BSC)**, <https://www.bsc.es> combines unique high performance computing facilities and in-house top research departments on Computer, Life, and Earth sciences, and in computational applications in science and engineering. It is the main provider of public supercomputing services in Spain, coordinating the Red Española de Supercomputación and representing Spain in international initiatives such as PRACE (<http://www.prace-ri.eu/>). The **Earth Sciences (ES) Department** focuses on the atmosphere-ocean-biosphere system and is structured around four groups with more than 70 researchers and support staff. It is a highly productive scientific entity that has published more than 160 research peer-reviewed articles over the last 5 years, many in high-impact journals.

Within the ES Department, the **Climate Prediction Group (CPG)** aims at developing a climate forecast system based on the Earth System Model EC-Earth. The CPG also performs regular assessments of the system's predictive capacity and compares it with other operational and quasi-operational systems in the world. The CPG has a long experience in seasonal to decadal climate prediction, which has been reflected in its active participation to several European projects with a strong component on climate prediction (see list below). Of particular relevance was the FP7 project SPECS, led by the BSC, in which specific, innovative global forecast system experiments were coordinated to test hypotheses for the improvement of seasonal to decadal predictions. The CPG currently participates to 10 European and 4 national projects. The group has been expanding its research activities on prediction, and is contributing to the development of the CMIP6 version of EC-Earth, which will be available by the end of the summer of 2018. With the final model version, the group will strongly contribute to DCP (Decadal Climate Prediction Project), and C4MIP (Coupled Climate-Carbon Cycle Model Intercomparison Project). In addition, members of the group are currently testing several techniques to produce optimal initial conditions for decadal predictions of climate and global carbon cycle. Results from this effort will be paramount for the work proposed in WP2 that will be co-led by Dr. Raffaele Bernardello.

Also within the ES Department, the **Earth System Services group (ESS)** aims at demonstrating the ongoing value of climate prediction services, atmospheric composition and weather forecasting to society and the economy. The group actively works in identifying user needs that will partly guide research in the BSC-ES Department and aims to quantify the impact of weather, climate, aerosols and gaseous pollutants upon socio-economic sectors through the development of user-oriented services that ensure the transfer of the technology developed and the adaptation to a rapidly changing environment, especially of those highly vulnerable. This group is coordinating the H2020 project S2S4E-776787 “Subseasonal to seasonal climate predictions for energy” and has a key role in other European and national projects on climate services such as ClimatEurope-689029, MEDGOLD-776467, VISCA-730253 and EUCP-776613. The ESS has an interdisciplinary approach closely collaborating with research groups and general support groups at the BSC (technology transfer, communications, visualisation, education and outreach). This multidisciplinary expertise will be used in WP4, co-led by Dr. Isadora Jiménez, to effectively translate the scientific outcomes of CCIACC into actionable information for the target users.

**Role in the project:** BSC will co-lead WP2, developing, performing and analysing decadal prediction of the carbon cycle with the EC-Earth-ESM. BSC will also co-lead WP4 on synthesis, dissemination, and policy dialogue. BSC will also use to EC-Earth-ESM to contribute to the historical simulations in WP1 and adaptive scenarios in WP3.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Dr. Raffaele Bernardello (M)** [CCiCC WP2 lead] has a PhD in Oceanography from the Universitat Politècnica de Catalunya-BarcelonaTech. He is a senior researcher in the climate prediction group at BSC where he coordinates all the activities related to the global carbon cycle. He will be the principal investigator for BSC in CCiCC and co-leader of WP2. His expertise and research interests are in the broad context of the interactions between climate dynamics and global carbon cycle. As part of his Marie-Curie fellowship, Dr. Bernardello worked on the assessment of the decadal predictability of biogeochemical properties in the upwelling systems of the Atlantic Ocean. He has participated to 3 national projects (Spain: OAMMS-CTM2008-03983 UK: BATMAN-NE/K015613/1 USA: NOAA-NA10OAR4320092), one FP6 project (SESAME-36949) and one ESA project (ENVISAT-A0290). At present, Dr. Bernardello supervises one postdoctoral researcher and he is the PI of a Spanish project (DeCUSO-CGL2017-84493-R) dedicated at investigating the decadal predictability of carbon uptake in the Southern Ocean, serving at the same time, as an external collaborator in the UK project CUSTARD with focus on Southern Ocean biogeochemical processes.

**Dr. Isadora Jimenez (F)** [CCiCC WP4 lead] has a Master's degree in Science communication (IDECUPF) and a PhD in Biology from the University of Barcelona. She has eight years of research experience in direct contact with renewable energy stakeholders and seven years working on science communication. As senior science communication specialist of the Earth System Services group at BSC-ES she coordinates a multidisciplinary team of five people that facilitates knowledge and technology transfer to end users including industry (e.g. renewable energy, agriculture) and policy makers. In CCiCC she will co-lead WP4 using her expertise to maximise the impact of the project through dissemination and stakeholders engagement. She is currently involved in EU funded projects in dissemination actions, user engagement activities and the interaction with stakeholders to promote the integration of climate predictions in decision making processes. She is part of the coordination team of S2S4E-776787. She was key role of FP7 project EUPORIAS-308291, and Work Package leader within FP7 and H2020 projects EUPORIAS-308291, PRIMAVERA-641727 and APPLICATE-727862. Her team contributes to dissemination and user engagement activities of SPECS-308378, IMPREX-641811, Climateurope-689029, MED-GOLD-776467 and EUCP-776613 projects.

**Dr. Etienne Tourigny (M)** [CCiCC WP1&2] has a PhD in Meteorology from the Instituto Nacional de Pesquisas Espaciais (INPE-CPTEC, Brasil) and a M.Sc. in Atmospheric Science from the Université du Québec à Montréal (UQAM). Dr. Tourigny has a strong multi-disciplinary background, having studied physics, computer science, atmospheric science and biosphere-atmosphere interactions. He has professional experience in the Information Technology sector, before transitioning to the climate research field where he developed his expertise in the field of climate seasonal prediction, having studied the impacts of ENSO on precipitation anomalies in the tropical Americas. He contributed to the development of the Brazilian Earth System Model (BESM) at INPE – CCST acquiring in the process a very strong expertise in vegetation and fire modelling as well as in high-performance computing. After obtaining a Marie-Curie fellowship, Dr. Tourigny joined the climate prediction group at BSC where he is developing a new research line on seasonal predictions of wildfires while, at the same time, actively contributing to the development of the CMIP6 version of the EC-Earth ESM.

**Prof. Francisco J. Doblas-Reyes (M)** [CCiCC WP2] is the **Director of the Earth Science Department at BSC**. Prof. Doblas-Reyes has more than 20 years of experience in weather and climate modelling, climate prediction, as well as in the development of climate services. He has worked at several internationally-recognized institutions like INTA (Spain), CNRM (France), ECMWF (UK) and IC3 (Spain). At ECMWF, he worked on seasonal climate forecasting in two ground-breaking European projects: FP5 DEMETER (00024) and FP6 ENSEMBLES (505539). For his work in seasonal forecasting Prof Doblas-Reyes was awarded the Norbert Gerbier-MUMM International Award from the UN World Meteorological Organization (WMO) in 2006. He serves in several panels of the World Climate Research Programme (WCRP) and the World Weather Research Programme (WWRP); he is a lead author of the IPCC and a member of the European Network for Earth System modelling HPC Task Force. Moreover, Prof, Doblas-Reyes has either led or participated in numerous national and European FP4, FP5, FP6 and FP7 projects, including the coordination of FP7 project SPECS (308378). Currently, Prof. Doblas-Reyes is the principal investigator or co-investigator in 5 H2020 European projects (including PRIMAVERA-641727), 1 national project (CLINSA-CGL2017-85791-R) and he is leading a COPERNICUS action (QA4SEAS). At the same time, he supervises numerous postdoctoral scientists and software engineers and has obtained 50 Million

hours of computing time for the High Resolution Ensemble Climate Modeling project through the PRACE network. Overall, Prof. Doblas-Reyes has authored and co-authored more than 100 peer-reviewed papers on climate modeling and prediction, as well as climate services, and currently has a total of 6103 citations with a h-index of 39.

**Ilaria Vigo (F)** [CCiCC WP4] holds a Master's Degree in Economics from Barcelona Graduate School of Economics and a Bachelor's Degree in Economics from University of Pavia. She devoted part of her studies to the research on Environmental Economics. Ilaria has experience as Policy Adviser consulting in European Commission funded projects, for Governments and for private sector as well. Additionally, she worked as Research Assistant in Economics at Pompeu Fabra University. In order to generate a social impact, Ilaria believes in the importance of communication and stakeholder engagement. She has experience in event management and communication activities. Finally, Ilaria is native Italian, fluent in English and Spanish, and intermediate in Portuguese.

5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content

1. Volpi, D., V. Guemas, F.J. Doblas-Reyes, E. Hawkins and N. Nichols (2017). Decadal climate prediction with a refined anomaly initialisation approach. *Clim. Dyn.* 48, 1841-1853.
2. Volpi D., V. Guemas and F.J. Doblas-Reyes (2017). Comparison of full field and anomaly initialisation for decadal climate prediction: towards an optimal consistency between the ocean and sea-ice anomaly initialisation state. *Clim. Dyn.* 49, 1181-1195.
3. Bernardello R., I. Marinov, J.B. Palter, E. Galbraith, J.L. Sarmiento and R. Slater (2014). Response of the Ocean Natural Carbon Storage to Projected Twenty-First-Century Climate Change, *Journal of Clim.* 27, 2033-2053.
4. Guemas V., F.J. Doblas-Reyes, I. Andreu-Burillo and M. Asif (2013). Retrospective prediction of the global warming slowdown in the past decade. *Nat. Clim. Change* 3, 649-653.
5. Doblas-Reyes, F.J., I. Andreu-Burillo, Y. Chikamoto, J. García-Serrano, V. Guemas, M. Kimoto, T. Mochizuki, L.R.L. Rodrigues and G.J. van Oldenborgh (2013). Initialized near-term regional climate change prediction. *Nat. Comm.* 4, [doi:10.1038/ncomms2704](https://doi.org/10.1038/ncomms2704).

5 relevant previous projects or activities, connected to the subject of this proposal

1. DeCUSO (MINECO-Retos-CGL2017-84493-R) Decadal predictions of Carbon Uptake in the Southern Ocean and impact of the biological carbon pump uncertainty.
2. PREFACE (FP7-ENV-2013-603521) <https://preface.w.uib.no/>. Enhanced prediction of tropical Atlantic climate and its impacts.
3. APPLICATE (H2020-BG-2016-2017-727862) <https://applicate.eu/>. Advanced Prediction in Polar regions and beyond: Modelling, observing system design and linkages associated with a changing Arctic climate.
4. PRIMAVERA (H2020 SC5-01-2014-641727) <https://www.primavera-h2020.eu/>. PProcess-based climate sIMulation: AdVances in high-resolution modelling and European climate Risk Assessment
5. EUCP (H2020-SC5-2016-2017-776613) <https://www.eucp-project.eu/>. European climate prediction system.

Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work

BSC is a key element of and coordinates the Spanish Supercomputing Network, which is the main framework for granting competitive HPC time to Spanish research institutions. Furthermore, BSC is one of

six hosting nodes in France, Germany, Italy and Spain that form the core of the Partnership for Advanced Computing in Europe (PRACE) network. PRACE provides competitive computing time on world-class supercomputers to researchers in the 25 European member countries.

BSC operates MareNostrum, the most powerful supercomputer in Spain since its inception In March 2004. The latest version, MareNostrum 4 (since July 2017) has a performance capacity of 13,7 Petaflop/s and is composed of two distinct parts. The general-purpose element, provided by Lenovo, has 48 racks with more than 3,400 nodes with next generation Intel Xeon processors and a central memory of 390 Terabytes. Its peak power is over 11 Petaflop/s, i.e. it is able to perform more than 11,000 trillion operations per second, ten times more than MareNostrum 3 despite costing only a 30% increase in energy consumption. The second element of MareNostrum 4 is formed of clusters of three different technologies that will be added and updated as they become available. These are technologies currently being developed in the USA and Japan to accelerate the arrival of the new generation of pre-exascale supercomputers. MareNostrum 4 will have a disk storage capacity exceeding 10 Petabytes and will be connected to the Big Data infrastructures of BSC, which have a total capacity of 24.6 Petabytes. BSC has also other cutting-edge computing infrastructure based on latest available technology like FPGA boards, small clusters based on ARM SoCs, GPUs, etc.

### **Partner name: Deutsches Zentrum für Luft- und Raumfahrt e.V. (DLR)**

Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal

DLR is the German national research establishment for aeronautics, astronautics, and energy technology within the Helmholtz-Gemeinschaft der Forschungszentren (HGF). In CCiCC, DLR is represented by the Institute of Atmospheric Physics (DLR-IPA). DLR-IPA has long-term experience in several research areas that are of relevance for CCiCC, in particular global Earth system modelling and evaluation, the analysis of multi-model climate projections, and processing and analysis of satellite data. DLR-IPA is the PI of the Earth System Model Evaluation Tool (ESMValTool, <http://www.esmvaltool.org/>) that is developed in collaboration with other partners.

**Role in the project:** DLR will co-lead WP3. DLR will contribute to WP1 by developing diagnostics to include CCiCC observations from Task 1.1 and 1.2 into the ESMValTool. In WP3, DLR will develop multi-variate emergent constraints for carbon and biogeochemical feedbacks, provide constraints and a reassessment of TCRE and will provide observationally constrained estimates of CO<sub>2</sub> projections. DLR will contribute to WP4 on synthesis and dissemination, supporting the IPCC assessment

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Prof Dr Veronika Eyring (F)** [CCiCC WP3 co-lead] is Head of the Earth system model evaluation and – analysis department at DLR-IPA. She is Professor of Climate Modelling at the University of Bremen and maintains a strong collaboration with the National Center for Atmospheric Research (NCAR, USA) as Affiliate Scientist. Her research focuses on Earth system modeling and evaluation with observations. She has authored many peer-reviewed journal articles and has contributed to the Intergovernmental Panel on Climate Change (IPCC) climate and World Meteorological Organization (WMO) ozone assessments since 2004. Veronika is the PI of the ESMValTool and is involved in the World Climate Research Programme (WCRP) through her roles as Chair of the CMIP Panel and member of the scientific steering committees for the Working Group on Coupled Modeling (WGCM), the WCRP Data Advisory Council's (WDAC) Observations for Model Evaluation Task Team, and the Working Group on Numerical Experimentation (WGNE)/WGCM Climate Model Diagnostics and Metrics Panel.

**Dr Axel Lauer (M)** [CCiCC WP1&3] is a Research Scientist at DLR-IPA and member of the Earth system model evaluation and –analysis department. Before joining the Earth system model evaluation department at

<p>DLR, Axel spent five years as a researcher at the International Pacific Research Center in Honolulu (U.S.) studying clouds, aerosols and their interactions and two years at the Institute for Advanced Sustainability Studies in Potsdam (Germany). His main research interests are aerosols, clouds and cloud-climate feedbacks as well as their interactions. He has a long standing experience in evaluating and analysing climate model results and coordinates the technical ESMValTool development together as core developer.</p> <p><b>Dr Sabrina Zechlau</b> (previously Wenzel) (F) [CCiCC WP3] is PostDoc at DLR and Member of the Earth system model evaluation and –analysis department. Her research focuses on the evaluation of the carbon cycle in Earth system models and on constraining multi-model projections with observational data. She has been active ESMValTool developer for several years.</p>
<p>5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content</p>
<ol style="list-style-type: none"> <li>1. <b>Eyring, V.</b>, Bony, S., Meehl, G. A., Senior, C. A., Stevens, B., Stouffer, R. J., and Taylor, K. E.: Overview of the Coupled Model Intercomparison Project Phase 6 (CMIP6) experimental design and organization, <i>Geosci. Model Dev.</i>, 9, 1937-1958, 2016a.</li> <li>2. Knutti, R., J. Sedláček, B. M. Sanderson, R. Lorenz, E. Fischer, and <b>V. Eyring</b> (2017), A climate model projection weighting scheme accounting for performance and interdependence, <i>Geophys. Res. Lett.</i>, 44, doi:10.1002/2016GL072012.</li> <li>3. Lorenz R., N. Herger, J. Sedlacek, <b>V. Eyring</b>, E.M. Fischer, and R. Knutti, Prospects and caveats of weighting climate models for summer maximum temperature projections over North America, <i>Journal of Geophysical Research</i>, 123, doi:10.1029/2017JD027992, 2018.</li> <li>4. <b>Wenzel, S.</b>, Cox, P. M., <b>Eyring, V.</b> &amp; Friedlingstein, P. Emergent constraints on climate-carbon cycle feedbacks in the CMIP5 Earth system models. <i>Journal of Geophysical Research: Biogeosciences</i> 119, 2013JG002591, doi:10.1002/2013JG002591 (2014).</li> <li>5. <b>Wenzel, S.</b>, Cox, P. M., <b>Eyring, V.</b> &amp; Friedlingstein, P. Projected land photosynthesis constrained by changes in the seasonal cycle of atmospheric CO<sub>2</sub>. <i>Nature</i> 538, 499-501, doi:10.1038/nature19772 (2016).</li> </ol>
<p>5 relevant previous projects or activities, connected to the subject of this proposal</p>
<ol style="list-style-type: none"> <li>1. ESMValTool PI (<b>Eyring, V.</b>, Righi, M., <b>Lauer, A.</b>, Evaldsson, M., Wenzel, S., Jones, C., Anav, A., Andrews, O., Cionni, I., Davin, E. L., Deser, C., Ehbrecht, C., Friedlingstein, P., Gleckler, P., Gottschaldt, K. D., Hagemann, S., Juckes, M., Kindermann, S., Krasting, J., Kunert, D., Levine, R., Loew, A., Mäkelä, J., Martin, G., Mason, E., Phillips, A. S., Read, S., Rio, C., Roehrig, R., Senftleben, D., Sterl, A., van Ulft, L. H., Walton, J., Wang, S., and Williams, K. D.: ESMValTool (v1.0) – a community diagnostic and performance metrics tool for routine evaluation of Earth system models in CMIP, <i>Geosci. Model Dev.</i>, 9, 1747-1802, 2016)</li> <li>2. BMBF CMIP6-DICAD (2016-2020), German national project to coordinate and fund CMIP6 activities in Germany, responsible for enhancements of the ESMValTool with additional diagnostics and metrics and for establishing a first version of the ESMValTool coupling to the ESGF infrastructure at DKRZ.</li> <li>3. Copernicus C3S-MAGIC (2016-2019), C3S - Metrics and Access to Global Indices for Climate Projections, work package leader for the development of performance metrics in the ESMValTool (<a href="https://climate.copernicus.eu/development-c3s-software-data-analysis-climate-models">https://climate.copernicus.eu/development-c3s-software-data-analysis-climate-models</a>).</li> <li>4. Copernicus C3S-511 (2017-2021), Scientific Quality Assessment and Report for ECVs, responsible for the scientific quality assessment of observations related to cloud properties, aerosol, carbon dioxide, and methane with the ESMValTool.</li> <li>5. EU H2020 CRESCENDO (2015-2020), Coordinated Research in Earth Systems and Climate: Experiments, kNOWLEDGE, Dissemination and Outreach, responsible for the research theme Earth System Model Evaluation (<a href="https://www.crescendoproject.eu/">https://www.crescendoproject.eu/</a>).</li> </ol>
<p>Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work</p>

To facilitate the development by multiple users and institutions, the development of the ESMValTool is conducted at GitHub, using an open repository that is available to the public (<https://github.com/ESMValGroup/ESMValTool>) and a private repository that is restricted to the ESMValTool Development Team. The ESMValTool is based on open-source software, such as Python and the NCAR Command Language (NCL), which are available on most computer facilities, including the DLR-IPA Linux Cluster. DLR-IPA runs global simulations with the EMAC model and the ESMValTool at supercomputing centers such as the German Climate Computing Center (DKRZ, Hamburg) and the Leibniz Supercomputing Center (LRZ, Garching). In addition to these resources, DLR-IPA has also access to a local Linux-cluster.

## **Partner name: UNIVERSITY OF BREMEN (UBREMEN)**

Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal

The University of Bremen (UBREMEN) is a young research university and one of the top 50 European universities under the age of 50. Together with the local research institutes and cooperation partners, it belongs to the leading research facilities in northwest Germany with an excellent performance in many areas of national and international research. UBREMEN has selected a set of scientific foci for its international research profile, the first addressing ocean, polar, and climate research. The Institute of Environmental Physics (IUP) of the University of Bremen addresses this focus directly. It is the leading University research center for atmospheric remote sensing, internationally recognized for its excellence. The IUP is part of the faculty of Physics/Electrical Engineering and has more than 100 employees distributed over six departments.

The department of Physics and Chemistry of the Atmosphere (Prof. Dr. J. P. Burrows) has coordinated the development of the SCIAMACHY and GOME satellite projects. Major research areas include atmospheric radiative transfer modelling, UV/visible/near IR satellite retrievals, remote sensing from ground and aircraft, in-situ chemical monitoring, chemistry-transport modelling, and data assimilation. The department of Climate Modelling (Prof. V. Eyring) analyses Earth system model (ESM) simulations in combination with observations to better understand and project the climate system and the anthropogenic climate change. The main task is the development and application of efficient methods and tools for ESM evaluation including the analysis of large data sets. The research activities are strongly linked to the World Climate Research Programme (WCRP), for example with substantial contributions to the Coupled Model Intercomparison Project (CMIP), the international climate and ozone assessments of the Intergovernmental Panel on Climate Change (IPCC), and the World Meteorological Organization (WMO).

**Role in the project:** UBREMEN will generate satellite-derived column-averaged dry-air CO<sub>2</sub> mole fraction, i.e., XCO<sub>2</sub>, data products in WP1, developing diagnostics to evaluate the ESMs with CCiCC observations. UBREMEN will develop emergent constraints for carbon and biogeochemical feedbacks with satellite data in WP3.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Dr Michael Buchwitz (M)** [CCiCC WP1] [XCO<sub>2</sub> satellite data related contributions to Task 1.1 and 3.1] studied Physics at the University of Bremen. He is working on satellite remote sensing at the Institute of Environmental Physics of the University of Bremen since 1993 (except 2000-2001 where he was working as software developer and project manager at Interzart AG, a German e-commerce company). He is a specialist in radiative transfer and satellite remote sensing in the UV/visible/NIR/SWIR spectral region, and has participated in the specification of the SCIAMACHY instrument, mission planning, and detector selection. Currently, he is leading a research group at IUP focussing on the retrieval of CO<sub>2</sub>, CH<sub>4</sub> and CO from satellites and aircraft. He participated/participates in various EU (e.g., EVERGREEN, AMFIC,



ACCENT, CityZen, MACC, VERIFY, CHE) and ESA projects (e.g., PROMOTE, ADVANSE). He is co-proposer of CarbonSat and Science Leader of the ESA CCI GHG-CCI project and he is also leading the C3S\_312a\_Lot6 project delivering satellite CO<sub>2</sub> and CH<sub>4</sub> products for C3S. He is a member of ESA's CO<sub>2</sub> Monitoring Mission Advisory Group (MAG) and is (co)author of about 75 peer-reviewed publications.

**Prof Dr Veronika Eyring (F)** [CCiCC WP3 co-lead] is Professor of Climate Modelling at the University of Bremen and maintains a strong collaboration with the National Center for Atmospheric Research (NCAR, USA) as Affiliate Scientist. She is also Head of the Earth system model evaluation and –analysis department at DLR. Her research focuses on Earth system modelling and evaluation with observations. She has authored many peer-reviewed journal articles and has contributed to the Intergovernmental Panel on Climate Change (IPCC) climate and World Meteorological Organization (WMO) ozone assessments since 2004. Veronika is the PI of the ESMValTool and is involved in the World Climate Research Programme (WCRP) through her roles as Chair of the CMIP Panel and member of the scientific steering committees for the Working Group on Coupled Modeling (WGCM), the WCRP Data Advisory Council's (WDAC) Observations for Model Evaluation Task Team, and the Working Group on Numerical Experimentation (WGNE)/WGCM Climate Model Diagnostics and Metrics Panel.

**Dr Maximilian Reuter (M)** [CCiCC WP1&WP3] studied Physics at the Freie Universität Berlin where he also made his Ph.D. at the Institute for Space Sciences of Prof. Dr. Jürgen Fischer in 2005. From February 2006 to March 2007 he had a position at the German Weather Service (DWD) within the CM-SAF division (Satellite Application Facility on Climate Monitoring). His experience covers validation of satellite retrieved meteorological products, algorithm development, and optimal estimation based retrieval techniques. Since April 2007 he is working at the Institute of Environmental Physics (IUP) at University of Bremen focusing on the development of advanced satellite (SCIAMACHY, GOSAT, OCO-2) CO<sub>2</sub> retrieval algorithms. He is Deputy Project Manager of the GHG-CCI project of ESA's Climate Change Initiative (CCI) and Service Manager of the C3S\_312a\_Lot6 project delivering satellite CO<sub>2</sub> and CH<sub>4</sub> products for the Copernicus Climate Change Service (C3S).

**Bettina Gier (F)** [CCiCC WP1&WP3] studied Physics at the University of Heidelberg. From February 2017 to August 2017 she worked in the Earth System Model Evaluation Group at the Institute of Atmospheric Physics (IPA) of the German Aersospace Center (DLR), developing new diagnostics for the ESMValTool. She started her Ph.D. at the department of Climate Modelling at the Institute of Environmental Physics (IUP) of the University of Bremen in September 2017. Her focus is on carbon cycle feedbacks and emergent constraints utilizing both model data (e.g. CMIP5 Earth System Models) and observations (e.g. XCO<sub>2</sub> satellite data).

**Dr Katja Weigel (F)** [CCiCC WP1&WP3] studied Meteorology at Kiel University and the University Centre in Svalbard. Her Ph.D. project on infrared limb sounding was carried out at Forschungszentrum Jülich in cooperation with the University of Wuppertal starting in September 2005. She received her Ph.D from University of Wuppertal in June 2009. She has been working at the Institute of Environmental Physics (IUP) at the University of Bremen since September 2009. Her main tasks included the retrieval and analysis of atmospheric water vapour profiles from SCIAMACHY limb data and the comparison of atmospheric trace gases from different satellite remote sensing data, in situ measurements, and model data. She participated in the DFG Research Unit SHARP (part I and II), several ESA Projects (SCILOV, SQWG, SPIN), and preparational studies for the new satellites S5 and S5P. She has joined the Climate Modelling Department in July 2018 to work with the ESMValTool on CMIP model evaluation.

5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content

1. **Buchwitz, M., Reuter, M.,** Schneising, O., Noël, S., **Gier, B.,** Bovensmann, H., Burrows, J. P., Boesch, H., Anand, J., Parker, R. J., Somkuti, P., Detmers, R. G., Hasekamp, O. P., Aben, I., Butz, A., Kuze, A., Suto, H., Yoshida, Y., Cros, D., and O'Dell, C.: Computation and analysis of atmospheric carbon dioxide annual mean growth rates from satellite observations during 2003–2016, *Atmos. Chem. Phys. Discuss.*, <https://doi.org/10.5194/acp-2018-158>, in review, 2018.
2. **Eyring, V.,** Righi, M., **Lauer, A.,** Evaldsson, M., Wenzel, S., Jones, C., Anav, A., Andrews, O., Cionni, I., Davin, E. L., Deser, C., Ehbrecht, C., Friedlingstein, P., Gleckler, P., Gottschaldt, K. D.,

Hagemann, S., Juckes, M., Kindermann, S., Krasting, J., Kunert, D., Levine, R., Loew, A., Mäkelä, J., Martin, G., Mason, E., Phillips, A. S., Read, S., Rio, C., Roehrig, R., Senfleben, D., Sterl, A., van Ulft, L. H., Walton, J., Wang, S., and Williams, K. D.: ESMValTool (v1.0) – a community diagnostic and performance metrics tool for routine evaluation of Earth system models in CMIP, *Geosci. Model Dev.*, 9, 1747-1802, 2016

3. Lauer, A., Jones, C., **Eyring, V.**, Evaldsson, M., Hagemann, S., Mäkelä, J., Martin, G., Roehrig, R., and Wang, S.: Process-level improvements in CMIP5 models and their impact on tropical variability, the Southern Ocean, and monsoons, *Earth Syst. Dynam.*, 9, 33-67, 2018.

4. **Reuter, M., Buchwitz, M.**, Schneising, O., Noel, S., Bovensmann, H., Burrows, J. P.: A Fast Atmospheric Trace Gas Retrieval for Hyperspectral Instruments Approximating Multiple Scattering - Part 2: Application to XCO<sub>2</sub> Retrievals from OCO-2, *Remote Sens.*, 9, 1102, doi:10.3390/rs9111102, 2017.

5. **Reuter, M., Buchwitz, M.**, Schneising, O., Heymann, J., Bovensmann, H., and Burrows, J. P.: A method for improved SCIAMACHY CO<sub>2</sub> retrieval in the presence of optically thin clouds, *Atmos. Meas. Tech.*, 3, 209-232, 2010.

5 relevant previous projects or activities, connected to the subject of this proposal

1. Earth System Model Evaluation Tool (ESMValTool) developer
2. Advanced Earth System Model Evaluation for CMIP (EVal4CMIP) funded by the Helmholtz-Society.
3. SHARP (DFG): SHARP - Stratospheric Change and its Role for Climate Prediction, DFG Research Unit 1095, <http://www.geo.fu-berlin.de/en/met/sharp/index.html> bringing together state-of-the-art climate models and observations, in particular those derived from satellite instruments to improve our understanding and ability to predict global climate change and its interplay with the stratosphere.
4. GHG-CCI (ESA): Greenhouse gas project of ESA's Climate Change Initiative (CCI) (<http://www.esa-ghg-cci.org/>) focussing on improving retrieval algorithms for the generation of satellite XCO<sub>2</sub> data products.
5. Copernicus Climate Change Service (C3S, EU/ECMWF): The greenhouse gas sub-project C3S\_312a\_Lot6 is led by UBREMEN and generates and delivers satellite-derived CO<sub>2</sub> and CH<sub>4</sub> atmospheric data products and supports related services.

Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work

The IUP has a large computational capacity, which is essential for extensive retrieval studies and for the processing and analysis of large data sets from satellite sensors. Each involved user at IUP has access to a state-of-the-art desktop computer and therewith access to a variety of workstations and servers. IUP operates a workstation cluster consisting of multicore workstations. There is also access to and expertise for the use of high performance parallel computers. IUP runs the ESMValTool at supercomputing centers such as the German Climate Computing Center (DKRZ, Hamburg).

**Partner name: University of Bern (UBERN)**

Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal

The host institution will be Climate and Environmental Physics, Physics Institute at the University of Bern (UBERN). With 17,500 students and 2,700 PhD students, UBERN is the third largest university in Switzerland and is ranked 105 in The World University Rankings 2018. The university's comprehensive offering includes 8 faculties with more than 150 institutes. UBERN hosts several internationally recognised research centres, such as the Oeschger Centre for Climate Change Research which bundles the research

activities on climate change across four faculties. UBERN is very experienced in managing EU Grants and has been involved in projects since FP3. For FP7 and Horizon 2020, this amounts to about 130 and 60 grants, respectively. UBERN has endorsed the “The European Charter for Researchers” and “The Code of Conduct for the Recruitment of Researchers”. European grants are managed by the Euresearch office, which is part of the Grants Office. For FP7, UBERN has 109 completed projects. UBERN currently hosts about 80 EU-funded projects from FP7 and Horizon 2020.

Climate and Environmental Physics (CEP), UBERN, has more than 40 years of experience in modelling biogeochemical cycles, climate, and the Earth System. CEP has pioneered reduced form models and Earth System Models of Intermediate Complexity and has extensive experience in applying state-of-the-art Earth System models. The overall focus of the Climate and Environmental Physics department (CEP) is to understand the environment, its present and past and its evolution on time scales from decades to one million years. The department currently has a scientific and technical staff of around 60 people. During the three years from 2015 to 2017, 132 papers have been published and 10 PhD theses completed. 9 papers were published in Science and or Nature journals. Members of CEP have been involved in all major IPCC Assessments since the First Assessment Report and contributed to IPCC as Co-Chair of Working Group I, as Vice Chair of WGI, and as coordinating lead authors, lead authors and review editors in various Reports and Technical Papers.

**Role in the project:** UBERN will co-lead WP3 and contribute with two state-of-the art Earth System Models (NCAR CESM2 and the GFDL ESM2M) and with its Bern3DLPX Earth System Model of Intermediate Complexity. In WP1, UBERN will contribute to the improvement of understanding the contemporary carbon cycle by assessing the budget of atmospheric  $^{13}\text{CO}_2$ , performing isotope-enabled industrial period simulations and contribute to model evaluation and the detection and attribution of anthropogenic signals. In WP3, UBERN will contribute, identifying new emergent constraints for carbon and biogeochemical feedbacks, improve estimates of climate metrics (TCRE), and develop protocols and perform adaptive scenarios towards meeting the Paris Agreement climate ambitions. UBERN supports the project’s outreach activities and is co-chairing Carbon Cycle ScienceBrief.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Professor Thomas Frölicher (M)** [CCiCC WP3 co-lead] is the head of the Ocean Modelling group and currently an SNSF assistant professor. He authored or co-authored 45 peer-reviewed publications, including seven studies published in Nature (and its offsprings) and Science. Many of the publications include analysis of simulations with similar coupled Earth System Models as the one that will be used in this project. He is also the lead author of chapter six of the upcoming IPCC Special Report on the Ocean and Cryosphere in a changing climate, and contributed to the fifth assessment report of working group II of the IPCC. He is also the recipient of a SNSF Ambizione fellowship and has co-organized the World Climate Research Program workshop on ‘Extending the climate-carbon cycle feedback framework’ in 2018.

**Professor Fortunat Joos (M)** [CCiCC project PI for UBERN, WP1&3] is head of the group Earth System Modelling – Biogeochemical Cycles and has 30 years of experience in modelling the carbon cycle in the Earth System. He authored or co-authored more than 150 peer-reviewed publications and is recognized as “Highly Cited Researcher” by Thompson Reuters. He served as author and Vice Chair of Working Group I in previous IPCC assessments. He is a fellow of the American Geophysical Union. He served as President of the Oeschger Centre for Climate Change Research from 2010 to 2017 and chaired the anniversary 10<sup>th</sup> International Carbon Dioxide Conference in 2017. He is a SSC member of the CMIP6 Ocean Model Intercomparison Project. He contributed as PI and WP leader to several FP6 and FP7 projects on Climate and Earth System Science (CAROCHANGE, CARBOOCEAN, EUR-OCEAN, MARiRON, GAINS-ASIA, NICE, and EPOCA).

5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content

1. **Frölicher T. L.**, D. J. Paynter, 2015, Extending the relationship between global warming and cumulative carbon emissions to multi-millennial timescales. *Environmental Research Letters*, 10, 075002
2. **Frölicher, T. L.**, J. L. Sarmiento, D. J. Paynter, J. P. Dunne, J. P. Krasting, M. Winton, 2015, Dominance of the Southern Ocean in anthropogenic carbon and heat uptake in CMIP5 models. *J. Climate*, 28, 862-886
3. Palter, J., **T. L. Frölicher**, D. Paynter, J. John, Climate, ocean circulation, and sea level changes under stabilization and overshoot pathways to 1.5K warming. *Earth System Dynamics*, 9, 817-828, 2018.
4. Keller, K. M., S. Lienert, A. Bozbiyik, T. F. Stocker, O. V. Churakova, D. C. Frank, S. Klesse, C. D. Koven, M. Leuenberger, W. J. Riley, M. Saurer, R. Siegwolf, R. B. Weigt, F. Joos, "20th century changes in carbon isotopes and water-use efficiency: tree-ring-based evaluation of the CLM4.5 and LPX-Bern models", *Biogeosciences*, 14, 2641-2673, 2017.
5. Battaglia, G., F. Joos, "Hazards of decreasing marine oxygen: the near-term and millennial-scale benefits of meeting the Paris climate targets ", *Earth System Dynamics*, 9, 797-816, 2018.

5 relevant previous projects or activities, connected to the subject of this proposal

1. Anthropogenic carbon and heat uptake by the Southern Ocean (PZ00P2\_142573): The project (2013-2016) funded by the Swiss National Science Foundation provided a better understanding of the exact processes governing the magnitude and regional distribution of heat and carbon uptake by the ocean, thereby pinning down one of the greatest sources of uncertainty in predictions of the fate of anthropogenic carbon and of the climate.
2. CARBOCHANGE (264879): This FP7 project provided process-based quantification of net ocean carbon uptake under changing climate conditions using past and present ocean carbon cycle changes for a better prediction of future ocean carbon uptake. The project improved the quantitative understanding of key biogeochemical and physical processes through a combination of observations and models and quantified large-scale integrative feedbacks of the ocean carbon cycle to climate change and rising carbon dioxide concentrations as well as the vulnerability of the ocean carbon sources and sinks in a probabilistic sense and under climate stabilization.
3. bgcCEP (200020\_172476): This project (2017-2021) funded by the Swiss National Science Foundation integrates information from paleo proxy data and the instrumental record into Earth system models to advance the quantitative and qualitative understanding of biogeochemical-climate feedbacks and to improve Earth system projections. A focus is on the greenhouse gases carbon dioxide, methane, and nitrous oxide and their land and ocean sources and sinks over the past 20,000 and the last million years.

Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work

CEP maintains its own Linux Cluster, has access the UBERN Linux Cluster and, maintains within the Oeschger Centre two one Petabyte data storage facility. CEP has access to the High Performance Computing Infrastructure at the Swiss National Supercomputing Centre. This will allow CEP to perform model simulations, and store and analyses results for CCiCC.

## **Partner name: CICERO Center for International Climate Research (CICERO)**

Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal

CICERO Center for International Climate Research is a leading inter-disciplinary climate research institute in the Nordics, with departments on the climate sciences, climate economics, climate policy and climate communication. Researchers undertake projects funded primarily by the EU Framework Programmes and the Research Council of Norway, with smaller funding from Government ministries and other national and

international programmes or organisations. CICERO researchers regularly published in top academic journals in a range of fields (Science, Nature, etc) and has the highest publication ranking amongst the Norwegian environmental institutes. Communication, stakeholder management and process facilitation is of core importance to CICERO from its founding, with most CICERO projects involving dedicated communication and dissemination activities. CICERO participates in a broad network of national and international research communities: IPCC assessment reports (AR6 WGI vice-chair, SR15 Review Editor, six lead authors), global change programmes (e.g., Future Earth, Global Carbon Project) and EU research (eg Joint Programming Initiatives). CICERO has around 75 staff, 60 of which are research staff, 10 in administration and 5 dedicated to communication.

CICERO has made an important contribution to the Global Carbon Project (GCP), particularly the Global Carbon Budget and publishing high-level analysis and synthesis papers on near-term projections of the carbon budget, emission scenarios, and the remaining carbon budget concept. CICERO places strategic importance on synthesis, communication, and outreach activities, and is developing new concepts for better engagement with users via a strategic project “Rapid Response for Climate and Energy Analysis”. CICERO’s competence is relevant for many tasks in CCiCC, but will focus on leading tasks in WP4 and contributing to the global carbon and oxygen budget (WP1) and the transient climate response to cumulative emissions (WP3).

**Role in the project:** CICERO will co-lead WP4, ensuring optimal synthesis, dissemination and policy dialogue. CICERO will also contribute to WP1 in the development of O<sub>2</sub> and <sup>13</sup>C budgets constraints on the carbon cycle and to WP3 in the assessment of TCRE, accounting for non-CO<sub>2</sub> forcing.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Glen Peters (M)** [WP4 co-lead] is a Research Director at CICERO, where he has worked for ten years and managed several large interdisciplinary research projects. He is a worldwide authority on emission drivers and scenarios, demonstrated via highly-cited articles in high-level journals. Dr Peters has played an important role in the Global Carbon Budget in the last eight years, coordinating data and performing analysis on emission sources, and writing several synthesis articles. He has just completed a six-year (maximum) term on the Scientific Steering Committee of the Global Carbon Project. He is a Lead Author for the IPCC Sixth Assessment Report on emission scenarios (WG3 Chapter 3).

**Robbie Andrew (M)**. [CCiCC WP1] Leading authority in emission statistics and emission drivers, with several publications in high-level journals. Andrew performs most data analysis, management, and graphical presentation for the emission source component of the Global Carbon Budget. Andrew also has extensive experience on agricultural emissions through his previous employment in New Zealand and ongoing CICERO research projects.

**Ms. Iselin Rønningsbakk (F)** [CCiCC WP4] is a senior communications advisor with an MSc in Politics and Government in EU from LSE and a double degree MA through Erasmus in journalism and media studies from Universities of Hamburg, Århus and Amsterdam. For the past two years she has worked as communications advisor for Mid-Norway’s regional Brussels office where she was responsible for all communications activities, including the website, a monthly newsletter, social media and the running of a Horizon 2020 network. Previous work experience includes being energy reporter for Montel and information advisor for EFTA. This year she completed a college course in EU project management and she has completed several courses in Horizon 2020 management offered by the Norwegian research council.

5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content

1. Peters GP, LeQuéré C, Andrew RM, Canadell JG, Friedlingstein P, Ilyina T, Jackson RB, Joos F, Kosbakken JI, McKinley GA, Sitch S, Tans P (2017), Towards real-time verification of CO<sub>2</sub> emissions, *Nature Climate Change*, doi:10.1038/s41558-017-0013-9.
2. Le Quéré, C., Andrew, R.M., Friedlingstein, P., Sitch, Pongratz, J., Manning, A.C., Korsbakken, J.I.,

<p>Peters, G.P., et al. (2018), Global Carbon Budget 2017, <i>Earth System Science Data</i>, vol. 10, no. 1, pp. 405-448.</p> <p>3. Peters, 2018, Beyond Carbon Budgets, <i>Nature Geoscience</i>, 11, 378-380.</p> <p>4. Peters, 2016. The ‘best available science’ to inform 1.5°C policy choices, <i>Nature Climate Change</i> 6, 646-649</p> <p>5. Global Carbon Project (annual releases), data portal, website, graphical material, visualisations, synthesis reports, etc. <a href="http://www.globalcarbonproject.org/carbonbudget/index.htm">http://www.globalcarbonproject.org/carbonbudget/index.htm</a></p>
5 relevant previous projects or activities, connected to the subject of this proposal
<ol style="list-style-type: none"> <li>1. IPCC AR6 Lead Author, WGIII chapter 3 “Mitigation pathways compatible with long-term goals”</li> <li>2. Horizon 2020 (2018-2021): Observation-based system for monitoring and verification of greenhouse gases (<b>Work Package Leader</b>)</li> <li>3. Various Norwegian sources (2012-2016): Support for the Global Carbon Project (<b>Project Leader</b>)</li> <li>4. Strategic Institute Funding, Norwegian Research Council (2016-2019): Rapid Response for Climate and Energy Policy (<b>Project Leader</b>)</li> <li>5. 2011-2020: Strategic Challenges in International Climate and Energy Policy (<b>Participant</b>)</li> </ol>
Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work
Not relevant for CICERO’s contribution to CCiCC.

<b>Partner name: The Chancellor Masters and Scholars of the University of Oxford (UOXF)</b>
Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal
<p>The University of Oxford is consistently ranked amongst the top-ten research universities in the world. With substantial recent and ongoing investment in physical climate science research, faculty and infrastructure, the University now employs &gt;180 staff and PhD students directly working within climate science research groups. Atmospheric, Oceanic and Planetary Physics within the Department of Physics and the Environmental Change Institute (ECI), School of Geography are at the core of a physical climate science initiative at Oxford. Myles Allen the former academic convener of the Oxford Climate Research Network (<a href="http://www.climate.ox.ac.uk">www.climate.ox.ac.uk</a>). The University has formal links to the European Center for Medium Range Weather Forecasting, and NERC’s National Centre for Atmospheric Science, NERC’s National Centre for Earth Observations alongside strong collaborative links with the UK Met Office formalized through membership in the Met Office’s Academic Partnership scheme.</p> <p><b>Role in the project:</b> UOXF main role will be in WP3, on the reassessment of TCRE including non-CO<sub>2</sub> emissions, and on the development of the adaptive scenarios. UOXF will also contribute to WP2, on the detection of peak emissions and to WP4 on synthesis and dissemination, supporting the IPCC assessment.</p>
Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities
<p><b>Myles Allen (M)</b> [CCiCC Task 3.2 lead] is Professor of Geosystem Science in the Environmental Change Institute, School of Geography and the Environment and Department of Physics, University of Oxford. His research focuses on how human and natural influences on climate contribute to observed climate change and risks of extreme weather and in quantifying their implications for long-range climate forecasts. He has served on the Intergovernmental Panel on Climate Change as Coordinating Lead Author on the Special Report on 1.5°C, Lead Author on Detection of Climate Change and Attribution of Causes for the 3rd and 5th Assessments in 2001 and 2013, as Review Editor on Global Climate Projections for the 4th Assessment</p>

<p>in 2007, and on the IPCC Synthesis Report Core Writing Team in 2014. He proposed a novel usage of Global Warming Potentials to account for the different behaviour of stock versus flow pollutants in papers in 2016 and 2018; led and co-authored two papers in 2009 identifying the cumulative impact of carbon dioxide emissions on global temperatures and their policy implications; and leads the climateprediction.net project, using distributed computing to run the world's largest ensemble climate modelling experiments.</p> <p><b>Michelle Cain (F)</b> [CCiCC WP3] is an Oxford Martin Fellow and Science and Policy Research Associate based jointly in the Oxford Martin School and Environmental Change Institute at the University of Oxford. Her current work is about the impact of short lived climate forcers on temperature and climate, with a focus on developing and applying metrics that inform climate policies. She received her PhD from the University of Reading in 2010, followed by postdoctoral positions at the University of Cambridge working on the chemistry and transport of air pollution and greenhouse gases, with a particular focus on methane emissions. She spent 18 months seconded to the UK Department for the Environment, Food and Rural Affairs to work on the use of air quality modelling for government policy purposes.</p>
<p>5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content</p>
<ol style="list-style-type: none"> <li>1. Millar, R.J., Fuglestedt, J.S., Friedlingstein, P., Rogelj, J., Grubb, M.J., Matthews, H.D., Skeie, R.B., Forster, P.M., Frame, D.J. &amp; Allen, M.R. 2017, "Emission budgets and pathways consistent with limiting warming to 1.5 °C", Nature Geoscience, vol. 10, no. 10, pp. 741-747.</li> <li>2. Allen, M. R., Shine, K. P., Fuglestedt, J. S., Millar, R. J., Cain, M., Frame, D. J., &amp; Macey, A. H. (2018). A solution to the misrepresentations of CO<sub>2</sub>-equivalent emissions of short-lived climate pollutants under ambitious mitigation. Npj Climate and Atmospheric Science, 1(1), 16. <a href="https://doi.org/10.1038/s41612-018-0026-8">https://doi.org/10.1038/s41612-018-0026-8</a></li> <li>3. MR Allen, JS Fuglestedt, KP Shine, et al, New use of global warming potentials to compare cumulative and short-lived climate pollutants, Nature Climate Change, 6, 773-776, 2016.</li> <li>4. M. R. Allen et al: Warming caused by cumulative carbon emissions towards the trillionth tonne, Nature, 458:1163-1166, 2009 (Cover).</li> <li>5. Cain, M., Warwick, N. J., Fisher, R. E., Lowry, D., Lanoisellé, M., Nisbet, E. G., et al., (2017). A cautionary tale: A study of a methane enhancement over the North Sea. Journal of Geophysical Research: Atmospheres, 122(14), 7630–7645. <a href="https://doi.org/10.1002/2017JD026626">https://doi.org/10.1002/2017JD026626</a></li> </ol>
<p>5 relevant previous projects or activities, connected to the subject of this proposal</p>
<ol style="list-style-type: none"> <li>1. Coordinating Lead Author, Chapter 1, Framing and Context, of the IPCC Special Report on 1.5C, 2017-2018 (Allen)</li> <li>2. Lead Author on Detection of Climate Change and Attribution of Causes for the 3rd and 5th Assessments in 2001 and 2013 (Allen)</li> <li>3. "Climateprediction.net - distributed computing for global climate research", collaborative project (2000 present, overall budget c. ~£4m), performing large-scale Monte Carlo simulation of climate change 1900 - 2100 using idle CPU on personal computers volunteered by the general public. (Allen, PI)</li> <li>4. Member of the US National Academies of Science Technology and Medicine Committee on Methods of Evaluating the Social Cost of Carbon (Allen)</li> <li>5. Consultancy for JPI-Climate (a European Commission Joint Programming Initiative on "Connecting Climate Knowledge for Europe") for a series of workshops and a report addressing the question of what is required for the “balance of sources and sinks of greenhouse gases” that is outlined in the Paris Agreement, in particular relating to the role of non-CO<sub>2</sub> forcings (Cain)</li> </ol>
<p>Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work</p>
<p>N/A</p>

## **Partner name: Commissariat à l'énergie atomique et aux énergies alternatives (CEA)**

Description of the legal entity and its main tasks, with an explanation of how its profile matches the tasks in the proposal

The Laboratory of Climate and Environmental Sciences (French: Laboratoire des Sciences du Climat et de l'Environnement, LSCE), created in 1998 is both an institution and joint research unit (UMR 8212) of the French Alternative Energies and Atomic Energy Commission (French: Commissariat à l'énergie atomique et aux énergies alternatives, CEA), the French National Centre for Scientific Research (French: Centre national de la recherche scientifique, CNRS), and the University of Versailles Saint-Quentin (UVSQ). CEA is the legal entity that represents the LSCE within this project, with UVSQ and CNRS as third parties, to account for the staff participating in the project.

The LSCE aims to understand past, present, and future biogeochemical cycles and climate characteristics and evolution and to predict the changes our planet will have to face in the next decades and centuries due to climate change forced by increasing greenhouse gases. The LSCE has participated in numerous national and international research and private sector projects since its foundation about activities related to this proposal.

With more than 310 staff members, the LSCE is an associated laboratory of the Institute Pierre Simon Laplace (IPSL) that brings together nine research laboratories working on the global environment. Through the IPSL, the LSCE participates to two French laboratories of excellence (LABEX) using the IPSL Climate model, one of the top 10 most powerful and complete climate models in the world. The LSCE contributes greatly to the IPSL strategy for the study of the "Earth System" at various spatial and temporal scales.

The LSCE has a leading international expertise in carbon cycle and climate modelling, the assimilation of data on land surface properties, as well as measurements of greenhouse gases in the atmosphere and inversions of their fluxes going from regional to national and global scales. The LSCE has been heavily involved in the Global Carbon Project, as is illustrated by [globalcarbonatlas.org](http://globalcarbonatlas.org), an online platform to explore global and regional carbon data that it has developed through a philanthropic grant. It has strong participation in PMIP and CMIP projects on numerical simulation of the climate, and control of the modelling infrastructure project IS-ENES, has a leading role in the creation of the Climate-JPI, as well as the coordination of Charmex, and contribution to SICMED MERMEX. The LSCE is also a major contributor to the last IPCC report.

The LSCE produces more than 250 publications per year, with a significant fraction published in the most prestigious international journals in the discipline, such as Nature, Science, PNAS, NatureGeoscience, with a higher than average impact factor of 8. The average number of citations per paper at LSCE is approximately 14. Additionally, 31% of publications the LSCE are among the 10% most cited publications in the world in Geosciences and 6% are part of the 1% most cited publications.

**Role in the project:** CEA will contribute to WP1, WP2 and WP3, leading the evaluation task (T1.4) in WP1. CEA will contribute to historical simulations, analysis and process attribution with the ORCHIDEE land model and with the IPSL-ESM (jointly with ENS), leading the evaluation of the land and ocean carbon cycle. CEA will also develop new observational constraints on the land carbon cycle. CEA will contribute to the decadal predictions with the IPSL-ESM (jointly with ENS) in WP2 and to the adaptive scenarios simulations in WP3.

Curriculum vitae or description of the profile of the persons, including their gender, who will be primarily responsible for carrying out the proposed research and/or innovation activities

**Professor Philippe Ciais (M)** [CCiCC Task 1.4 lead] works in the global biogeochemical cycles and transfers department of LSCE where the project will be hosted, is the author of 650 peer-reviewed publications (H-index= 105; cited 29000 times). P.C. is among the top-1% most-cited scientists in both Geosciences and Ecology, author of more than 60 publications in Nature, Science and high-impact journals, and ranked most productive scientist in the field of climate change<sup>1</sup>. He mentored 40 PhDs and 30 post-doctoral fellows and obtained the EGU Copernicus Medal in 2016. International experience: P.C.



co-chaired the Global Carbon Project (GCP) and the Carbon Strategy of the Group on Earth Observation, and acted as Convening Lead Author of the IPCC in the 5th Assessment Report. European experience: P.C. coordinated projects in FP-5, project components in CARBOEUROPE (FP-6) and GHG-EUROPE (FP-7) and the GEOMON (FP-7) project. P.C. coordinated of the Preparatory Phase of the ICOS Research Infrastructure in 2007, establishing a dialogue with the EU and member states representatives at ministerial level, which led to the successful establishment of the operational Infrastructure involving 17 countries. P.C. is a co-laureate of the ERC- synergy Imbalance P grant on the phosphorus interactions in the Earth system. P. C. will lead Task 1.4 in the CCiCC project.

**Dr. Philippe Peylin (M)** [CCiCC WP1-3] is head of the “Atmosphere Surface Interface Modeling” team of CEA-LSCE, which includes 20-25 scientists and students. He is a research scientist working on the Carbon Cycle with a 15-year strong expertise in the development of terrestrial ecosystem models and the application of data assimilation techniques to improve the simulations of carbon, water and energy balances. He is currently coordinating the development of the ORCHIDEE land surface model (<http://labex.ipsl.fr/orchidee/>; to be used in CCiCC), the land surface component of the IPSL Earth System Model, developed across several French and international laboratories and central to the CCiCC project. He coordinated/coordinates several research projects, including an EU-funded FP7 project, CARBONES, dedicated to a 30-year reanalysis of the carbon cycle and the on-going H2020 VERIFY project on monitoring GhG fluxes from land, ocean and atmospheric observations. He published around 120 peer-reviewed papers.

**Dr. Bertrand Guenet (M)** [CCiCC WP1&2] research is mainly focus on the soil biogeochemistry in a global change context at large scales using mainly land surface models but also more simple and theoretical models. He’s interested in the full cycle of soil elements (carbon, nitrogen, phosphorous, etc.) including lateral fluxes through run off or erosion and the impact of such lateral fluxes on aquatic ecosystems functioning. he also participates to meta-analysis and laboratory experiments to better understand the process and their impacts at large scales. He started to work using laboratory experiments to better understand the soil carbon emissions process and in particular the priming effect. Now he’s mainly working on land surface modeling with a particular interest on soil carbon modeling. Since 2009 he has published 47 papers in SCI Journals cited 1004 times, his impact factor is of 15 with more than 90% of his manuscripts are published in top 10% journals (according to their ranking in one of the ISI categories).

**Dr Nicolas Vuichard (M)** [CCiCC WP1&3] is a research scientist, expert in modeling carbon and nitrogen fluxes in terrestrial ecosystems, with an emphasis on managed lands such as croplands and pastures. He has been involved in several European projects and Model Intercomparison Projects aiming mostly at better quantifying the land/atmosphere carbon and water fluxes, from seasonal to multi-annual time scales, and at continental scale. Recently, he coordinated the development of an ORCHIDEE model version coupling the nitrogen and carbon cycles. He contributed to ~50 A-ranking publications cited 2000 times, and has an impact factor of 21.

5 relevant publications, and/or products, services (including widely-used datasets or software), or other achievements relevant to the call content

1. Guenet, B., Camino-Serrano, M., Ciais, P., Tifafi, M., Maignan, F., Soong, J.L., et al. (2018). Impact of priming on global soil carbon stocks. *Glob. Chang. Biol.*, 24, 1873–1883.
2. Walsh, B., P. Ciais, I. A. Janssens, J. Penuelas, K. Riahi, F. Rydzak, D. P. van Vuuren, and M. Obersteiner (2017), Pathways for balancing CO<sub>2</sub> emissions and sinks, *Nature Communications*, 8, 12.
3. Peylin, P., Bacour, C., MacBean, N., Leonard, S., Rayner, P. J., Kuppel, S., Koffi, E. N., Kane, A., Maignan, F., Chevallier, F., Ciais, P., and Prunet, P., 2016: A new stepwise carbon cycle data assimilation system using multiple data streams to constrain the simulated land surface carbon cycle, *Geosci. Model Dev.*, 9, 3321-3346.
4. Ciais, P., T. Gasser, J. D. Paris, K. Caldeira, M. R. Raupach, J. G. Canadell, A. Patwardhan, P. Friedlingstein, S. L. Piao, and V. Gitz (2013), Attributing the increase in atmospheric CO<sub>2</sub> to emitters and absorbers, *Nature Climate Change*, 3(10), 926-930.
5. Ciais, P., et al. (2008), Carbon accumulation in European forests, *Nature Geoscience*, 1(7), 425-429.

5 relevant previous projects or activities, connected to the subject of this proposal
<ol style="list-style-type: none"> <li>1. CRESCENDO (641816): This H2020 project facilitates a coordinated European contribution to the <a href="#">6th Coupled Model Intercomparison Project</a> (CMIP6) where the climate research community compares a range of International Earth System Models using common sets of experimental protocols, to improve our knowledge of the Earth's climate processes and provide the best possible future projections to governments and decision-makers. CRESCENDO in particular better informs a number of key Model Intercomparison Projects (MIPs) where biogeochemical and aerosol components are of critical importance to delivering realistic future projections. Such components include: the terrestrial and marine carbon cycle, vegetation processes, permafrost, atmospheric chemistry and aerosols.</li> <li>2. HELIX: EU-funded collaborative research project assessing the potential impacts of climate change. Scientists from 16 organisations worldwide have worked together to develop a number of future scenarios of the natural and human world as a consequence of 1.5°C, 2°C, 4°C and 6°C global warming. HELIX results are communicated to decision makers and the public to help understand what kind of climate change impacts we wish to avoid and make adapting to our changing climate more understandable and manageable.</li> <li>3. VERIFY: This H2020 project will develop a pilot monitoring system based on land, ocean and atmospheric observations to support estimates of greenhouse gas budgets established by countries to the UN Climate Change Convention secretariat. Research institutes across Europe and national inventories agencies being partners of the project are working together to advance the use of observations and models for quantifying space-time patterns and national budgets of GHG emissions and sinks, with a focus on CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O. The project is coordinated by CEA.</li> <li>4. IMBALANCE-P: This ERC Synergy project assesses the responses of ecosystems and society in a world increasingly rich in nitrogen (N) and C but limited in Phosphorus (P) is an earthbound and finite element and the prospect of constrained access to mineable P resources has already triggered geopolitical disputes. In contrast to P, availabilities of carbon (C) and nitrogen (N) to ecosystems are rapidly increasing in most areas of the globe. The resulting imminent change in the stoichiometry of available elements will have no equivalent in the Earth's history and will bear profound, yet, unknown consequences for life, the Earth System and human society. The IMBALANCE-P-team, gathers 4 researcher groups in the fields of ecosystem diversity and ecology, biogeochemistry, Earth System modelling, and global agricultural and resource economics, will address this Earth System management challenge by providing improved understanding and quantitative foresight to mitigate the consequences of stoichiometric imbalances.</li> </ol>
Description of any significant infrastructure and/or any major items of technical equipment, relevant to the proposed work
N/A

#### 4.2. Third parties involved in the project (including use of third party resources)

No Third Parties involved.

## **Section 5: Ethics and Security**

### **5.1 Ethics**

The project raises no ethics issues.

### **5.2 Security**

The project raises no security issues.



Digitally signed by sealingservice.grants.ec.europa.eu  
Date: 2018.09.04 14:23:37 CEST  
Reason: Acknowledgment of Receipt

This electronic receipt is a digitally signed version of the document submitted by your organisation. Both the content of the document and a set of metadata have been digitally sealed.

This digital signature mechanism, using a public-private key pair mechanism, uniquely binds this eReceipt to the modules of the Participant Portal of the European Commission, to the transaction for which it was generated and ensures its full integrity. Therefore a complete digitally signed trail of the transaction is available both for your organisation and for the issuer of the eReceipt.

Any attempt to modify the content will lead to a break of the integrity of the electronic signature, which can be verified at any time by clicking on the eReceipt validation symbol.

More info about eReceipts can be found in the FAQ page of the Participant Portal. (<http://ec.europa.eu/research/participants/portal/page/faq>)